



DATE: August 21, 2017
 QUOTE #:198445-01

CITY OF KILLEEN FLEET SERVICES
 FRANK TYDLACKA

Bryan Taylor
 254.709.7572

PO BOX 1329
 KILLEEN, TEXAS 76540-1329

One (1) New Caterpillar Inc Model: 938M Wheel Loaders & Integrated Tool Carriers with all standard equipment in addition to the additional specifications listed below:

DATE: August 21, 2017 QUOTE #:Quote 198445-01

MACHINE SPECIFICATIONS

DESCRIPTION	REF.#
938M WHEEL LOADER	430-2807
LANE 2 - AVAILABLE FROM CLAYTON FACTORY	
LANE 3 - AVAILABLE FROM CLAYTON FACTORY	
LANE 3 ORDER	0P-9003
PREP PACK, UNITED STATES	430-2943
HYD,2V,PIN-ON,STD LIFT	430-2841
STEERING, STANDARD	333-6858
DIFFERENTIAL, OPEN REAR	349-8014
ENVIRONMENT, MEDIUM DEBRIS	430-2865
WEATHER, STANDARD	454-0612
ENGINE AR	430-3038
CAB, DELUXE	521-3244
SEAT, DELUXE	423-7201
LIGHTS, STD HALOGEN	488-1112
RADIO, READY	342-0130
PRODUCT LINK, CELLULAR PL641	454-0589
TIRES, 20.5R25 TI MXL * L3	376-0830
FENDERS, DEFLECTORS	419-8851
COUNTERWEIGHT, STANDARD	470-6570
TOOLBOX AUX, NONE	519-8081
DETECTION, OBJECT (RADAR)	377-5660
WARNING, BEACON, LED STROBE	333-1425
GUARD, WINDSHIELD	342-0250
GUARD, POWERTRAIN, LOWER	349-8165
GUARD, POWERTRAIN, SIDE	425-1425

DESCRIPTION	REF.#
GUARD, CRANKCASE	349-8163
GUARD, DRIVESHAFT	349-8164
GUARD, STEERING CYLINDER	430-2917
BUCKET, LM, 6.5, YD3, PO	360-3317
CUTTING EDGE, BOLT ON, 4 PIECE	345-2758
SHIPPING/STORAGE PROTECTION	0P-2266
PACK, DOMESTIC TRUCK	0P-0210
FILM GP, WASTE HANDLER	387-4096
ADDITIONAL LIGHTING AND ALARMS	

SELL PRICE	\$188,124.00
EXT WARRANTY	Included
TOTAL PRICE	\$188,124.00
<hr/>	
SUB TOTAL	\$188,124.00
TOTAL QUOTED PRICE	\$188,124.00

WARRANTY

Standard Warranty: 12 Month/Unlimited Hours Total Machine
 Extended Warranty: 3YR / 6000 HOUR POWERTRAIN WARRANTY

NOTES

STANDARD EQUIPMENT

POWERTRAIN

Axle seal guards	Hydraulically driven demand cooling fan
Auto Idle shut down feature	Hydrostatic transmission with electronic control
Cat C7.1ACERT engine	-Operator Modes (Default, TC, Hystat and Ice)
-Power Modes (Standard and Performance)	-Directional Shift Aggressiveness (Fast, Medium, Slow)
-Power by Range (High Power in Range 4)	-Rimpull control, adjust wheel torque
-Tier 4 Final/Stage IV compliant	-Creeper control, adjust ground speed
-Turbocharged and aftercooled	Lubed for life driveshafts
-Filtered crankcase breather	Parking brake, electric
-Diesel particulate filter	
-Selective Catalyst Reduction	
Coolant protection to -34C (-29F)	

Differential lock in front axle
Dry type air cleaner
Enclosed wet disc full hydraulic brakes
Fuel priming pump, automatic
Fuel water separator

Single plane cooling package wide 6 fins
per inch density
S-O-S port,engine,coolant,transmission
oil

HYDRAULICS

Automatic lift and bucket kickouts,
adjustable in-cab
Bucket and Fork Modes, adjustable in-cab
Cylinder damping at kickout and
mechanical end stops
Fine Mode control (Fast, Medium, Slow)
in Fork Mode

Hydraulic Response setting (Fast,
Medium, Slow)
Hydraulic diagnostic connectors and
S-O-S ports
Hydraulic sight gauge, visible
Load sensing hydraulics and steering
Seat mounted hydraulic joystick controls

ELECTRICAL

Alternator, 115-amp, heavy duty
12V power supply in cab (2)
Batteries, 1,000 CCA (2) 24 volt system,
disconnect switch
Back up alarm
Emergency shutdown switch
Halogen work lights front and rear, LED

rear stop and turn lights
Heavy duty gear reduction starter
Product Link PRO w/3 year subscription
Remote jump start post
Resettable main and critical function
breakers
Roading lights front and rear

OPERATOR ENVIRONMENT

75 mm (3 in) retractable seatbelt
Automatic temperature control
Cab, enclosed ROPS/FOPS pressurized
and sound suppressed
Cup holders
External heated mirrors with lower
parabolic
Ground level cab door release
Gauges
-Digital hour meter, odometer and
tachometer
-Digital ground speedometer and
direction indicator
-Engine coolant temperature gauge
-Fuel and Diesel Exhaust Fluid level
indicator
-Hydraulic oil temperature gauge
Hydraulic control lockout

Interior cab lighting, door and dome
Interior rearview mirrors (2)
Lunch box storage
Operator warning system indicators
Radio ready speakers
Rear window defrost, electric
Seat mounted electronic implement
controls, adjustable
Sliding glass on the side windows
Column mounted multi function control
-lights, wipers, turn signal
Suspension seat, fabric
Tilt and telescope steering wheel
Tinted front glass
Wet arm wiper/washer, 2-speed and
intermittent, front
Wet arm wiper washer, rear

OTHER STANDARD EQUIPMENT

Large-access enclosure doors with
adjustable close/open force
Parallel lift loader linkage
Recovery hitch with pin

Remote mounted lubrication points
Vandalism protection-
lockable compartments