Incident Number KFD23000587		Incident Date 01/15/2023	NFIRS Number 0001510	Incident Type (111B) - Commer	rcial	
FDID AV706	Station Station 9			Shift B-Shift	District 9-19	
nitial Dispatch Code						
Alarms 2	Working Fire Yes		9 was a factor VID-19 was not a factor	Critical Incident	Critical Incid	ent Team
emporary Resident Inv	volvement					
Hazardous Materials Re (0) - Special HazMat		l or spill >= 55 gal.				
Action Taken 1 (11) - Extinguishmen	t by fire service	personnel				
Action Taken 2 (12) - Salvage & over						
¥ AID						
Aid Given/Received (2) - Automatic aid re	eceived					
Aided Agency				Their Incident Num	nber	
Aiding Agencies Southwest Bell Coun	ty VFD					
LOCATION						
Location Type (1) - Street address						
Address 12200 South FORT H	OOD Street, , Ki	lleen, Texas, 76549				
Cross Street, USNG, or E	Directions			Latitude 31.01168000	Longitude -97.74354900	Census Tract
Detector Alerted Occup	ant					
Property Use (891) - Warehouse				Mixed Use		
TIMES						
Dispatch Notified Time 14:03:08, 01/15/202		Alarm Time 14:03:08, 01/15/202	3			
Arrival Time 14·10·22 01/15/202	3	Water on Fire Time	At Patie	nt Time		

(L) TIMES					
Loss Stop Time	Control	led Time		Last Unit Cleared Time 17:38:40, 01/15/2023	
Total On Scene Time 3 hrs 28 mins 18 sec	Total In	cident Time			
데 COUNTS					
Counts Include Aid Received?					
Suppression:	EMS:		Other:		
Apparatus Personnel 7 21	Apparatus 0	Personnel 0	Apparatu 4	Personnel 4	
\$\pressure Loss					
Property:		Content:			
Estimated Property Losses None		Estimated (Content Losses		
Estimated Property Value 2000000		Estimated (Content Value		
AUTHORIZATION					
Report Writer:					
Name LEE, SAMUEL	Employ 55	ee Number		Assignment T9	Authorization Date
Officer in Charge:					
Name TODD, JUSTIN	Employ 272	ee Number		Assignment BATT2	Authorization Date 01/15/2023

Authorization Date

Quality Control:

Name

INCIDENT NARRATIVE

KFD and SWBVFD units dispatched to City of Killeen Transfer Station sec to possible structure fire. SWBVFD E1 arrived on scene first and reported smoke showing. KFD Batt2 arrived shortly after. SW most bay door was open and trash could be seen on fire through bay door with heavy black smoke. SWBVFD E1 made initial attack and when KFD E5 arrived water supply was established to hydrant located just west of the facility. KFD Batt2 assumed Transfer Station Command. Other KFD suppression units arrived on scene and were given various tasks. KFD Batt1 was assigned Fire Suppression Operations and Batt2 remained IC. Power was discontinued to facility by flipping main breaker. City of Killeen notified and 270 arrived on scene. Ventilation was accomplished by opening west and north side bay doors. Winds out of the south provided great ventilation aid in removing a lot of the black smoke. After visibility improved, several large piles of trash were found to be on fire on the east side of the structure. Fires were extinguished. 270, with knowledge of the facility, noted to IC a product called EucoFloor 404 (Parts of MSDS attached. Entire MSDS too large to attach to report) is used on the cement floor to protect the floor from the acidity of the trash. 270 also advised the trash is so acidic that personnel's bunker gear should be washed thoroughly. After this was noted a Hazmat Branch was then established to decon all firefighters working to extinguish fires. For Hazmat branch, decon was performed on bunker gear and personnel as soon as they came out of hot zone (inside warehouse where the trash was on fire/still smoldering). Personnel deconned every time they exited hot zone. Other hazmat mitigations were used to move equipment and other items out of run off pools. Also, after Hazmat situation was found, all personnel were instructed to try and move back in hopes to decease any possible inhalation of smoke by personnel on scene. With the fire apparatuses on scene, Copperas Cove FD was called in to staff Central Fire Station and Ft. Hood E3 and Ft. Hood Battalion 2 staffed Station 9. After fire was put out, bulldozers were used to spread out the trash for overhaul of fire contents. T2 laddered the roof and found no obvious signs of damage from the fire. Other operations included area for rehab and SCBA air supply for all personnel on scene. On Call Support was contacted for decon of bunker gear and hoses. Support staff arrived on scene, bagged all contaminated bunker gear after gross decon, and was taken to Support Facility for thorough cleaning and/or send off to contracted 3rd party company for repairs. All units with personnel whose bunker gear was contaminated were instructed to go out of service, decon themselves, and then go to Support to retrieve new gear. After extinguishment and overhaul of fire, and no further obvious hazards seen, all units cleared the scene. Personnel with confirmed contaminated bunker gear and bagged for Support:Lee, Esquenazi, A. Perry, Shoemaker, Mighell, Frescatore, Shelton, Delape, Kopp, Reams, Witmer. Captain Todd

Created By: TODD, JUSTIN

KENG3



	Responding From		Priority
(1) - Suppression	3-1		Non-Emergent
Response Delays			
None/No Delay			
Dispatch Time	Enroute Time	Arrival Time	
15:12:41, 01/15/2023	15:12:43, 01/15/2023	15:32:40, 01/15/2023	_
At Patient Time	Clear Time	In District Time	
	17:26:13, 01/15/2023	<u> </u>	
Actions Laken:			
Actions Taken: Provide manpower			
Actions Taken: Provide manpower			
	OBERT		
Provide manpower	COBERT		
Provide manpower Person 1: LUNDBERG, R			
Provide manpower Person 1: LUNDBERG, R Action Taken 1			
Provide manpower Person 1: LUNDBERG, R Action Taken 1 (73) - Provide manpowe	r		
Provide manpower Person 1: LUNDBERG, R Action Taken 1 (73) - Provide manpowe Patient Contact?	PPE Worn During Exposure		

Person 1: LUNDBERG	i, ROBERT		
PPE Malfunction?	Barrier Breach No	Black Soot Around Nose No	Black Soot Around Mouth No
Decontamination Proce	edures Completed		
Person 2: SCAFF, COD	γ		
Action Taken 1 (73) - Provide manpo	wer		
Patient Contact?	PPE Worn During Exp None	osure	
Fire Products Exposed T	o		
PPE Worn During Expos	sure		
PPE Malfunction?	Barrier Breach No	Black Soot Around Nose	Black Soot Around Mouth No
Decontamination Proce	edures Completed		
Person 3: WILLIAMS,	DAVID		
Action Taken 1 (73) - Provide manpo	wer		
Patient Contact?	PPE Worn During Exp None	osure	
Fire Products Exposed T	·o		
PPE Worn During Expos	sure		
PPE Malfunction?	Barrier Breach	Black Soot Around Nose	Black Soot Around Mouth
Decontamination Proce	edures Completed		
Unit Narrative			
operations for foam	application through the		transfer station. When we arrived we were tasked with setting up pumping in tower 2 Myself and Scaff manned the tower bucket and applied the r and returned to service
Created By: LUNDBERG, R			
(FNG8			

Responding From

8-1

Use

(1) - Suppression

Priority

Emergent

CENG8				
Response Delays				
Dispatch Time 14:05:51, 01/15/2023	Enroute 14:08:	e Time 35, 01/15/2023	Arrival Time 14:15:10, 01/15/2023	
At Patient Time	Clear Ti 17:27:	me 00, 01/15/2023	In District Time 18:00:00, 01/15/2023	
Actions Taken: Extinguishment by fir	e service personnel, Sal	vage & overhaul		
Person 1: SHELTON, M Action Taken 1 (11B) - Extinguish wit Action Taken 2				
Patient Contact?	PPE Worn During Expo	osure		
Fire Products Exposed To				
PPE Worn During Exposu	ure			
PPE Malfunction?	Barrier Breach No	Black Soot Around Nose No	Black Soot Around Mouth No	
Decontamination Proced Wet brush gear with s	·	ed outside of cab, Used we	t wipes	
Person 2: WOLJEVACH Action Taken 1 (74) - Provide apparat Action Taken 2 (46) - Decontaminate				
Patient Contact?	PPE Worn During Expo	osure		
Fire Products Exposed To Smoke)			
PPE Worn During Exposu	ure			
PPE Malfunction?	Barrier Breach	Black Soot Around Nose	Black Soot Around Mouth	
Decontamination Proceed	dures Completed			

Person 3: REAMS, KENNETH

Action Taken 1

(11C) - Extinguished with 2 1/2 or larger

Action Taken 2

(12) - Salvage & overhaul

Patient Contact?

PPE Worn During Exposure

No

None

Fire Products Exposed To

Smoke, Fire, Gases/CO, Debris/Runoff

PPE Worn During Exposure

None

No

PPE Malfunction?

Barrier Breach No Black Soot Around

Black Soot Around Mouth

Nose

No

Decontamination Procedures Completed

Wet brush gear with soap, Cleaned neck, face, arms, and exposed areas, Gear bagged, placed outside of cab

Unit Narrative

KFD Engine 8 dispatched to commercial building fire, AOSTF Killeen Garbage Transfer Station showing heavy smoke, observed 2 large piles of debris fully involved. Batt 1 assigned E8 to attack line, E8 made entry extinguishing left side pile, then extending attack line by 50ft to reach backside of fire, extinguishing that even further. E8 was instructed to back out of building, heavy equipment dozers brought in to spread piles out to continue extinguishment and start salvage/overhaul. E8 manned a 2 1/2" line and applied water to reach further smoldering spots. FRO Woljevach set up decon area for crews utilizing E8. Fire extinguished, gear decontaminated, apparatus reset and returned to service. FRO Shelton & Reams bagged up dirty gear and took to Support station for clean gear exchange.

Created By: SHELTON, MARCUS

C-1		Emergent
Enroute Time	Arrival Time	
14:05:25, 01/15/2023	14:10:33, 01/15/2023	_
Clear Time 17:10:00, 01/15/2023	In District Time	
During Exposure		
	14:05:25, 01/15/2023 Clear Time 17:10:00, 01/15/2023	14:05:25, 01/15/2023 Clear Time 17:10:00, 01/15/2023 14:10:33, 01/15/2023 In District Time

Person 1: RABROKER, TIMOTHY

PPE Worn During Exposure

PPE Malfunction?	Barrier Breach	Black Soot Around Nose No	Black Soot Around Mouth No
Decontamination Proced	•		
Used wet wipes, Clear	ned neck, face, arms, a	nd exposed areas	

Unit Narrative

Dispatched to possible structure fire at the Killeen Transfer Station. AOSTF active rubbish fire in bay #8. Assisted with initial stretching of lines on outside of structure and then functioned for the duration of the incident as the safety officer. The majority of the incident was spent at the opening of bay #8 in order to visualize operations and function as ISO.

Created By: RABROKER, TIMOTHY

(FDBAT2				
Use (0) - Other	Respor	nding From		Priority Emergent
Response Delays				
Dispatch Time 14:05:16, 01/15/202	Enrout 14:05	e Time :19, 01/15/2023	Arrival Time 14:12:20, 01/15/2023	_
At Patient Time	Clear T 17:38	ime :40, 01/15/2023	In District Time	_
Actions Taken: Incident command				
Person 1: TODD, JUS	TIN			
Action Taken 1 (81) - Incident comm	nand			
Patient Contact?	PPE Worn During Exp	osure		
Fire Products Exposed Smoke, Debris/Runc	To off, Heat, Gases/CO, Clas	s A/B Foam		
PPE Worn During Expo	sure			
PPE Malfunction?	Barrier Breach No	Black Soot Around Nose No	Black Soot Around Mouth No	
Decontamination Proc Used wet wipes, Cle	edures Completed aned neck, face, arms, a	nd exposed areas		

Unit Narrative

See Incident Narrative.

Created By: TODD, JUSTIN

(FDBAT1				
Use (0) - Other	Respondii C-1	ng From		Priority Emergent
Response Delays Distance				
Dispatch Time 14:05:15, 01/15/2023	Enroute To 14:05:20	me , 01/15/2023	Arrival Time 14:14:57, 01/15/2023	_
At Patient Time	Clear Time 17:38:00	, 01/15/2023	In District Time	_
Actions Taken: Incident command				
Person 1: JORDAN, M	IKKIE			
Action Taken 1 (81) - Incident comma	and			
Patient Contact?	PPE Worn During Exposu	ıre		
Fire Products Exposed To Debris/Runoff, Smoke				
PPE Worn During Expos	ure			
PPE Malfunction?	Barrier Breach	Black Soot Around Nose	Black Soot Around Mouth	
Decontamination Proce Cleaned neck, face, a	dures Completed arms, and exposed areas			

Unit Narrative

Batt 1 dispatched to a commercial structure fire at the waste transfer facility on 195. AOS after SBVFD Eng1 and Eng2, Killeen Eng5, Eng6, Batt 2, and EMS 1. When I arrived I found a large commercial structure with laminar black smoke coming from the Bravo side bay door with the wind blowing from Delta to Bravo. Batt 2 had assumed command from SWVFD and assigned me as Ops. Eng6 crew was inside with a 2.5" hose from SWVFD Eng 1, and Eng5 had laid in a 5" supply line from the hydrant a few hundred feet away. As Eng5 was establishing a dual pumping operation, SWVFD Eng1 lost water and pressure, so the building was temporarily evacuated. Once the water supply was established, crews were sent in with the 2.5" for an initial attack. A 2nd and 3rd team were sent in as well on wyed lines to assist with the fire attack. Eng6 advised there was an approximately 25' drop off at the rear of the facility, so an urgent message was given over the radio and SWVFD crews were send to establish a ground ladder inside the 25' drop off in the interest of proactive safety. Tower2 crew was sent to check the roof using Tower2's aerial platform. Roof was stable with no fire involvement. Once the attack crews had a good knock on the fire, Rescue 9 crew was assigned to open the large bay doors on the Alpha side of the building. SWVFD had 2 equipment operators on scene that used the loaders to spread the piles apart so that Tower2 aeiral master stream could complete overhaul. Several handline crews were used as well from the safety of the exterior. Eventually all the fire was extinguished and all units assisted with cleanup and were cleared.

Created By: JORDAN, MIKKIE

KRES9		
Use	Responding From	Priority
(1) - Suppression		Emergent
Response Delays		

KRES9			
Dispatch Time 14:03:55, 01/15/2023		nroute Time 4:05:18, 01/15/2023	Arrival Time 14:13:35, 01/15/2023
At Patient Time		ear Time 7:05:00, 01/15/2023	In District Time
Actions Taken: Provide manpower, Fig	re control or extin	guishment, other	
Person 1: ESQUENAZI,	JAMES		
Action Taken 1 (73) - Provide manpow	ver		
Action Taken 2 (10) - Fire control or ex	xtinguishment, otl	ner	
Patient Contact?	PPE Worn Durin	g Exposure	
Fire Products Exposed To Debris/Runoff, Smoke			
PPE Worn During Exposu	re		
PPE Malfunction?	Barrier Breach	Black Soot Around Nose	Black Soot Around Mouth
Decontamination Proced Gear bagged, placed of	•	aned neck, face, arms, and exp	posed areas
Person 2: KOPP, JOSEP Action Taken 1 (73) - Provide manpow			
Action Taken 2 (10) - Fire control or ex	xtinguishment, otl	ner	
Patient Contact?	PPE Worn Durin	g Exposure	
Fire Products Exposed To Smoke, Heat, Debris/I			
PPE Worn During Exposu	re		
PPE Malfunction?	Barrier Breach	Black Soot Around Nose	Black Soot Around Mouth
Decontamination Proced Gear bagged, placed of		aned neck, face, arms, and exp	posed areas
Person 3: DELAPE, RAI	IN		
Action Taken 1 (73) - Provide manpow	ver		

Person 3: DELAPE, RAIN

Patient Contact? PPE Worn During Exposure

Fire Products Exposed To

Debris/Runoff, Smoke, Heat

PPE Worn During Exposure

PPE Malfunction?

Barrier Breach

Black Soot Around Nose

No

Black Soot Around Mouth

No

Decontamination Procedures Completed

Gear bagged, placed outside of cab, Cleaned neck, face, arms, and exposed areas

Unit Narrative

No

Killeen RES9 dispatched for a structure fire at the Killeen Transfer Station. Upon arrival RES9 ordered to park on the north side of the structure and provide manpower. RES9 met with command and was ordered to pull a courtyard lay off Engine 5 and assist with extinguishment. RES9 crew manned one half of the lay and assisted in extinguishing multiple heavy debri piles on fire. RES9 was then ordered to rehab. RES9 then manned a 2 1/2 inch line to provide suppression. RES9 then ordered to deconn. While deconning RES9 was ordered by command to relinquish all

Created By: ESQUENAZI, JAMES

Jse	Responding From		Priority
(1) - Suppression	<u>C-1</u>		Emergent
Response Delays			
None/No Delay			
Dispatch Time	Enroute Time	Arrival Time	
14:03:55, 01/15/2023	14:07:15, 01/15/2023	14:18:36, 01/15/2023	_
At Patient Time	Clear Time	In District Time	
	17:29:00, 01/15/2023		
	17.29.00, 01/15/2023		
Actions Taken:	17.29.00, 01715/2025		_
Extinguishment by fi	re service personnel, Salvage & overhaul, Provi	de manpower	_
Extinguishment by fine Person 1: BASS, TRAN	re service personnel, Salvage & overhaul, Provi	de manpower	
Extinguishment by fine Person 1: BASS, TRAN	re service personnel, Salvage & overhaul, Provi	de manpower	
Extinguishment by fine Person 1: BASS, TRAN Action Taken 1 (11) - Extinguishment Action Taken 2	re service personnel, Salvage & overhaul, Provid	de manpower	
Extinguishment by fine Person 1: BASS, TRAN Action Taken 1 (11) - Extinguishment	re service personnel, Salvage & overhaul, Provid	de manpower	
Extinguishment by find Person 1: BASS, TRANSAction Taken 1 (11) - Extinguishment Action Taken 2 (12) - Salvage & overh	re service personnel, Salvage & overhaul, Provid IS by fire service personnel	de manpower	
Extinguishment by fine Person 1: BASS, TRAN Action Taken 1 (11) - Extinguishment Action Taken 2 (12) - Salvage & overheatent Contact?	re service personnel, Salvage & overhaul, Provider & ov	de manpower	

Person 1: BASS, TRAV	IS			
PPE Malfunction?	Barrier Breach No	Black Soot Around Nose No	Black Soot Around Mouth No	
Decontamination Proced Wet brush gear with s	•	leaned neck, face, arms, ar	nd exposed areas	
Person 2: TARR, DALL	AS			
Action Taken 1 (11) - Extinguishment	by fire service personn	el		
Action Taken 2 (12) - Salvage & overh	aul			
Patient Contact?	PPE Worn During Exp None	osure		
Fire Products Exposed To Smoke, Debris/Runoff				
PPE Worn During Exposu	ire			
PPE Malfunction?	Barrier Breach No	Black Soot Around Nose No	Black Soot Around Mouth No	
Decontamination Proced Wet brush gear with s	•	leaned neck, face, arms, ar	nd exposed areas	
Person 3: STILES III, JO Action Taken 1	DSEPH			
(58) - Operate apparat	tus or vehicle			
Patient Contact?	PPE Worn During Exp None	osure		
Fire Products Exposed To	,			
PPE Worn During Exposu	ire			
PPE Malfunction?	Barrier Breach	Black Soot Around Nose	Black Soot Around Mouth	

Decontamination Procedures Completed

Unit Narrative

Tower 2 dispatched to the Killeen transfer station in reference to a possible commercial structure fire. Prior to arrival, SWBVFD crews on scene advised that large piles of garbage were heavily involved. T2 AOSTF several SWBVFD and KFD units attacking the fire. T2 was advised to park and meet with IC for assignment. T2 crew was initially assigned to check the bravo side of the structure for additional bay doors that could be opened to assist in ventilation. 3 large bay doors on the bravo side were opened after confirming with Batt 1 (ops command) that interior crews were ready for additional vent openings. After the bay doors were opened, 2A was assigned to ladder the roof, via the aerial, with FRO Degges to check for potential involvement with the roof and membrane covering. No signs of compromise were noted to the roof. T2 crew was then assigned with helping with an extensive overhaul process by flowing copious amounts of water on the smoldering piles of garbage. After overhaul was completed, T2 crew assisted with loading equipment and clean up, followed by decon. T2 clear and available for service.

Created By: BASS, TRAVIS

CTOWR9				
Use (1) - Suppression	Respo 9-1	nding From		Priority Emergent
Response Delays None/No Delay				
Dispatch Time 14:03:55, 01/15/202		te Time 3:04, 01/15/2023	Arrival Time 14:12:39, 01/15/2023	_
At Patient Time	Clear 17:05	Time 5:00, 01/15/2023	In District Time	_
Actions Taken: Extinguishment by f	ïre service personnel, Sa	alvage & overhaul		
Person 1: LEE, SAMU Action Taken 1 (11) - Extinguishmer	IEL nt by fire service personr	nel		
Action Taken 2 (12) - Salvage & over				
Patient Contact? No	PPE Worn During Exp	posure		
Fire Products Exposed ⁻ Smoke, Heat, Debris	To s/Runoff, Class A/B Foan	n		
PPE Worn During Expo	sure			
PPE Malfunction?	Barrier Breach No	Black Soot Around Nose No	Black Soot Around Mouth No	
Decontamination Proc Gear bagged, placed	•	d neck, face, arms, and expo	sed areas	
Person 2: DEGGES, R	ANDALL CODY			
Action Taken 1 (12) - Salvage & over	rhaul			
Patient Contact?	PPE Worn During Exp	posure		

Person 2: DEGGES, RANDALL CODY

Fire Products Exposed To

Smoke

PPE Worn During Exposure

None

Nο

PPE Malfunction?

Barrier Breach

Nο

Black Soot Around Nose

No

Black Soot Around

Mouth No

Decontamination Procedures Completed

Wet brush gear with soap

Person 3: ROWE, DUSTIN

Action Taken 1

(11) - Extinguishment by fire service personnel

Patient Contact?

PPE Worn During Exposure

Nο

None

Fire Products Exposed To

Class A/B Foam, Debris/Runoff, Smoke, Heat

PPE Worn During Exposure

None

PPE Malfunction? No

Barrier Breach

No

Black Soot Around Nose

Nο

Black Soot Around Mouth

Nο

Decontamination Procedures Completed

Gear bagged, placed outside of cab, Cleaned neck, face, arms, and exposed areas

Unit Narrative

T9 dispatched to the Killeen Transfer Station, 12200 S ft Hd St, for a structure fire. Trash inside the building had caught fire. T9 AOSTF SWBVFD on scene w/their engine deploying 3" handlines through an open equipment door. T9 staged out of the way and crew walked to scene. Once there crew split to assist various teams accomplish their tasks. Assistance was given to E5 crew manning a 3" line. Line deployed from the "A" side and taken to the seat of the fire. Stream was used to displace trash mounds and extinguish open flame. Line was moved from one large debris pile to another in an attempt to darken the flames. Other teams were doing the same to other debris piles. After considerable effort fire was darkened and structure vented (natural) to allow equipment(FEL) operators (+SCBA) to break up debris and spread trask. As the tractors were doing their job various handlines were used to extinguish and douse debris. This evolution took time, during which crews rehabbed. Command was satisfied with progress and began to clear units. T9 crew told to bag bunker gear and place in Support vehicle for a deep cleaning. T9 released to relieve FtHdFd which was backfilling KFD #9. Once @ Station and FHFD relieved, crew busied themselves filling SCBA bottles, obtaining replacement gear, and placing T9 in service.

Created By: LEE, SAMUEL

(EMS02				
Use (0) - Other	Responding From 9-1	Priority Emergent		
Response Delays				
Dispatch Time 14:03:55, 01/15/2023	Enroute Time 14:05:03, 01/15/2023	Arrival Time 14:10:22, 01/15/2023		

CEMS02				
At Patient Time	Clear T 17:12	ime ::00, 01/15/2023	In District Time	
Actions Taken:				
Provide manpower				
Person 1: MAHLSTE	DT, STEPHEN			
Action Taken 1				
(73) - Provide manpo	ower			_
Action Taken 2				
(58) - Operate appai	ratus or vehicle			
Patient Contact?	PPE Worn During Exp	oosure		_
Fire Products Exposed Heat, Smoke, Fire, (To Class A/B Foam, Debris/F	Runoff, Gases/CO		
PPE Worn During Expo	sure			
PPE Malfunction?	Barrier Breach	Black Soot Around	Black Soot Around	
No	No	Nose	Mouth	
		No	No	
Decontamination Prod	cedures Completed			

Unit Narrative

Killeen EMS 2 was dispatched for a commercial structure fire at the Killeen Transfer Station. EMS 2 arrived on scene and assumed accountability of personnel. EMS 2 remained with Operations command, and tracked all personnel locations throughout the duration of the event. As the event was concluding, Incident command advised that EMS 2 could return to service. Clear and available.

Created By: MAHLSTEDT, STEPHEN

Use (1) - Suppression	Responding From 5-1		Priority Emergent
Response Delays None/No Delay			
Dispatch Time	Enroute Time	Arrival Time	
14:03:55, 01/15/2023	14:05:28, 01/15/2023	14:12:41, 01/15/2023	_
At Patient Time	Clear Time	In District Time	
	17:38:00, 01/15/2023	_	_
Actions Taken:			
Extinguished with 2 1/2 or lar	ger, Provide manpower		

Person 1: ROSEN, NO	DLAN			
Patient Contact?	PPE Worn During Exp	osure		
Fire Products Exposed T Debris/Runoff, Class				
PPE Worn During Expos	ure			
PPE Malfunction?	Barrier Breach	Black Soot Around Nose	Black Soot Around Mouth	
Decontamination Proce Wet brush gear with	•			
Person 2: SHOEMAKE Action Taken 1 (11C) - Extinguished				
Action Taken 2 (73) - Provide manpo	wer			
Patient Contact?	PPE Worn During Exp	osure		
Fire Products Exposed T Smoke, Heat, Gases	o /CO, Debris/Runoff, Clas	s A/B Foam		
PPE Worn During Expos	ure			
PPE Malfunction?	Barrier Breach No	Black Soot Around Nose No	Black Soot Around Mouth No	
Decontamination Proce Wet brush gear with	•	ed outside of cab, Cleaned	neck, face, arms, and exposed area	ıs
Person 3: PERRY, AAR Action Taken 1 (11C) - Extinguished v				
Action Taken 2 (73) - Provide manpo	wer			
Patient Contact?	PPE Worn During Exp	osure		
Fire Products Exposed T Heat, Smoke, Gases	o /CO, Debris/Runoff, Clas	s A/B Foam		
PPE Worn During Expos	ure			
PPE Malfunction?	Barrier Breach No	Black Soot Around Nose	Black Soot Around Mouth	

Person 3: PERRY, AARON

Decontamination Procedures Completed

Wet brush gear with soap, Gear bagged, placed outside of cab, Cleaned neck, face, arms, and exposed areas

Unit Narrative

Engine 5 dispatched to the transfer station for a fire. AOS with SW Bell and multiple other KFD units. Engine 5 hooked up to SW Engine for water supply and then 5" was connected to hydrant. 2.5" cross lay was deployed off of engine 5 and hooked to SW engine and then deployed into structure to start knocking down the fire. Two 1.75" courtyard lays were deployed off of Engine 5 to bring into the structure. Engine 5 crew Went on hose lines multiple times till the fire was out. Engine 5 also supplied foam to T2. Overhaul was completed with multiple hosed and the help of frontend loaders. Engine 5 crew gear was deconned and turned in for cleaning along with all the hose that was used off of Engine 5 as it was contaminated. Engine 5 clear and available.

Created By: PERRY, AARON

Jse	Respon	ding From		Priority
1) - Suppression	6-1			Emergent
esponse Delays				
Dispatch Time 14:03:55, 01/15/202	Enrout 3 14:04	e Time :39, 01/15/2023	Arrival Time 14:14:29, 01/15/2023	
at Patient Time	Clear Ti		In District Time	
Actions Taken: Extinguished with 2	1/2 or larger, Salvage &	overhaul		
Person 1: MIGHELL,	RYAN TYLER			
action Taken 1 (11C) - Extinguished	with 2 1/2 or larger			
Action Taken 2 (12) - Salvage & over	rhaul			
Patient Contact?	PPE Worn During Exp	osure		
Fire Products Exposed ⁷ Smoke, Heat, Fire, O	To Gases/CO, Debris/Runoff			
PPE Worn During Expo None	sure			
PE Malfunction?	Barrier Breach No	Black Soot Around Nose No	Black Soot Around Mouth No	
Decontamination Proc Wet brush gear with areas		ed outside of cab, Dry brush	n gear, Wet brush gear without so	ap, Cleaned neck, face, arms, and expos
Person 2: FRESCATO	RE ALEXANDER			

(11C) - Extinguished with 2 1/2 or larger

Person 2: FRESCATORE, ALEXANDER

Action Taken 2

(12) - Salvage & overhaul

Patient Contact?

PPE Worn During Exposure

Nο

None

Fire Products Exposed To

Heat, Gases/CO, Smoke, Debris/Runoff, Fire

PPE Worn During Exposure

None

PPE Malfunction?

Barrier Breach

Black Soot Around

Nose

Black Soot Around

Mouth

No

No

N

No

Decontamination Procedures Completed

Wet brush gear with soap, Gear bagged, placed outside of cab, Used wet wipes, Dry brush gear, Wet brush gear without soap

Person 3: WITMER, ALEXANDER

Action Taken 1

(11C) - Extinguished with 2 1/2 or larger

Action Taken 2

(12) - Salvage & overhaul

Patient Contact?

PPE Worn During Exposure

No

None

Fire Products Exposed To

Smoke, Gases/CO, Heat, Fire, Debris/Runoff, Class A/B Foam

PPE Worn During Exposure

None

PPE Malfunction?

Barrier Breach

Black Soot Around Nose Black Soot Around

Mouth

Decontamination Procedures Completed

Dry brush gear, Wet brush gear without soap, Wet brush gear with soap, Gear bagged, placed outside of cab, Cleaned neck, face, arms, and exposed areas

Unit Narrative

Killeen engine six dispatched for a trash can on fire in the transfer station. Engine six arrived onscene to find multiple KFD unit engaged with a several large piles of trash approx 40 foot long by 12 foot high. The piles of garbage were fully involved. Engine six was the initial attack team and used a 2 1/2 fog. While engaging the fire, engine six noticed a large drop in pressure and then no water. Immediately after this was announced over the radio, command called all units out of the structure. After pressure was back in the line, E6 crew went back into the fire and began putting fire out. 6A discovered an approx 25 foot drop off in the rear of the structure. 6A annouced the hazard via radio to command. This hazard was marked with landing lights to prevent anyone else from falling in. The fire was throughly suppressed and overhaul porocedures began. Engine six completed decon procedures and received new sets of bunker gear. Engine six clear.

Created By: MIGHELL, RYAN TYLER



i) SITE INFO					
Alarms	Acres Burned	Resident Units In Bldg	Buildings Involved		
1		Not residential	1		
Hydrant Identifier	Estimated 50000	d Water Usage			
ON-SITE MATERIA	ALS				
Material ID 1 (963) - Trash, not rec	yclable		Storage Use ID 1 (1) - Bulk storage or wa	arehousing	
1 IGNITION					
Area of Origin (46) - Chute/containe	r - trash, rubbish, waste				
Heat Source (UU) - Undetermined					
Item First Ignited (UU) - Undetermined					Fire Confined to Item?
Type of Material First Igr	nited				
Cause of Ignition (U) - Cause undeterm	ined after investigation				
Factors Contributing to (UU) - Undetermined	Ignition 1				
Human Factors Contribu	uting to Ignition				
Est. Age of Person Involv	red Gender o	f Person Involved			
STRUCTURE					
Structure Type (1) - Enclosed building	g				
Stories Above Grade	Stories Below Grade	Building Status (2) - In normal use			
Length 200 ft	Width 150 ft	Total Square Feet 30000 sq ft	Story of Fire Origin		
Fire Spread (4) - Confined to build	ling of origin				
Item Contributing Most (57) - Bulk storage	to Flame Spread		Type of Material (UU) - Undetermined		
Number of Stories w	ith Damage				
Minor Damage	Significant Damage	Heavy Damage	Extreme Damage	Total Stories	

(N) - None present	Detector Type	2			
Power Supply			Detector Operation	งทร	
Effectiveness (/Failure Reason)					
Presence of Auto Extinguishing System (N) - None Present			System Type		
System Operation		# of Sprinklers	Reason for System	ı Failure	
፟ Hazmat					
HAZMAT INFO					
HazMat Disposition (3) - Released to local agency			Civ. Injuries	Civ. Deaths	
HazMat Action 1 (16) - Decontaminate persons or ec	quipment				
(10) - Decontainmate persons of et					
# of Entries					
# of Entries Suit/PPE Level					
# of Entries Suit/PPE Level RELEASE INFO			leased From) - Inside or on structure	Story of Release	
# of Entries Suit/PPE Level RELEASE INFO Cause of Release (2) - Unintentional release					
# of Entries Suit/PPE Level RELEASE INFO Cause of Release	Area Evacuate	(1) - Inside or on structure	rst	uated

 $\mbox{(00)}\mbox{ -}\mbox{Factors contributing to release, other}$