



September 16, 2016

CITY OF KILLEEN FLEET SERVICES
 PO BOX 1329
 KILLEEN, TEXAS 76540-1329

Attention: GRANT ROACH

RE: Quote 176843-01

BUY BOARD QUOTE: #424-13

Dear Grant Roach,

Thank you for this opportunity to quote Caterpillar products for your business needs. We are pleased to quote the following for your purchase consideration.

One (1) New CATERPILLAR INC Model: 938M Wheel Loaders & with all standard equipment in addition to the additional specifications listed below:

	STOCK NUMBER:	SERIAL NUMBER:	YEAR:	SMU:
STANDARD EQUIPMENT				
POWERTRAIN - Axle seal guards - Auto Idle shut down feature - Cat C7.1ACERT engine - -Power Modes (Standard and Performance) - -Power by Range (High Power in Range 4) - -Tier 4 Final/Stage IV compliant - -Turbocharged and aftercooled - -Filtered crankcase breather - -Diesel particulate filter - -Selective Catalyst Reduction - Coolant protection to -34C (-29F) - Differential lock in front axle - Dry type air cleaner - Enclosed wet disc full hydraulic brakes - Fuel priming pump, automatic - Fuel water separator - Hydraulically driven demand cooling fan - Hydrostatic transmission with electronic - control - -Operator Modes (Default, TC, Hystat and - Ice) - -Directional Shift Agressiveness (Fast, - Medium, Slow) - -Rimpull control, adjust wheel torque - -Creeper control, adjust ground speed - Lubed for life drivshafts - Parking brake, electric - Single plane cooling package wide 6 fins - per inch density - S-O-S port,engine,coolant,transmission - oil -				
HYDRAULICS - Automatic lift and bucket kickouts, - adjustable in-cab - Bucket and Fork Modes, adjustable in-cab - Cylinder damping at kickout and - mechanical end stops - Fine Mode control (Fast, Medium, Slow) - in Fork Mode - Hydraulic Response setting (Fast, - Medium, Slow) - Hydraulic diagnostic connectors and - S-O-S ports - Hydraulic sight gauge, visible - Load sensing hydraulics and steering - Seat mounted hydraulic joystick controls				
ELECTRICAL - Alternator, 115-amp, heavy duty - 12V power supply in cab (2) - Batteries, 1,000 CCA (2) 24 volt system, - disconnect switch - Back up alarm - Emergency shutdown switch - Halogen work lights front and rear, LED - rear stop and turn lights - Heavy duty gear reduction starter - Product Link PRO w/3 year subscription - Remote jump start post - Resettable main and critical function - breakers - Roofing lights front and rear				
OPERATOR ENVIRONMENT - 75 mm (3 in) retractable seatbelt - Automatic temperature control - Cab, enclosed ROPS/FOPS pressurized - and sound suppressed - Cup holders - External heated mirrors with lower - parabolic - Ground level cab door release - Gauges - -Digital hour meter, odometer and - tachometer - -Digital ground speedometer and - direction indicator - -Engine coolant temperature gauge - -Fuel and Diesel Exhaust Fluid level - indicator - -Hydraulic oil temperature gauge - Hydraulic control lockout - Interior cab lighting, door and dome - Interior rearview mirrors (2) - Lunch box storage - Operator warning system indicators - Radio ready speakers - Rear window defrost, electric - Seat mounted electronic implement - controls, adjustable - Sliding glass on the side				

windows - Column mounted multi function control - lights, wipers, turn signal - Suspension seat, fabric - Tilt and telescope steering wheel - Tinted front glass - Wet arm wiper/washer, 2-speed and - intermittent, front - Wet arm wiper washer, rear -

OTHER STANDARD EQUIPMENT - Large-access enclosure doors with - adjustable close/open force - Parallel lift loader linkage - Recovery hitch with pin - Remote mounted lubrication points - Vandalism protection- - lockable compartments -

MACHINE SPECIFICATIONS

938M WHEEL LOADER	430-2807
LANE 2 - AVAILABLE FROM CLAYTON FACTORY - BASE ORDERS PROGRAM	
LANE 3 - AVAILABLE FROM CLAYTON FACTORY - NON BASE ORDERS PROGRAM	
LANE 3 ORDER	0P-9003
PREP PACK, UNITED STATES	430-2943
HYD,2V,PIN-ON,STD LIFT	430-2841
STEERING, STANDARD	333-6858
DIFFERENTIAL, OPEN REAR	349-8014
ENVIRONMENT, MEDIUM DEBRIS	430-2865
WEATHER, STANDARD	454-0612
ENGINE AR	430-3038
CAB, STANDARD	423-7152
SEAT, STANDARD	423-7200
LIGHTS, STD HALOGEN	488-1112
RADIO, READY	342-0130
PRODUCT LINK, CELLULAR PL641	454-0589
FENDERS, DEFLECTORS	419-8851
COUNTERWEIGHT, STANDARD, LIGHT	348-4657
KIT,SERIALIZED TECHNICAL MEDIA	0P-2491
RIDE CONTROL	430-2860
WARNING, BEACON, LED STROBE	333-1425
GUARD, WINDSHIELD	342-0250
GUARD, TILT CYLINDER, STD LIFT	433-9751
GUARD, POWERTRAIN, LOWER	349-8165
GUARD, POWERTRAIN, SIDE	425-1425
GUARD, CRANKCASE	349-8163
GUARD, DRIVESHAFT	349-8164
GUARD, STEERING CYLINDER	430-2917
FILM GP, WASTE HANDLER	387-4096
BUCKET, LM, 6.5, YD3, PO	360-3317
GUARD, HITCH	391-1990
SHIPPING/STORAGE PROTECTION	0P-2266
INLAND FREIGHT	0P-2488
TIRES, 20.5R25 TI MXL * L3	376-0830
CUTTING EDGE GP, RUBBER, 108"	444-1522
ADDITIONAL LIGHTING & ALAMS	

Sell Price	\$199,199.00
Ext Warranty	Included
Total	\$199,199.00

WARRANTY

Standard Warranty: 12 Month / Unlimited Hour Total Machine
Extended Warranty: 3YR / 6000 HOUR POWERTRAIN WARRANTY

F.O.B/TERMS: Hrs - Waco

Accepted by _____ on _____

Signature

Thank you for your interest in Holt CAT and Caterpillar products for your business needs. This quotation is valid for 30 days, after which time we reserve the right to re-quote. If there are any questions, please do not hesitate to contact me.

Sincerely,

Bryan Taylor
Machine Sales Representative
Holt CAT
Bryan.Taylor@holtcat.com
254.709.7572