

# Quote

08/15/2024

Project:

Avanty Legacy Countertop

**Appliances** 

From:

Restaurant Equippers Inc.

Matias Almara 635 W. Broad St. Columbus, OH 43215

614-358-5585

800-235-3325 575 (Contact)

Job Reference Number: 14332

Item	Qty	Description	Sell	Sell Total
2	1 ea	FOOD PROCESSOR, BENCHTOP / COUNTERTOP	\$2,269.00	\$2,269.00
m		Waring Model No. FP2200		
dian		Food Processor, continuous feed, vertical chute feed tube with 22		
IR		sq.in. opening, 2 handle lexan batch bowl, 3/4-HP motor,		
<u> </u>		touchpad controls, includes: CAF31 S-blade, CAF12 1/8" slicing		
		disc, CAF20 3/16" shredding disc, CAF18 1/2" slicing disc, CAF24 1/2" dicing disc, CAF25 3/4" dicing disc & cleaning brush,		
		120v/50/60/1-ph, 5.6 amps, UL, NSF & CUL		
	1 ea			
		warranty, standard		
		For Customer Care & Product Service, please contact:		
		(800) 269-6640		
		waring_service@conair.com		
		Waring Customer Care		
		314 Ella T. Grasso Ave		
		Torrington, CT 06790	_	_
		CAF33 Batch Bowl, for FP2200	\$274.66	\$274.66
	1 ea		\$87.29	\$87.29
		CAF18 Slicing Plate, 1/2", for FP2200	\$94.81	\$94.81
		CAF20 Shredding Plate, 3/16", for FP2200	\$76.56	\$76.56
	1 ea	CAF24 Dicing Plate, 1/2" x 1/2", must use with slicing plate CAF18, for FP2200	\$312.59	\$312.59
	1 ea	CAF25 Dicing Plate, 3/4" x 1/2", must use with slicing plate CAF18,	\$295.70	\$295.70
		for FP2200		
		ITE	M TOTAL:	\$3,410.61
3	1 ea	COMMERCIAL FOOD BLENDER	\$1,949.00	\$1,949.00



Qty

Waring Model No. CB15V

Food Blender, heavy-duty, 14-7/8"W x 15"D x 26"H, (1) gallon capacity, electronic membrane keypad, variable-speed (1700-18000 RPM), removable stainless steel container with (2) handles, clear lid, die cast base, 3-3/4 HP, 120v/60/1-ph, 15 amps, cETLus, NSF, Made in USA

1 ea 3 year limited warranty on motor; and 2 year parts & labor warranty, standard

For Customer Care & Product Service, please contact: (800) 269-6640 waring service@conair.com

Waring Customer Care 314 Ella T. Grasso Ave Torrington, CT 06790

1 ea MICROWAVE OVEN

ITEM TOTAL: \$1,949.00

\$1,539.00

\$1,539.00



4

Waring Model No. WMO120

Microwave Oven, heavy duty, 1800 watts, 1.2 cubic feet, 22-3/5"W x 20-3/4"D x 14-1/2"H overall, 14-1/8"W x 16"D x 8-3/4"H interior dimensions, side hinged door with glass window, (10) menu pads with capacity to program (100) menus, (5) power levels, 3-stage cooking, interior oven light, ADA compliant braille touch pads, dual magnetrons, stainless steel construction, 208/230v, 1800 watts, cULus, FCC, ETL-Sanitation

1 ea 1 year limited warranty, standard

For Customer Care & Product Service, please contact: (800) 269-6640 waring service@conair.com

Waring Customer Care 314 Ella T. Grasso Ave Torrington, CT 06790

 1 ea
 SANDWICH / PANINI GRILL
 \$1,075.00
 \$1,075.00



Waring Model No. WFG300T

Tostato Ottimo™ Dual Toasting Grill, electric, double, 17" x 9-1/4" cooking surface, with timer, hinged auto-balancing top plate with heat resistant handles, flat cast iron plates, adjustable thermostats 570°F (300°C), indicator lights, brushed stainless steel body & removable drip tray, 3.2kW, 240v/60/1-ph, 13.3 amp, NEMA 6-20P, UL, NSF

1 ea 1 year limited warranty, standard

Initial:

\$1,118.11

\$1,232.90

\$1.232.90

\$1,137.38

For Customer Care & Product Service, please contact:

(800) 269-6640

waring service@conair.com

Waring Customer Care

314 Ella T. Grasso Ave

Torrington CT 06700

	Torrington, C1 06790		
1 ea	CAC105 Grill Brush, heavy duty, for all panini grills	\$26.30	\$26.30
1 ea	CAC144 Spatula, for use with non-stick PTFE sheets, silicone	\$13.70	\$13.70
1 ea	029824 Allen Wrench	\$2.11	\$2.11
1 ea	035551 Allen Wrench Holder	\$1.00	\$1.00

**ITEM TOTAL:** 

**ITEM TOTAL:** 

\$1,137.38

\$1,232.90

1 ea HOT WATER DISPENSER



8

Waring Model No. WWB10G

Hot Water Dispenser, countertop, electric, 10 gallon capacity (heats in 3 hours), max temp 205°F, automatic refill with pourover capability, side mounted digital controls & LCD display, nightmode feature, Tomlinson® No-Drip® tap, knuckle guard, adjustable legs, stainless steel construction, 1800 watts, 120v/60/1-ph, 15 amps, cord, NEMA 5-15P, NSF

1 ea 1 year limited warranty, standard

For Customer Care & Product Service, please contact: (800) 269-6640

waring\_service@conair.com

Waring Customer Care 314 Ella T. Grasso Ave Torrington, CT 06790

1 ea FOOD PACKAGING MACHINE



9

Waring Model No. WCV300

Vacuum Packaging Machine, countertop, 11" seal bar, touchpad controls, viewing lid with ergonomic handle, includes: (50) 1 qt. bags & (50) 2 qt. bags, NEMA 5-15P, 380 watts, 3.0 amps, 120v/60/1-ph, cETLus, NSF

1 ea 1 year limited warranty, standard

For Customer Care & Product Service, please contact: (800) 269-6640

waring\_service@conair.com

Waring Customer Care 314 Ella T. Grasso Ave

Sell

Sell Total

Torrington, CT 06790

ITEM TOTAL: \$1,137.38

Merchandise \$10,387.00
Freight \$877.36
Total \$11,264.36

Thank you for the opportunity to provide a cost quote. We appreciate you considering Restaurant Equippers for your supply and equipment needs.

Description

Costs are valid for 7 days from the above date. Costs do not include shipping, delivery, set-up, or installation, unless specified on this quote. This quote is based on the information you provided. Anything not listed, will not be provided. All equipment is F.O.B. from the manufacturer(s). Costs may be subject to sales and use taxes. When purchasing accessories by themselves items may have price fluctuations. Please verify, and approve all utilities. Costs do not include any permits or inspection fees that maybe required in your area, unless specified in this quote. Any item that you may wish to return, are subject manufacturers' return policies and may not be approved for return. You will also be responsible for any and all shipping costs.

Please call 1-800-235-3325 if you have any questions regarding this quote.

Upon receiving your equipment, please inspect every item for damages that may have occurred during shipping. Save all packing materials-freight carriers require this in order to do an inspection after you have filed a damage claim. Items may be subject to manufacturer minimums or broken case charges.

Acceptance:	Date:
Printed Name:	
Project Grand Total: \$11,264,36	

Item

Qty





08/14/2024

# **Project:**

Avanti Legacy Parkview 51 N W S Young Drive Killeen, OH 76541

## From:

Restaurant Equippers Inc. Matias Almara 635 W. Broad St. Columbus, OH 43215 614-358-5585 800-235-3325 575 (Contact)

Job Reference Number: 14270

Item	Qty	Description	Sell	Sell Total
101	2 ea	AIR CURTAIN  Mars Air Systems Model No. STD248-1UA-OB  Standard Series 2 air curtain for 48"W door, unheated, galvanized steel cabinet with Obsidian Black powder coat finish, (1) 1/2 HP motor, 115v/60/1-ph, 550 watts, 5.1 amps, cETLus	\$905.06	\$1,810.12
	2 ea	5 year warranty, standard		
	2 ea	1 year warranty for all parts (except filters), standard  ITE	M TOTAL:	\$1,810.12
107		SHELVING, WITH METAL FRAME  Metro Model No. MQ2472G  Quick Ship - MetroMax® Q Shelf, 72"W x 24"D, removable open grid polymer shelf mats on an epoxy coated steel frame with quick adjust corner releases, (4) wedge connectors, Microban® antimicrobial product protection, 600 lb. capacity per shelf, NSF MX74P Quick Ship - Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 74-3/16"H, for stationary use or with a dolly, adjustable leveling foot, grooved on 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection		\$749.96 \$193.44
			M TOTAL:	\$943.40
109	1 ea	ICE MAKER, CUBE-STYLE  Manitowoc Model No. IYT0450A  Indigo NXT™ Series Ice Maker, cube-style, air-cooled, self- contained condenser, 30"W x 24"D x 21-1/2"H, production capacity up to 490 lb/24 hours at 70°/50° (378 lb AHRI certified at 90°/70°), easyTouch display with 13 different language ontions, date/time	\$3,526.66	\$3,526.66

easyTouch display with 13 different language options, date/time stamp display, automatic reminder/alert icon, one touch asset information, automatic detection of accessories, continuous

Initial: \_

Page 1 of 10 **Avanti Legacy Parkview** 

Initial:

		Restaurant Equippers Inc.		08/14/202
Item	Qty	Description	Sell	Sell Total
	1 ea	cCSAus  BK-LWR-2 Twist Lever Drain, fits 3-1/2" opening, 2" male & 1-1/2 female NPT drain outlet, includes overflow cap, stainless steel strainer	2" \$51.30	\$51.30
	1 ea	BK-LDB Lever Drain Bracket, fits twist drains	\$20.15 ITEM TOTAL:	\$20.15 <b>\$2,052.49</b>
255	3 ea	DRYING RACK UNIT  Metro Model No. PR48VX3  MetroMax® i Mobile Drying Rack Unit, 48"W x 24"D x 68"H, 4-tie includes: (2) shelves, (2) open shelf frames, (4) 63" mobile post (2) drop-ins & (1) cutting board/tray drying rack, (4) polymer swivel casters (2 with brakes), built in Microban® antimicrobial product protection, NSF		\$5,187.00
			ITEM TOTAL:	\$5,187.00
260	2 ea	HAND SINK  BK Resources Model No. BKHS-D-1410-P-G  Hand Sink, wall mount, 14" wide x 10" front-to-back x 5" deep bowl, 4" O.C deck mount faucet (BKD-3G-G, lead free), marine edge, includes basket drain & wall mounting hardware, 304 stainless steel construction, NSF	\$186.27	\$372.54
			ITEM TOTAL:	\$372.54
263	1 ea	WATER FILTRATION SYSTEM, FOR MULTIPLE APPLICATIONS Everpure Model No. EV934721 CSR Water Filtration System, CSR Plus-XC2, Quad, (1) EC210 Prefilter, (4) XC Precoat primary filtration cartridge, reduces chlorine, taste & odor, (1) remote mount SR-X scale reduction feeders, (1) 9 gallon surge tank, inlet pressure gauge, outlet pressure gauge, flushing valve, 48,000 gallons, 6.70 gpm, 0.5 micron, 3/4" inlet, 3/4" outlet, low pressure alarm, NSF 42 & 53 (EV934721)	\$2,060.55	\$2,060.55
	1 ea	FILTER INSTALL - COMBINATION Installation of One (1) combination filter system (dual outlet connections for multiple equipment applications), HighFlow CSR and Endurance models (EVNTW0010). Contact TWM Services for multiple system installations		\$1,059.84
	1 ea	SITESURVEY Site survey for point-of-use RO or filtration system Provide rough-in and pre-installation guidance - execute water test if needed (test kit sold separately)		\$295.71
		· · · · · · · · · · · · · · · · · · ·	ITEM TOTAL:	\$3,416.10

\$8,960.00

\$4,480.00

632

2 ea RANGE, 36", 6 OPEN BURNERS



Vulcan Model No. 36S-6BN

Endurance™ Restaurant Range, natural gas, 36", (6) 30,000 BTU burners, lift-off burner heads, standard oven, stainless steel front, sides, backriser, & lift-off high shelf, fully MIG welded chassis, 6" adjustable legs, 215,000 BTU, CSA, NSF

- 2 ea Stainless steel backriser & lift-off high shelf, standard
- 2 ea 1 year limited parts & labor warranty, standard

# 1 ea DISHWASHER, POT/PAN/UTENSIL, DOOR TYPE

Hobart Model No. PW20ER-1

by the local Hobart service office

\$27,140.00

**ITEM TOTAL:** 

**ITEM TOTAL:** 

\$8,960.00 \$27,140.00



814

Advansys™ Ventless Pot/Pan/Utensil Washer with Energy Recovery, front loading with split door design, 208/240v/60/3-ph, (20) pan capacity, over/under rotating arms, 2/4/6 minute adjustable timer, up to (13) racks/hour, includes: (2) flat grids, (2) tray racks & (1) flat bottom rack, pre-rinse spray hose, sanitizing with Sense-A-Temp™ 70° booster rise, internal condensing system, Complete Delime™ with Delime Notification, Auto Dispensing, and Booster Guard™, stainless steel construction, cULus, BISSC Certified, NSF, ENERGY STAR®, Free factory startup for installations within a 100 mile radius of a Hobart service office; installation beyond 100 miles will be charged at the quoted rate

- 1 ea Oversized units with crated shipping dimensions greater or equal to 72" in length and/or 90" in height. If delivery is to a facility without a standard height dock, additional shipping charges will apply depending on the service requested, consult Factory.
- 1 ea Standard warranty 1-Year parts, labor & travel time during normal working hours within the USA
- 1 ea NOTE: Hobart suggests adding a water softener. Hobart recommends a total of 2 water softeners (one for the incoming hot water line, one for the incoming cold water line) for all Advansys Energy Recovery models.

815 SPARE NO. 816 SPARE NO. 817 1 ea EXHAUST HOOD \$51,061.05 \$51,061.05 Custom Model No. 24-0309

Hood

The hood is noted for 11'9" plus 1" insulated standoff on the right side with the wall noted as an end panel for a total length of 11'10".

Insulation is included on the top and back,

We included a 4" wrapper on the front and left of the hood We included stainless steel backsplash and right sidesplash

Initial:

\$27.140.00

Sell Total

#### Exhaust Fan

We did not see an exhaust fan specified, so we selected a 3ph 208v DU180 with a 20" tall flat and hinged roof curb. I assumed 1" ESP so we'll want to verify the distance to the fan and modify as needed.

#### Controls

We did not see a control package specified so we included standard controls in a wall-mount panel.

7224ZVS-ND-2-PSP-F - 11ft 9" Long Exhaust-Only Wall Canopy Hood with

14" Wide Front Perforated Supply Plenum with Built-in 3" Back Standoff

- 430 SS Where Exposed
- FILTER 16" tall x 16" (15.625" by 15.625") wide Stainless Steel Captrate

Solo filter with hook, ETL Listed. Particulate capture efficiency: 85%

efficient at 9 microns, 76% efficient at 5 microns. Used on hoods shipped

AFTER 7/27/17.

- Recessed Round LED fixture and LED Light, 3500 K warm output.
- EXHAUST RISER Factory installed 10" X 23" X 4"
- SUPPLY RISER 12"x 28" Supply Riser with Volume Dampers
- 1/2 Pint Grease Cup New Style, Flanged Slotted
- FIELD WRAPPER 4.00" High Front, Left
- BACKSPLASH 80.00" High X 142.00" Long 430 SS Vertical (Includes End

Caps & Divider Bars)

- RIGHT SIDESPLASH 80.00" High X 72.00" Long 430 SS Vertical (Includes End Caps & Divider Bars)
- RIGHT END STANDOFF (FINISHED) 1" Wide 72" Long Insulated
- INSULATION FOR TOP OF HOOD
- INSULATION FOR BACK OF HOOD
- FULL LENGTH / WIDTH HANGING ANGLE FOR BOLT-TOGETHER STYLE HOODS. UNI-STRUT CUT TO LENGTH / WIDTH AND WELDED TO CORNER / CENTER HANGING ANGLES TO CREATE A CONTINUOUS HANGING ANGLE.
- RIGHT WALL AS END PANEL

ZVS-DU180HFA High Speed Direct Drive Centrifugal Upblast Exhaust Fan

with, disconnect switch and 18-3/4" wheel.

Exhaust Fan handles 2468 CFM @ -1.000" wc ESP, Fan runs at 1077 RPM.

Initial:

Exhaust Motor: 1.500 HP, 3 Phs, 208 V, 60 Hz, 6.6 FLA, ODP, Premium (EPlus3)

Eff.

- Grease Cup for kitchen-duty centrifugal exhaust fans, Box Dimensions 17-1/8 L X 5-1/16 W X 3-3/4 H (20 Gauge) (Includes Down

Spout)
- DU/DR180HFA Gasketing Kit - Thermeez Woven Ceramic Tape - 1/4" x

1" with adhesive back - Max Temp 1500°F. To be applied between

base and grease duct. Installed under fan base 1/2" from the inside.

Installed at the plant.

Curb CRB26.5x20E On Fan #1 Flat Curb

- Hinged Base for Curb. Standard Hinge attached to curb. Used on Fans with wheels 20 inches or smaller. 12 GA Galvanized.
- Vented Base for Curb

ZVS-A1-E.362-15D-MPU Electric Heated Make Up Air Unit with 15" Mixed Flow Direct Drive Fan and a 3 stages total, 1 modulating, 36KW 240 - 3 Coil Supply Fan handles 1974 CFM @ 0.500" wc ESP, Fan runs at 2096 RPM. Heater supplies 109216 BTUs. 54°F Temperature Rise. Supply Motor: 2.000 HP, 3 Phs, 208 V, 60 Hz, 6.1 FLA, ODP, Premium (E-Plus3) Eff. Down Discharge - Air Flow Right - > Left

- Sloped Filtered Intake for Size #1 Modular Heater.
- 21.813" Wide x 44.375" Long x 23.375" High.

Includes 2" MV EZ Kleen Metal Mesh Filters.

- 0-150°F Discharge Temp Control Field Wired On/Off Start Command • Heating Activation Based On Intake Set Point. Use with MUA
- Size 1 Electric Heater with MUA Controls Sheet Metal
- Motorized Back Draft Damper 16" X 18" for Size 1 Standard & Modular Heater Units w/Extended Shaft, Standard Galvanized Construction, 3/4" Rear Flange, Low Leakage, TFB120S Actuator Included
- CFM monitoring for MUA units. Uses rivet nuts, 1/4" airflow tubing and push to connect fittings.
- Duct Mounted Smoke Detector For Commercial Direct Fired Heater. Complete with detector (D4120) and sampling tube (DST-1.5). Ships Loose
- 5 Ton, Dual Circuit (2.5/2.5) Modular Packaged Cooling Option for Size 1 DF/EH Modular Packaged Unit. Includes Condenser, DX Coil, Filter/Dryer Kit, Thermal Expansion Valve, R410A Refrigerant, and Refrigerant Piping. (1,800 to 3,000 cfm) When ordered with

Initial:

opposite airflow condensers access and coil piping will remain in standard position. Drain and sleds will move to the opposite side. Any other change will require CLI. CONDENSERS REQUIRE SEPARATE 208V, 3 PHASE POWER SUPPLY UNLESS ORDERED WITH SINGLE POINT CONNECTION. Coil = 2EZ0902ME

- Downturn Plenum for Size 1 Cooling Coil Module Required for Down Discharge Cooling Coil Applications
- Separate 120VAC Wiring Package for Make-Up Air Units. Option must be selected when mounting VFD in prewire panel or with DCV package. Provides separate 120VAC input to supply fan. This 120V signal must be run by electrician from DCV to mua switch.
- Curb CRB21X71X20INS Insulated On Fan #2 Flat Curb
- Full Bottom Curb Corner. Base flange corners fully welded or staked by factory.
- Rail RAIL-21" x 6" x 20"H On Fan #2

SC-311110MA 3 Phase w/ control for 1 Exhaust Fan, 1 Supply Fan, Exhaust on in Fire, Lights out in Fire, Relay On/Off with Supply Fan, Fan(s) On/Off Thermostatically Controlled. Room temperature sensor shipped loose for field installation. INVERTER DUTY 3 PHASE MOTOR REQUIRED FOR USE WITH VFD. Includes 1 Duct Thermostat kit.

- ESV152N02YXB571 Variable Frequency Drive 2 HP Max., 200/240 V, Single or Three Phase Input, 7.0 A Max., NEMA 1 Enclosure, with 2RJ-45 FOR MODBUS
- ESV152N02YXB571 Variable Frequency Drive 2 HP Max., 200/240 V, Single or Three Phase Input, 7.0 A Max., NEMA 1 Enclosure, with 2RJ-45 FOR MODBUS
- 20 wide X18 tall X8.62 deep SS HINGED ELECTRICAL BOX NEMA 1 VENTED. Stainless plate instead of filter assembly.
- PSP thermostat kit, includes 1x duct thermostat, quick seal, and j-box for monitoring of PSP discharge temperature.
- Digital Prewire Lighting Relay Kit. Includes hood lighting relay & terminal blocks. Allows for up to 1400W of lighting each.

Gallon Field Hook up to include: Fire Suppression Permit, Field Piping, Locating and installing pull station, installing all Components supplied by the Hood manufacturer, Charging the tank, Pre-test, Final test with Fire Marshall.

Not Included: Taxes, Electrical hook ups to and from microswitches, Building Alarm tie in, Installation of Gas valve by Plumber. Union or prevaling wages, Any rescheduling charges for rescheduling inspection

## \*Notes:

Taxes are not included.

Mounting the heat sensors is the electrician's responsibility

(follow the drawings).

Purchase order or letter of intent needs to be received by

10/01/24, or new quote needs to be requested

Approved drawings need to be received no later than 10/31/24, or new quote needs to be requested

All orders will ship based on the equipment lead time. If shipments are delayed and or not accepted, additional storage and shipping charges will be incurred.

Standard lead time is 2-10 weeks. If partial shipping is requested a

shipping fee will be added.

 ITEM TOTAL:
 \$51,061.05

 Merchandise
 \$172,945.88

 Freight
 \$8,339.27

 Total
 \$181,285.15

Thank you for the opportunity to provide a cost quote. We appreciate you considering Restaurant Equippers for your supply and equipment needs.

Costs are valid for 7 days from the above date. Costs do not include shipping, delivery, set-up, or installation, unless specified on this quote. This quote is based on the information you provided. Anything not listed, will not be provided. All equipment is F.O.B. from the manufacturer(s). Costs may be subject to sales and use taxes. When purchasing accessories by themselves items may have price fluctuations. Please verify, and approve all utilities. Costs do not include any permits or inspection fees that maybe required in your area, unless specified in this quote. Any item that you may wish to return, are subject manufacturers' return policies and may not be approved for return. You will also be responsible for any and all shipping costs.

Please call 1-800-235-3325 if you have any questions regarding this quote.

Upon receiving your equipment, please inspect every item for damages that may have occurred during shipping. Save all packing materials-freight carriers require this in order to do an inspection after you have filed a damage claim. Items may be subject to manufacturer minimums or broken case charges.

Acceptance:	Date:	
Printed Name:		
Project Grand Total: \$181,285.15		

Initial:



Quote

08/14/2024

Project:

**Avanty Legacy Smallwares** 51 N W S Young Drive Killeen, TX

From:

Restaurant Equippers Inc. Matias Almara 635 W. Broad St. Columbus, OH 43215

614-358-5585

800-235-3325 575 (Contact)

**ITEM TOTAL:** 

Ioh Reference Number: 14331

Item	Qty	Description	Sell	Sell Total
1	12 ea	MIXING BOWL, METAL  Winco Model No. MXB-300Q Packed 72 ea  Economy Mixing Bowl, 3 qt., 9-1/2" dia. x 3-1/2"H, stainless steel (Qty Break = 12 each)	\$2.41	\$28.92
		Γ	TEM TOTAL:	\$28.92
2	6	MIXING BOWL, METAL  Winco Model No. MXB-2000Q Packed 12 ea  Economy Mixing Bowl, 20 qt., 18-5/8" dia. x 5-1/2"H, stainless ste  (Qty Break = 12 each)	\$11.24 eel	\$67.44
		Γ	TEM TOTAL:	\$67.44
3	24 ea	BUN / SHEET PAN  Winco Model No. ALXP-2618H Packed 12 ea  Sheet Pan, full size, 26" x 18", rectangular, closed bead, 16 gauge heavy weight, 3003 aluminum (Qty Break = 12 each)	\$17.32 <del>2</del> ,	\$415.68
		Γ	TEM TOTAL:	\$415.68
4	6 ea	Winco Model No. CS-2014 Packed 16 ea Cookie Sheet, 20" L x 14" W, rectangular, heat tolerant to 450°F (232°C), hand wash, PTFE/PFOA-free, non-stick, 15 gauge anodiz aluminum (Qty Break = 4 each)	\$18.94 ed	\$113.64

\$113.64

					,,
Item	Qty	Description	S	ell	Sell Total
5	12 ea	FOOD PAN	\$10	.52	\$126.24
		Winco Model No. SP7102 Packed 12 ea			
		Poly-Ware™ Food Pan, full size, 20-3/4" x 12-1/2", 2-1/2" deep,			
	7	-40°F to 210°F temperature range, dishwasher safe, break-			
		resistant polycarbonate, NSF (Qty Break = 6 each)			
	12	CD7400C Dela Mare IM Freed Des Corres 4/4 et a realista sitte base	67	<b>-</b> 7	¢00.04
	12 ea	SP7100S Poly-Ware™ Food Pan Cover, 1/1 size, solid, with hand polycarbonate, NSF (Qty Break = 12 each)	ile, \$7	.57	\$90.84
		polycarboliate, NSF (Qty Bleak – 12 each)	ITERA TOTAL :		ć217.00
			ITEM TOTAL:		\$217.08
6	12 ea	FOOD PAN	\$6	.55	\$78.60
		Winco Model No. SP7306 Packed 24 ea			
		Poly-Ware™ Food Pan, 1/3 size, 12-5/8" x 6-7/8", 5-1/2" deep,			
		-40°F to 210°F temp. range, dishwasher safe, break-resistant			
		polycarbonate, NSF (Qty Break = 6 each)			
	12 ea	SP7300S Poly-Ware™ Food Pan Cover, 1/3 size, solid, with hand	ile \$2	.65	\$31.80
	12 00	polycarbonate, NSF (Qty Break = 12 each)	γ2	.03	γ51.00
		polyear boliate, No. (acy break 12 each)	ITEM TOTAL:		\$110.40
7	12 ea	FOOD PAN		.51	\$42.12
,	12 Ca	Winco Model No. SP7606 Packed 24 ea	ÇÇ	.51	<b>γ-72.12</b>
		Poly-Ware™ Food Pan, 1/6 size, 6-3/4" x 6-1/4", 5-1/2" deep, -4	O°E		
4		to 210°F temp. range, dishwasher safe, break-resistant	UF		
1		polycarbonate, NSF (Qty Break = 6 each)			
	12 ea	SP7600S Poly-Ware™ Food Pan Cover, 1/6 size, solid, with hand	dle. \$1	.31	\$15.72
		polycarbonate, NSF (Qty Break = 12 each)	γ-		7-5
			ITEM TOTAL:		\$57.84
8	6 ea	FRY PAN	\$39	.32	\$235.92
		Winco Model No. SSFP-12 Packed 2 ea			
		Premium Fry Pan, 12-1/2 dia. x 2" deep, round, riveted handles	,		
		with helper handle, tri-ply heavy duty bottom with aluminum	,		
	7	core, 18/8 stainless steel, induction ready, NSF (Qty Break = 6 each)			
			ITEM TOTAL:		\$235.92
9	6 ea	FRY PAN	\$52	.03	\$312.18
		Winco Model No. SSFP-14 Packed 2 ea			
		Premium Fry Pan, 14-1/4 dia. x 2-1/2" deep, round, riveted			
		handles, with helper handle, tri-ply heavy duty bottom with			
A CHILL		aluminum core, 18/8 stainless steel, induction ready, NSF (Qty Break = 6 each)			
		Dicar o cacin	ITEM TOTAL:		\$312.18
10	2	DDAZIED DANI		F7	
10	2 ea	BRAZIER PAN	\$120	.5/	\$241.14

Item Qty Description Sell Sell Total



Winco Model No. SSLB-20 Packed 4 ea Premium Brazier, 20 qt., 15-3/4" dia. x 6"H, round, with cover, triply heavy duty bottom, with aluminum core, induction ready, 18/8 stainless steel, NSF (Qty Break = 2 each)

11 2 ea **SAUCE PAN** \$59.92 \$119.84



Winco Model No. SSSP-10 Packed 2 ea Premium Sauce Pan, 10 qt., 11" dia. x 6-1/8"H, round, with cover, welded handles, with helper handle, tri-ply heavy duty bottom with aluminum core, 18/8 stainless steel, induction ready, NSF (Qty Break = 2 each)

12 2 ea **STOCK POT** \$136.59 \$273.18



Winco Model No. SST-32 Packed 2 ea Premium Induction Stock Pot, 32 qt., 14-1/4" dia. x 11-3/4"H, round, with cover, welded handles, tri-ply heavy duty bottom, with aluminum core, 18/8 stainless steel, NSF (Qty Break = 2 each)

 13
 12 ea
 PERFORATED SERVING SPOON
 \$2.82
 \$33.84



Winco Model No. BSPN-15 Packed 72 ea Basting Spoon, 15" long, perforated, one-piece, stainless steel, Prime, NSF (Qty Break = 12 each)

 14
 12 ea
 UTILITY TONGS
 \$2.55
 \$30.60



Winco Model No. UT-16 Packed 72 ea
Utility Tongs, 16", coiled spring, scalloped edge, heavy weight 0.9
millimeter stainless steel (Qty Break = 12 each)

15 4 st KNIFE SET \$65.00 \$260.00



Winco Model No. KWP-KIT1 Packed 6 st Knife Set, 9-pc Set, includes: (1) 3-1/4" paring knife (KWP-30), (1) 5-1/2" utility knife (KWP-50), (1) 6" boning knife (KWP-60), (1) 9-1/2" offset bread knife (KWP-91), (1) 10" hollow ground chef knife (KWP-101), (1) 12" wavy edge slicer (KWP-121), (1) 12" sharpening steel (K-12S), (1) black polyester knife bag (KBG-11) & (1) 12" red nylon spoon (NS-12R), stamped, high carbon, no-stain German

Item	Qty	Description	Sell	Sell Total
		steel, slip-resistant, polypropylene handles, Stal, white, NSF ( Break = 1 set)	QTY	
			ITEM TOTAL:	\$260.00
16	4 ea	CUTTING BOARD  Winco Model No. CBH-1824 Packed 6 ea  Cutting Board, 18" x 24" x 3/4" thick, rectangular, BPA free, who NSF (Qty Break = 6 each)	\$28.08 lite,	\$112.32
			ITEM TOTAL:	\$112.32
17	4 ea	COLANDER  Winco Model No. ALO-16BH Packed 4 ea  Colander, 16 qt., 16-1/2" dia. x 7-1/8"H, with base & handles, aluminum (Qty Break = 4 each)	\$33.80	\$135.20
			ITEM TOTAL:	\$135.20
18	12 ea	SPATULA Winco Model No. PSD-16 Packed 120 ea Economy Scraper, 16", heat resistant to 500°F (260°C), BPA free silicone (Qty Break = 12 each)	\$4.95 e,	\$59.40
			ITEM TOTAL:	\$59.40
19	4 ea	Winco Model No. TKP-63 Packed 48 ea Offset Turner, extra heavy duty, 5" x 6" blade, with cutting edg polypropylene black handle, satin finish, NSF (Qty Break = 12 each)	\$8.35 ge,	\$33.40
			ITEM TOTAL:	\$33.40
20	4 ea	Winco Model No. TKP-61 Packed 72 ea Offset Hamburger Turner, 5-1/8" x 2-7/8" stainless steel blade including offset), dishwasher safe, slip-resistant, polypropyle black handle, satin finish, NSF (Qty Break = 12 each)		\$14.36
			ITEM TOTAL:	\$14.36
21	6 ea	FOOD STORAGE CONTAINER	\$3.81	\$22.86

Item	Qty	Description	Sell	Sell Total
33L - 46L 3L - 26L 2L - 26L 1L - 26L	F	Winco Model No. PESC-4 Packed 48 ea Storage Container, 4 qt., 7-1/8" x 8-5/8" x 7-3/8"H, square, built handles, graduation markings in quarts & liters, temperature range: -40°F to 160°F, stain resistant, dishwasher safe, BPA free polypropylene, white, NSF (Qty Break = 12 each)		
	6 ea	PECC-24 Container Cover, fits 2 & 4 qt. square storage container 7-3/8" x 7-3/8" x 1/2"H, polyethylene, green (Qty Break = 12 eac		\$6.42
			ITEM TOTAL:	\$29.28
72 60	6 ea	FOOD STORAGE CONTAINER  Winco Model No. PESC-8 Packed 24 ea  Storage Container, 8 qt., 8-3/4" x 10-1/4" x 9"H, square, built-in handles, graduation markings in quarts & liters, temperature range: -40°F to 160°F, stain resistant, dishwasher safe, BPA free polypropylene, white, NSF (Qty Break = 12 each)		\$35.40
	6 ea	PECC-68 Container Cover, fits 6 & 8 qt. square storage container $9-1/8$ " x $9-1/8$ " x $1/2$ "H, polyethylene, red (Qty Break = 12 each)	•	\$9.84
			ITEM TOTAL:	\$45.24
23  191,—1201.  51.—648.	6 ea	FOOD STORAGE CONTAINER  Winco Model No. PESC-12 Packed 12 ea  Storage Container, 12 qt., 11" x 12-1/2" x 8-1/4"H, square, built- handles, graduation markings in quarts & liters, temperature range: -40°F to 160°F, stain resistant, dishwasher safe, BPA free polypropylene, white, NSF (Qty Break = 12 each)		\$51.24
	6 ea	PECC-128 Container Cover, fits 12, 18 & 22 qt. square storage containers, 11-3/8" x 11-3/8" x 1/2"H, polyethylene, blue (Qty Break = 6 each)	\$2.37	\$14.22
			ITEM TOTAL:	\$65.46
24	6 ea	FOOD STORAGE CONTAINER  Winco Model No. PESC-18 Packed 12 ea  Storage Container, 18 qt., 10-1/8" x 11-5/8" x 12-3/8"H, square, built-in handles, graduation markings in quarts & liters, temperature range: -40°F to 160°F, stain resistant, dishwasher safe, BPA free, polypropylene, white, NSF (Qty Break = 12 each	\$11.05 )	\$66.30
	6 ea	PECC-128 Container Cover, fits 12, 18 & 22 qt. square storage containers, 11-3/8" x 11-3/8" x 1/2"H, polyethylene, blue (Qty Break = 6 each)	\$2.37	\$14.22
			ITEM TOTAL:	\$80.52
25	6 ea	FOOD STORAGE CONTAINER	\$13.92	\$83.52

Item	Qty	Description	Sell	Sell Total
201. — 7276. 171. — 7346. 171. — 1846. 184. — 1846. 184. — 1846.		Winco Model No. PESC-22 Packed 6 ea Storage Container, 22 qt., 11" x 12" x 15-1/2"H, square, built-in handles, graduation markings in quarts & liters, temperature range: -40°F to 160°F, stain resistant, dishwasher safe, BPA free, polypropylene, white, NSF (Qty Break = 6 each)		
	6 ea	PECC-128 Container Cover, fits 12, 18 & 22 qt. square storage containers, $11-3/8$ " x $11-3/8$ " x $1/2$ "H, polyethylene, blue (Qty Break = 6 each)	\$2.37	\$14.22
		ı	TEM TOTAL:	\$97.74
26	2 ea	INGREDIENT BIN Winco Model No. IB-21 Ingredient Bin, 21 gallon, 13" x 29-1/4" x 28", transparent polycarbonate lid, clasp sliding lid, scoop, 3" caster wheels (2 wi brakes), polypropylene body, white, NSF (Qty Break = 1 each)	\$168.56 th	\$337.12
	2 ea	IB-21-LE Lid, polycarbonate, white/clear (for IB-21), NSF (Qty Bre = 1 each)	eak \$51.08	\$102.16
		ı	TEM TOTAL:	\$439.28
27	2 ea	MEASURING CUP  Winco Model No. PMCP-100 Packed 36 ea  Measuring Cup, 1 qt., raised external markings in quarts (red letters) and liters (blue letters), one-piece, tapered open handle stackable, secure grip, heat resistant up to 210°F (98°C), dishwasher safe, polycarbonate, NSF (Qty Break = 6 each)	\$4.18 e,	\$8.36
		ı	TEM TOTAL:	\$8.36
28	2 ea	MEASURING CUP  Winco Model No. PMCP-200 Packed 36 ea  Measuring Cup, 2 qt., raised external markings in quarts (red letters) and liters (blue letters), one-piece, tapered open handle stackable, secure grip, heat resistant up to 210°F (98°C), dishwasher safe, polycarbonate, NSF (Qty Break = 6 each)	\$7.63 e,	\$15.26
		ı	TEM TOTAL:	<b>\$15.26</b>
29	4 st	MEASURING SPOON  Winco Model No. MSPD-4X Packed 240 st  Deluxe Measuring Spoons, 4-piece set includes: 1/4 teaspoon, 1, teaspoon, 1 teaspoon & 1 tablespoon, stainless steel (Qty Break 24 set)		\$8.84
		ı	TEM TOTAL:	\$8.84
30	4 ea	TIMER, ELECTRONIC	\$7.09	\$28.36

\$28.36

\$22.54

Item Qty Description Sell Sell Total



Winco Model No. TIM-85D Packed 144 ea
Digital Timer, 20 hours, with 20 minute stopper, LCD, large, hour/minute (Qty Break = 12 each)

31 1 ea INFRARED THERMOMETER

\$42.01 \$42.01



Winco Model No. TMT-IF1 Packed 48 ea Infrared Thermometer, -26° to 608°F (-32° to 320°C) temperature range, 1" LCD display with backlight, automatic temp hold, laser on/off, distance to spot ratio (12:1), auto power off function (Qty Break = 6 each)

32 2 ea **POCKET THERMOMETER** 

ITEM TOTAL: \$42.01

\$11.27

**ITEM TOTAL:** 



Winco Model No. TMT-DG4 Packed 144 ea Pocket Thermometer, digital, temperature range -40 to 450°F (-40 to 230°C), 1-1/4" LCD face, 3-1/8" probe, hold function, built in clip, protection sheath, HACCP, NSF (Qty Break = 12 each)

33 2 ea **PROBE THERMOMETER** \$14.24 \$28.48



Winco Model No. TMT-DG6 Packed 96 ea Roasting Thermometer, digital, -58° to 572°F (-50° to 300°C), 1-7/8" digital display, includes: 6" probe, timer, flip down stand, & magnet (Qty Break = 12 each)

 34
 4 ea
 FRENCH WHIP / WHISK
 \$3.87
 \$15.48

Winco Model No. FN-14 Packed 72 ea French Whip, 14" long, stainless steel (Qty Break = 12 each)



35 2 ea LADLE \$15.48

Winco Model No. LDC-4 Packed 120 ea \$15.48



Winco Model No. LDC-4 Packed 120 ea Color-Coded Ladle, 4 oz., 15-1/2" handle, one-piece, stainless steel, green (Qty Break = 12 each)

ITEM TOTAL: \$7.98

Item	Qty	Description	Sell	Sell Total
36	2 ea	LADLE Winco Model No. LDC-8 Packed 60 ea Color-Coded Ladle, 8 oz., 16-1/2" handle, one-piece, stainless steel, blue (Qty Break = 12 each)	\$4.93	\$9.86
			ITEM TOTAL:	\$9.86
37	2 ea	Winco Model No. LDC-12 Packed 60 ea Color-Coded Ladle, 12 oz., 16-1/2" handle, one-piece, stainless steel, gray (Qty Break = 12 each)	\$5.40 S	\$10.80
			ITEM TOTAL:	\$10.80
38	2 ea	CAN OPENER  Winco Model No. CO-1  Can Opener, manual, opens cans up to size #10, includes base, blade, gear, & installation kit, cast iron body (Qty Break = 2 each		\$199.30
			ITEM TOTAL:	\$199.30
39	2 ea	GRATER, BOX  Winco Model No. GT-401 Packed 48 ea  Grater, 5 sided grater (slicer/medium coarse/zester/fine/ribbo 5"L x 5"W x 8"H, anti-slip feet, black soft grip handle, etched 18 stainless steel (Qty Break = 12 each)		\$27.62
			ITEM TOTAL:	\$27.62
40	4 ea	VEGETABLE PEELER Winco Model No. VP-300 Packed 72 ea Peeler, 6-1/2", stainless steel straight edge, soft grip handle, dishwasher safe, black NSF (Qty Break = 12 each)	\$4.18	\$16.72
			ITEM TOTAL:	\$16.72
41	2 ea	CART, UTILITY/BUSSING Winco Model No. UC-2415K Utility Cart, 3-tier, 32"W x 16-1/8"D x 36-3/4"H, 330 lb capacity, plastic, black, KD (Qty Break = 1 each)	\$103.87	\$207.74

ITEM TOTAL: \$207.74

Item	Qty	Description	Sell	Sell Total
42	1 ea	PLANETARY MIXER  Winco Model No. EMP-20  Spectrum™ Planetary Mixer, floor model, 20 liter, with hub, 3 mixing speeds, gear driven, high torque transmission, 304 stainless steel bowl with safety guard & interlock bowl lift, stainless steel wire whip, aluminum flat beater, & spiral dough hook, #12 hub attachments, manual resettable thermal overload protection, heavy-duty die cast iron construction, non-slip rubber feet, 1.5 HP, 110v/50/60/1-ph, 10 amps, 1.10 kW, 5-15P, CE, ETL, cETLus	\$1,265.33	\$1,265.33
	1 ea	One year parts & labor warranty, standard		
		ITI	EM TOTAL:	\$1,265.33
43	Z ea	PORTION SCALE  Winco Model No. SCAL-D22 Packed 36 ea  Portion Control Scale, digital, 22 lb. capacity, 2-1/2" x 1" LCD  display with backlight, removable 6" x 6" stainless steel platform, field calibration feature, piece count, unit & tare function, auto- off (in battery operation), plastic housing, uses (3) AAA batteries or AC adaptor (included), NSF (QTY Break = 3 each)	\$48.41	\$96.82
		ІТІ	EM TOTAL:	\$96.82
44	1 ea	TOMATO SLICER  Winco Model No. TTS-188 Packed 4 ea  Tomato Slicer, manual, 3/16" slice, straight stainless steel blade, aluminum frame, Kattex, NSF (Qty Break = 1 each)	\$158.47	\$158.47
		ІТІ	EM TOTAL:	\$158.47
45	1 ea	FRUIT / VEGETABLE SLICER, CUTTER  Winco Model No. OS-188 Packed 2 ea  Onion Slicer, manual, 3/16" blade, lever handle, non-skid feet, stainless steel wire blades, aluminum, Kattex, NSF (Qty Break = 2 each)	\$343.10	\$343.10
		ІТІ	EM TOTAL:	\$343.10
46	1 ea	FRUIT / VEGETABLE SLICER, CUTTER  Winco Model No. TLC-1 Packed 2 ea  Lettuce Cutter, 1" x 1" diced, 49 square blades, easy grip handle, 4 rubber feet, stainless steel blade, aluminum frame, NSF (Qty Break = 2 each)	\$321.77	\$321.77
		ІТІ	EM TOTAL:	\$321.77
47	1 ea	NESTING PAN RACK	\$268.13	\$268.13



Winco Model No. ALZK-20BK

Nesting Sheet Pan Rack,  $22"L \times 27-1/2"W \times 70"H$ , (20) full-size  $18" \times 26"$  sheet pans capacity, 650 lb. capacity, 3" spacing, front loading, open sides, (4) casters (2 with brakes), aluminum, KD, NSF (QTY Break = 1 each)

ITEM TOTAL:	\$268.13
Merchandise	\$6,732.87
Freight	\$699.00
Total	\$7.431.87

Thank you for the opportunity to provide a cost quote. We appreciate you considering Restaurant Equippers for your supply and equipment needs.

Costs are valid for 7 days from the above date. Costs do not include shipping, delivery, set-up, or installation, unless specified on this quote. This quote is based on the information you provided. Anything not listed, will not be provided. All equipment is F.O.B. from the manufacturer(s). Costs may be subject to sales and use taxes. When purchasing accessories by themselves items may have price fluctuations. Please

verify, and approve all utilities. Costs do not include any permits or inspection fees that maybe required in your area, unless specified in this quote. Any item that you may wish to return, are subject manufacturers' return policies and may not be approved for return. You will also be responsible for any and all shipping costs.

Please call 1-800-235-3325 if you have any questions regarding this quote.


Upon receiving your equipment, please inspect every item for damages that may have occurred during shipping. Save all packing materials-freight carriers require this in order to do an inspection after you have filed a damage claim. Items may be subject to manufacturer minimums or broken case charges.

Acceptance:	Date:
Printed Name:	_
Project Grand Total: \$7,431.87	

# STAINLESS STEEL MIXING BOWLS



MXHV-500



DESCRIPTION SIZE (DIA X DEPTH)

**HEAVY-DUTY MIXING BOWLS** 

## **DEEP MIXING BOWLS**

ITEM	DESCRIPTION	SIZE (DIA X DEPTH)	UOM	CASE
MXBH-300	3 Qt	9" x 3-1/2"	Each	12/48
MXBH-500	5 Qt	10-1/4" x 4-1/2"	Each	12/36
MXBH-800	8 Qt	12" x 5"	Each	12/24
MXBH-1300	13 Qt	15" x 5-3/4"	Each	12



MXBH-500

#### **ALL-PURPOSE MIXING BOWLS**

◆ True capacity for all-purpose kitchen prep work

ITEM	DESCRIPTION	SIZE (DIA X DEPTH)	UOM	CASE
MXBT-75Q	3/4 Qt	6-3/8" x 2-3/8"	Each	12/144
MXBT-150Q	1-1/2 Qt	7-7/8" x 2-7/8"	Each	12/144
MXBT-300Q	3 Qt	10-1/4" x 3-5/8"	Each	12/72
MXBT-400Q	4 Qt	11" x 3-3/4"	Each	12/72
MXBT-500Q	5 Qt	11-7/8" x 4"	Each	12/72
MXBT-800Q	8 Qt	13-3/4" x 5	Each	12/36
MXBT-1300Q	13 Qt	16-3/8" x 5-7/8"	Each	12/24
MXBT-1600Q	16 Qt	17-7/8" x 6"	Each	12
MXBT-2000G	20 Qt	19" x 6-5/8"	Each	12



MXBT-500Q



MXB-950Q

# **ECONOMY MIXING BOWLS**

ITEM	DESCRIPTION	SIZE (DIA X DEPTH)	UOM	CASE
MXB-75Q	3/4 Qt	6-1/4" x 1-3/4	Each	12/144
MXB-150Q	1-1/2 Qt	7-3/4" x 2-1/2"	Each	12/144
MXB-300Q	3 Qt	9-1/2" x 3-1/2"	Each	12/72
MXB-400Q	4 Qt	10-5/8" x 3-1/2"	Each	12/72
MXB-500Q	5 Qt	11-1/2" x 3-1/2"	Each	12/72
MXB-800Q	8 Qt	13-1/4" x 4-1/8"	Each	12/36
MXB-950Q	9-1/2 Qt	15-3/8" x 4-1/4"	Each	24
MXB-1300Q	13 Qt	16" x 4-1/2"	Each	24
MXB-1600Q	16 Qt	17-3/4" x 5"	Each	12
MXB-2000Q	20 Qt	18-5/8" x 5-1/2"	Each	12
MXB-3000Q	30 Qt	22-1/2" x 7-1/2"	Each	12



MXRU-SERIES

### SILICONE BASE MIXING BOWLS

 Non-skid silicone base helps to keep bowl in place while mixing and prepping

ITEM	DESCRIPTION	SIZE (DIA X DEPTH)	UOM	CASE
MXRU-150	1-1/2 Qt	6-3/4" x 3-3/4"	Each	48
MXRU-300	3 Qt	8-1/2" x 4-3/8"	Each	24
MXRU-500	5 Qt	10-1/4" x 5-5/8"	Each	24
MXRU-800	8 Qt	11-3/4" x 6-1/2"	Each	6/12




### MIXING BOWL STAND

ITEM	DESCRIPTION	UOM	CASE
MXBS-30	Stand for MXB-3000Q	Set	1
MXBS-30-C	Caster for MXBS-30	Fach	4/24

# STAINLESS STEEL MIXING BOWLS



MXHV-500



18-3/4" x 5"

**HEAVY-DUTY MIXING BOWLS** 

#### **DEEP MIXING BOWLS**

MXHV-1600 16 Qt

MXHV-2000 20 Qt

ITEM	DESCRIPTION	SIZE (DIA X DEPTH)	UOM	CASE	
MXBH-300	3 Qt	9" x 3-1/2"	Each	12/48	
MXBH-500	5 Qt	10-1/4" x 4-1/2"	Each	12/36	
MXBH-800	8 Qt	12" x 5"	Each	12/24	
MXBH-1300	13 Qt	15" x 5-3/4"	Each	12	



#### **ALL-PURPOSE MIXING BOWLS**

◆ True capacity for all-purpose kitchen prep work

17-3/4" x 5-1/2" Each

Each

12

12

ITEM	DESCRIPTION	SIZE (DIA X DEPTH)	UOM	CASE
MXBT-75Q	3/4 Qt	6-3/8" x 2-3/8"	Each	12/144
MXBT-150Q	1-1/2 Qt	7-7/8" x 2-7/8"	Each	12/144
MXBT-300Q	3 Qt	10-1/4" x 3-5/8"	Each	12/72
MXBT-400Q	4 Qt	11" x 3-3/4"	Each	12/72
MXBT-500Q	5 Qt	11-7/8" x 4"	Each	12/72
MXBT-800Q	8 Qt	13-3/4" x 5	Each	12/36
MXBT-1300Q	13 Qt	16-3/8" x 5-7/8"	Each	12/24
MXBT-1600Q	16 Qt	17-7/8" x 6"	Each	12
MXBT-2000Q	20 Qt	19" x 6-5/8"	Each	12



MXBT-500Q

MXB-950Q

# **ECONOMY MIXING BOWLS**

ITEM	DESCRIPTION	SIZE (DIA X DEPTH)	UOM	CASE
MXB-75Q	3/4 Qt	6-1/4" x 1-3/4	Each	12/144
MXB-150Q	1-1/2 Qt	7-3/4" x 2-1/2"	Each	12/144
MXB-300Q	3 Qt	9-1/2" x 3-1/2"	Each	12/72
MXB-400Q	4 Qt	10-5/8" x 3-1/2"	Each	12/72
MXB-500Q	5 Qt	11-1/2" x 3-1/2"	Each	12/72
MXB-800Q	8 Qt	13-1/4" x 4-1/8"	Each	12/36
MXB-950Q	9-1/2 Qt	15-3/8" x 4-1/4"	Each	24
MXB-1300Q	13 Qt	16" x 4-1/2"	Each	24
MXB-1600Q	16 Qt	17-3/4" x 5"	Each	12
MXB-2000Q	20 Qt	18-5/8" x 5-1/2"	Each	12
MXB-3000Q	30 Qt	22-1/2" x 7-1/2"	Each	12



**MXRU-SERIES** 

# SILICONE BASE MIXING BOWLS ◆ Non-skid silicone base belos to ke

 Non-skid silicone base helps to keep bowl in place while mixing and prepping

ITEM	DESCRIPTION	SIZE (DIA X DEPTH)	UOM	CASE	
MXRU-150	1-1/2 Qt	6-3/4" x 3-3/4"	Each	48	
MXRU-300	3 Qt	8-1/2" x 4-3/8"	Each	24	
MXRU-500	5 Qt	10-1/4" x 5-5/8"	Each	24	
MXRU-800	8 Qt	11-3/4" x 6-1/2"	Each	6/12	



### MIXING BOWL STAND

ITEM	DESCRIPTION	UOM	CASE	
MXBS-30	Stand for MXB-3000Q	Set	1	
MXBS-30-C	Caster for MXBS-30	Each	4/24	

# PAN HANDLE SLEEVES





PAN GRABBER MITT

- Heat-resistant up to 400°F (205°C)
- Comfortable elastic wrist strap assists while handling hot baking sheets or pan handles

ITEM	DESCRIPTION	SIZE	UOM	CASE
PH-811W	Terry Cloth Mitt	11"L x 8"W	Doz	15



# REMOVABLE SILICONE SLEEVES FOR FRY & SAUCE PANS

Heat-resistant up to 450°F (230°C)

ITEM	DESCRIPTION	COLOR	UOM	CASE
AFP-1HR	Fits AFP-7, -8, ASP-1, -2	Red	Each	12/120
AFP-2HR	Fits AFP-10, -12, ASP-3, -4, -5, -7, ASFP-11, AXST-3	Red	Each	12/120
AFP-3HR	Fits AFP-14, ASP-10, AXST-5, -7	Red	Each	12/120
AFP-1HX	Fits AFP-7, -8, ASP-1, -2	Blue	Each	12/120
AFP-2HX	Fits AFP-10, -12, ASP-3, -4, -5, -7, ASFP-11, AXST-3	Blue	Each	12/120
AFP-3HX	Fits AFP-14, ASP-10, AXST-5, -7	Blue	Each	12/120

Refer to page 285 for the full Allergen-Free range

AFP-3HR





AFP-3HX

### ALLERGEN-FREE SILICONE SLEEVE

ITEM	DESCRIPTION	COLOR	UOM	CASE
AFP-10HP	Fits AFP-10, ASFP-11, ASP-3, -4	Purple	Each	1/120

# HEAVY-DUTY ALUMINUM SHEET PANS

Refer to page 238 for the full sheet pan range



**HEAVY-DUTY ALUMINUM SHEET PANS** 

Reinforced with galvanized wire, count on Winco® sheet pans to hold their shape in high-heat oven temperatures during baking, roasting or broiling.

- Closed bead with galvanized wire for rust resistance and reinforcement
- Made of 3003 aluminum

ITEM	DESCRIPTION	SIZE	GAUGE	UOM	CASE
ALXP-1200	Full-Size Open Bead, NSF	18" x 26"	12	Each	12
ALXP-2618H	Full-Size Closed Bead	18" x 26"	16	Each	12



Open bead

ALXP-1200

# NON-STICK CARBON STEEL MINI MUFFIN PANS



# MINI MUFFIN PANS





CMF-12M











# NON-STICK CARBON STEEL MINI LOAF PAN

Bake up 8 mini bread loaves. Also perfect for mini meat loaves, lasagnas, quiche, or pastries.

- Heavy-duty carbon steel with premium non-stick coating
- Makes 8 mini loaves
- Withstands temperatures up to 410°F (210°C)
- Dishwasher safe

	TEM	DESCRIPTION	SIZE	CAPACITY	UOM	CASE	
Ī	HLF-8MN	8 Cups	14" x 10-5/8"	5 Oz	Each	6	

# MINI LOAF PAN





## DELUXE HARD-ANODIZED ALUMINUM COOKIE SHEET

- Durable, non-stick, bakes evenly
- Withstands temperatures up to 450°F (232°C)
- Hand wash recommended

ITEM	DESCRIPTION	SIZE	UOM	CASE	
CS-2014	15 Gauge	20" x 14"	Each	4/16	

# **COOKIE SHEET**



# ICING/COOLING RACK

• Built-in feet

ITEM	DESCRIPTION	SIZE	UOM	CASE	
ICR-1725	Rectangular	16-1/4" x 25"	Each	6/12	_



# COOLING RACKS



### STEAMER RACKS

• Built-in feet

ITEM	DESCRIPTION	SIZE	UOM	CASE
STR-10	Round	10-3/4"	Each	10
STR-13	Round	12-3/4"	Each	10
STR-15	Round	14-3/4"	Each	10
STR-18	Round	17-3/4"	Each	10



#### NICKEL PLATED DOUGHNUT BASKET

ITEM	DESCRIPTION	UOM	CASE
DB-1218	12"L x 18"W x 2"H	Each	24

# **DOUGHNUT BASKET**





# POLYCARBONATE FOOD PANS



Item#: 5



### PAN SIZING

Winco

SIZE	DIMENSIONS
Full-Size	20-3/4" x 12-1/2"
1/2-Size	12-3/4" x 10-3/8"
1/3-Size	12-5/8" x 6-7/8"
1/4-Size	10-1/4" x 6-1/4"
1/6-Size	6-3/4" x 6-1/4"
1/9-Size	6-7/8" x 4-1/4"



# **FOOD PANS**

ITEM	PAN SIZE	DEPTH	UOM	CASE	
SP7102 SP7104 SP7106 SP7108	Full-Size	2-1/2" 3-1/2" 5-1/2" 7-3/4"	Each Each Each Each	6/12 6/12 6/12 6/12	
SP7202 SP7204 SP7206 SP7208	1/2-Size	2-1/2" 3-1/2" 5-1/2" 7-3/4"	Each Each Each Each	12/24 6/24 6/12 6/12	
SP7302 SP7304 SP7306 SP7308	1/3-Size	2-1/2" 3-1/2" 5-1/2" 7-3/4"	Each Each Each Each	12/24 12/24 6/24 6/12	
SP7402 SP7404 SP7406	1/4-Size	2-1/2" 3-1/2" 5-1/2"	Each Each Each	12/36 12/36 6/24	
SP7602 SP7604 SP7606	1/6-Size	2-1/2" 3-1/2" 5-1/2"	Each Each Each	12/36 12/48 6/24	
SP7902 SP7904 SP7906	1/9-Size	2-1/2" 3-1/2" 6"	Each Each Each	12/72 12/72 12/72	

# **COVERS FOR FOOD PANS**

00.1	KO I OK I	000	771110
ITEM	COVER STYLE	UOM	CASE
SP7100C		Each	12/24
SP7100S		Each	12/24
SP7200C SP7200S		Each Each	
SP7300C SP7300S		Each Each	
SP7400C	Slotted	Each	
SP7400S	Solid	Each	
SP7600C		Each	12/72
SP7600S		Each	12/72
SP7900C		Each	12/72
SP7900S		Each	12/72

# POLYCARBONATE DOME COVERS

- ◆ C-DP1, C-DPF1 and C-DPFH fit full-size steam table pans and poly pans
- ◆ C-DP2 and C-DPF2 fit half-size steam table pans and poly pans

ITEM	DESCRIPTION	SIZE	UOM	CASE
C-DP1	Full-Size Cover, NSF	21-1/2" x 13-3/4"	Each	12
C-DP2	1/2-Size Cover, NSF	13-1/2" x 11"	Each	24
C-DPF1	Full-Size Flip Cover, NSF	21-1/2" x 13-3/4"	Each	12
C-DPF2	1/2-Size Cut-out Cover, NSF	13-1/2" x 11"	Each	24
C-DPFH	Full-Size Hinged Cover	21" x 13"	Each	12



Refer to page 227 for hinged covers

SP700-H SERIES



# **POLYCARBONATE DRAIN SHELVES**

ITEM	DESCRIPTION	SIZE	UOM	CASE
SP71DS	Full-Size	18-5/16" x 10-1/4"	Each	10/20
SP72DS	1/2-Size	10-1/4" x 7-7/8"	Each	10/40
SP73DS	1/3-Size	10-1/4" x 4-7/16"	Each	20/80
SP74DS	1/4-Size	8" x 3-15/16"	Each	20/80
SP76DS	1/6-Size	4-7/16" x 4-1/4"	Each	20/120
SP79DS	1/9-Size	4-7/16" x 2-1/8"	Each	60/120



SP70DS-SERIES NSE





# POLYCARBONATE FOOD PANS



Item#: 6



### PAN SIZING

Winco

SIZE	DIMENSIONS
Full-Size	20-3/4" x 12-1/2"
1/2-Size	12-3/4" x 10-3/8"
1/3-Size	12-5/8" x 6-7/8"
1/4-Size	10-1/4" x 6-1/4"
1/6-Size	6-3/4" x 6-1/4"
1/9-Size	6-7/8" x 4-1/4"



# **FOOD PANS**

	ITEM	PAN SIZE	DEPTH	UOM	CASE		
	SP7102 SP7104 SP7106 SP7108	Full-Size	2-1/2" 3-1/2" 5-1/2" 7-3/4"	Each Each Each Each	6/12 6/12 6/12 6/12		
	SP7202 SP7204 SP7206 SP7208	1/2-Size	2-1/2" 3-1/2" 5-1/2" 7-3/4"	Each Each Each Each	12/24 6/24 6/12 6/12		
	SP7302 SP7304 SP7306 SP7308	1/3-Size	2-1/2" 3-1/2" 5-1/2" 7-3/4"	Each Each Each Each	12/24 12/24 6/24 6/12		
	SP7402 SP7404 SP7406	1/4-Size	2-1/2" 3-1/2" 5-1/2"	Each Each Each	12/36 12/36 6/24		
	SP7602 SP7604 SP7606	1/6-Size	2-1/2" 3-1/2" 5-1/2"	Each Each Each	12/36 12/48 6/24		
	SP7902 SP7904 SP7906	1/9-Size	2-1/2" 3-1/2" 6"	Each Each Each	12/72 12/72 12/72		

# **COVERS FOR FOOD PANS**

COTE	KO I OK I	CCD	, , , , , , , , , , , , , , , , , , , ,
ITEM	COVER STYLE	UOM	CASE
SP7100C		Each	12/24
SP7100S		Each	12/24
SP7200C		Each	12/48
SP7200S		Each	12/48
SP7300C SP7300S		Each Each	•
SP7400C		Each	12/72
SP7400S		Each	12/72
SP7600C		Each	12/72
SP7600S		Each	12/72
SP7900C		Each	12/72
SP7900S		Each	12/72

# POLYCARBONATE DOME COVERS

- ◆ C-DP1, C-DPF1 and C-DPFH fit full-size steam table pans and poly pans
- ◆ C-DP2 and C-DPF2 fit half-size steam table pans and poly pans

ITEM	DESCRIPTION	SIZE	UOM	CASE
C-DP1	Full-Size Cover, NSF	21-1/2" x 13-3/4"	Each	12
C-DP2	1/2-Size Cover, NSF	13-1/2" x 11"	Each	24
C-DPF1	Full-Size Flip Cover, NSF	21-1/2" x 13-3/4"	Each	12
C-DPF2	1/2-Size Cut-out Cover, NSF	13-1/2" x 11"	Each	24
C-DPFH	Full-Size Hinged Cover	21" x 13"	Each	12



Refer to page 227 for hinged covers

SP700-H SERIES



DOME	COVERS

# POLYCARBONATE DRAIN SHELVES

ITEM	DESCRIPTION	SIZE	UOM	CASE
SP71DS	Full-Size	18-5/16" x 10-1/4"	Each	10/20
SP72DS	1/2-Size	10-1/4" x 7-7/8"	Each	10/40
SP73DS	1/3-Size	10-1/4" x 4-7/16"	Each	20/80
SP74DS	1/4-Size	8" x 3-15/16"	Each	20/80
SP76DS	1/6-Size	4-7/16" x 4-1/4"	Each	20/120
SP79DS	1/9-Size	4-7/16" x 2-1/8"	Each	60/120



SP70DS-SERIES NSE





# POLYCARBONATE FOOD PANS



Item#: 7



### PAN SIZING

Winco

SIZE	DIMENSIONS
Full-Size	20-3/4" x 12-1/2"
1/2-Size	12-3/4" x 10-3/8"
1/3-Size	12-5/8" x 6-7/8"
1/4-Size	10-1/4" x 6-1/4"
1/6-Size	6-3/4" x 6-1/4"
1/9-Size	6-7/8" x 4-1/4"



# **FOOD PANS**

	ITEM	PAN SIZE	DEPTH	UOM	CASE	
	SP7102 SP7104 SP7106 SP7108	Full-Size	2-1/2" 3-1/2" 5-1/2" 7-3/4"	Each Each Each Each	6/12 6/12 6/12 6/12	
	SP7202 SP7204 SP7206 SP7208	1/2-Size	2-1/2" 3-1/2" 5-1/2" 7-3/4"	Each Each Each Each	12/24 6/24 6/12 6/12	
	SP7302 SP7304 SP7306 SP7308	1/3-Size	2-1/2" 3-1/2" 5-1/2" 7-3/4"	Each Each Each Each	12/24 12/24 6/24 6/12	
	SP7402 SP7404 SP7406	1/4-Size	2-1/2" 3-1/2" 5-1/2"	Each Each Each	12/36 12/36 6/24	
	SP7602 SP7604 SP7606	1/6-Size	2-1/2" 3-1/2" 5-1/2"	Each Each Each	12/36 12/48 6/24	
	SP7902 SP7904 SP7906	1/9-Size	2-1/2" 3-1/2" 6"	Each Each Each	12/72 12/72 12/72	

# **COVERS FOR FOOD PANS**

00.12	NO I OK I	005	171110
ITEM	COVER STYLE	UOM	CASE
SP7100C SP7100S		Each Each	12/24 12/24
SP7200C SP7200S		Each Each	12/48 12/48
SP7300C SP7300S		Each Each	•
SP7400C SP7400S		Each Each	· · ·
SP7600C SP7600S		Each Each	12/72 12/72
SP7900C SP7900S		Each Each	12/72 12/72

# POLYCARBONATE DOME COVERS

- ◆ C-DP1, C-DPF1 and C-DPFH fit full-size steam table pans and poly pans
- ◆ C-DP2 and C-DPF2 fit half-size steam table pans and poly pans

ITEM	DESCRIPTION	SIZE	UOM	CASE
C-DP1	Full-Size Cover, NSF	21-1/2" x 13-3/4"	Each	12
C-DP2	1/2-Size Cover, NSF	13-1/2" x 11"	Each	24
C-DPF1	Full-Size Flip Cover, NSF	21-1/2" x 13-3/4"	Each	12
C-DPF2	1/2-Size Cut-out Cover, NSF	13-1/2" x 11"	Each	24
C-DPFH	Full-Size Hinged Cover	21" x 13"	Each	12



Refer to page 227 for hinged covers

SP700-H SERIES





# **POLYCARBONATE DRAIN SHELVES**

ITEM	DESCRIPTION	SIZE	UOM	CASE
SP71DS	Full-Size	18-5/16" x 10-1/4"	Each	10/20
SP72DS	1/2-Size	10-1/4" x 7-7/8"	Each	10/40
SP73DS	1/3-Size	10-1/4" x 4-7/16"	Each	20/80
SP74DS	1/4-Size	8" x 3-15/16"	Each	20/80
SP76DS	1/6-Size	4-7/16" x 4-1/4"	Each	20/120
SP79DS	1/9-Size	4-7/16" x 2-1/8"	Each	60/120



SP70DS-SERIES NSE





ITEM

SSOP-11

STAINLESS STEEL OMELET PANS

 Induction compatible Riveted, sturdy handles

DESCRIPTION

11"

SSOP-12 12-1/2""

Tri-ply base for even heat distribution

SIZE (DIA X H)

11" x 2-1/8"

12-1/2" x 2-1/4" Each

UOM

Each

CASE

1/6

1/2

# PREMIUM STAINLESS STEEL **OMELET PANS**









SSOP-12





SSOP-SERIES



# PREMIUM STAINLESS STEEL FRY PANS



- ◆ Heavy-duty premium 18/8 stainless steel offers excellent corrosion resistance and a bright finish
- Tri-ply bottom for even heat distribution
- Extra-sturdy riveted handles

# STAINLESS STEEL FRY PANS

Natural finish

ITEM	DESCRIPTION	SIZE	UOM	CASE
SSFP-8	8"	8" x 1-1/2"	Each	1/6
SSFP-9	9-1/2"	9-1/2" x 1-3/4"	Each	1/6
SSFP-11	11"	11" x 2"	Each	1/6
SSFP-12	12", Help Hdl	12-1/2" x 2"	Each	1/2
SSFP-14	14", Help Hdl	14-1/4" x 2-1/2"	Each	1/2





◆ Excalibur® non-stick coating

ITEM	DESCRIPTION	SIZE	UOM	CASE
SSFP-8NS	8"	8" x 1-1/2"	Each	1/6
SSFP-9NS	9-1/2"	9-1/2" x 1-3/4"	Each	1/6
SSFP-11NS	11"	11" x 2"	Each	1/6
SSFP-12NS	12", Help Hdl	12-1/2" x 2"	Each	1/2
SSFP-14NS	14", Help Hdl	14-1/4" x 2-1/2"	Each	2





SSFP-SERIES





### **COVERS FOR STAINLESS STEEL FRY PANS**

ITEM	DESCRIPTION	UOM	CASE
SSTC-8F	Cover for 8" Fry Pans	Each	6/12
SSTC-8	Cover for 9-1/2" Fry Pans	Each	6/12
SSTC-12	Cover for 10" and 11" Fry Pans	Each	6/12
SSTC-12F	Cover for 12" Fry Pans	Each	6/12
SSTC-32	Cover for 14" Fry Pans	Each	6

# PREMIUM STAINLESS STEEL OMELET PANS





SSOP-12





SSOP-SERIES

# STAINLESS STEEL OMELET PANS

- ◆ Tri-ply base for even heat distribution
- ◆ Induction compatible
- Riveted, sturdy handles

ITEM	DESCRIPTION	SIZE (DIA X H)	UOM	CASE
SSOP-11	11"	11" x 2-1/8"	Each	1/6
SSOP-12	12-1/2""	12-1/2" x 2-1/4"	Each	1/2



# PREMIUM STAINLESS STEEL FRY PANS



- Heavy-duty premium 18/8 stainless steel offers excellent corrosion resistance and a bright finish
- ◆ Tri-ply bottom for even heat distribution
- Extra-sturdy riveted handles

# STAINLESS STEEL FRY PANS

Natural finish

ITEM	DESCRIPTION	SIZE	UOM	CASE
SSFP-8	8"	8" x 1-1/2"	Each	1/6
SSFP-9	9-1/2"	9-1/2" x 1-3/4"	Each	1/6
SSFP-11	11"	11" x 2"	Each	1/6
SSFP-12	12", Help Hdl	12-1/2" x 2"	Each	1/2
SSFP-14	14", Help Hdl	14-1/4" x 2-1/2"	Each	1/2





# ◆ Excalibur® non-stick coating

ITEM	DESCRIPTION	SIZE	UOM	CASE
SSFP-8NS	8"	8" x 1-1/2"	Each	1/6
SSFP-9NS	9-1/2"	9-1/2" x 1-3/4"	Each	1/6
SSFP-11NS	11"	11" x 2"	Each	1/6
SSFP-12NS	12", Help Hdl	12-1/2" x 2"	Each	1/2
SSFP-14NS	14", Help Hdl	14-1/4" x 2-1/2"	Each	2





SSFP-SERIES





# **COVERS FOR STAINLESS STEEL FRY PANS**

ITEM	DESCRIPTION	UOM	CASE
SSTC-8F	Cover for 8" Fry Pans	Each	6/12
SSTC-8	Cover for 9-1/2" Fry Pans	Each	6/12
SSTC-12	Cover for 10" and 11" Fry Pans	Each	6/12
SSTC-12F	Cover for 12" Fry Pans	Each	6/12
SSTC-32	Cover for 14" Fry Pans	Each	6



# PREMIUM STAINLESS STEEL COOKWARE


- ◆ Commercial-quality 18/8 stainless steel offers excellent corrosion resistance and a bright finish
- Tri-ply heavy-duty bottom for even heat distribution
- Extra-sturdy riveted handles
- Induction ready



Riveted handles

PREMIUM STAINLESS

STEEL COOKWARE





# STOCK POTS WITH COVER INCLUDED

ITEM	DESCRIPTION	SIZE (DIA X HEIGHT)	UOM	CASE
SST-8	8 Qt	9-1/2" x 6-3/4"	Set	1/4
SST-12	12 Qt	11" x 7-1/8"	Set	1/4
SST-16	16 Qt	11" x 9-3/4"	Set	1/4
SST-20	20 Qt	11-3/4" x 10-1/4"	Set	1/4
SST-24	24 Qt	13-3/8" x 10-1/4"	Set	1/2
SST-32	32 Qt	14-1/4" x 11-3/4"	Set	1/2
SST-40	40 Qt	15-3/4" x 11-3/4"	Set	1/2
SST-60	60 Qt	17-3/4" x 14-1/4"	Set	1
SST-80	80 Qt	19-3/4" x 15-3/4"	Set	1

# SAUCE PANS WITH COVER INCLUDED

ITEM	DESCRIPTION	SIZE (DIA X HEIGHT)	UOM	CASE
SSSP-2	2 Qt	6-3/8" x 3-3/4"	Set	1/6
SSSP-3	3 -1/2 Qt	8" x 4-1/4"	Set	1/6
SSSP-4	4 -1/2 Qt	8" x 5-1/2"	Set	1/6
SSSP-6	6 Qt	9-1/2" x 5"	Set	1/6
SSSP-7	7 -1/2 Qt w/Hdl	9-1/2" x 6-1/8"	Set	1/2
SSSP-10	10 Qt w/Hdl	11" x 6-1/8"	Set	1/2

# BRAZIERS WITH COVER INCLUDED

ITEM	DESCRIPTION	SIZE (DIA X HEIGHT)	UOM	CASE
SSLB-8	8 Qt	11" x 5-1/8"	Set	1/4
SSLB-10	10 Qt	11-11/16" x 5-1/2"	Set	1/4
SSLB-15	15 Qt	14-1/4" x 5-1/2"	Set	1/4
SSLB-20	20 Qt	15-3/4" x 6"	Set	1/4
SSLB-25	25 Qt	17-3/4" x 6"	Set	1/2
SSLB-30	30 Qt	19-3/4" x 6"	Set	1/2

# SAUTÉ PANS WITH COVER INCLUDED

ITEM	DESCRIPTION	SIZE (DIA X HEIGHT)	UOM	CASE
SSET-3	3 Qt	10" x 2-3/4"	Set	1/6
SSET-5	5 Qt	12-3/8" x 3-1/8"	Set	1/4
SSET-7	7 Qt	14" x 3-1/2"	Set	1/4

# REPLACEMENT COVERS

ITEM	UOM	CASE
SSTC-2	Each	6
SSTC-8F	Each	6/12
SSTC-8F	Each	6/12
SSTC-8	Each	6/12
SSTC-8	Each	6/12
SSTC-12	Each	6/12

# REPLACEMENT COVERS

ITEM	UOM	CASE
SSTC-12	Each	6/12
SSTC-20	Each	6/12
SSTC-32	Each	6
SSTC-40	Each	6
SSTC-60	Each	6
SSTC-80	Each	6

# REPLACEMENT COVERS

ITEM	UOM	CASE
SSTC-8	Each	6/12
SSTC-20	Each	6/12
SSTC-24	Fach	6







# PREMIUM STAINLESS STEEL COOKWARE


- ◆ Commercial-quality 18/8 stainless steel offers excellent corrosion resistance and a bright finish
- Tri-ply heavy-duty bottom for even heat distribution
- Extra-sturdy riveted handles
- Induction ready



Riveted handles

PREMIUM STAINLESS

STEEL COOKWARE





# STOCK POTS WITH COVER INCLUDED

ITEM	DESCRIPTION	SIZE (DIA X HEIGHT)	UOM	CASE
SST-8	8 Qt	9-1/2" x 6-3/4"	Set	1/4
SST-12	12 Qt	11" x 7-1/8"	Set	1/4
SST-16	16 Qt	11" x 9-3/4"	Set	1/4
SST-20	20 Qt	11-3/4" x 10-1/4"	Set	1/4
SST-24	24 Qt	13-3/8" x 10-1/4"	Set	1/2
SST-32	32 Qt	14-1/4" x 11-3/4"	Set	1/2
SST-40	40 Qt	15-3/4" x 11-3/4"	Set	1/2
SST-60	60 Qt	17-3/4" x 14-1/4"	Set	1
SST-80	80 Qt	19-3/4" x 15-3/4"	Set	1

# SAUCE PANS WITH COVER INCLUDED

ITEM	DESCRIPTION	SIZE (DIA X HEIGHT)	UOM	CASE
SSSP-2	2 Qt	6-3/8" x 3-3/4"	Set	1/6
SSSP-3	3 -1/2 Qt	8" x 4-1/4"	Set	1/6
SSSP-4	4 -1/2 Qt	8" x 5-1/2"	Set	1/6
SSSP-6	6 Qt	9-1/2" x 5"	Set	1/6
SSSP-7	7 -1/2 Qt w/Hdl	9-1/2" x 6-1/8"	Set	1/2
SSSP-10	10 Qt w/Hdl	11" x 6-1/8"	Set	1/2

# BRAZIERS WITH COVER INCLUDED

ITEM	DESCRIPTION	SIZE (DIA X HEIGHT)	UOM	CASE
SSLB-8	8 Qt	11" x 5-1/8"	Set	1/4
SSLB-10	10 Qt	11-11/16" x 5-1/2"	Set	1/4
SSLB-15	15 Qt	14-1/4" x 5-1/2"	Set	1/4
SSLB-20	20 Qt	15-3/4" x 6"	Set	1/4
SSLB-25	25 Qt	17-3/4" x 6"	Set	1/2
SSLB-30	30 Qt	19-3/4" x 6"	Set	1/2

# **SAUTÉ PANS WITH COVER INCLUDED**

ITEM	DESCRIPTION	SIZE (DIA X HEIGHT)	UOM	CASE
SSET-3	3 Qt	10" x 2-3/4"	Set	1/6
SSET-5	5 Qt	12-3/8" x 3-1/8"	Set	1/4
SSET-7	7 Qt	14" x 3-1/2"	Set	1/4

# REPLACEMENT COVERS

ITEM	UOM	CASE
SSTC-2	Each	6
SSTC-8F	Each	6/12
SSTC-8F	Each	6/12
SSTC-8	Each	6/12
SSTC-8	Each	6/12
SSTC-12	Each	6/12

### REPLACEMENT COVERS

ITEM	UOM	CASE
SSTC-12	Each	6/12
SSTC-20	Each	6/12
SSTC-32	Each	6
SSTC-40	Each	6
SSTC-60	Each	6
SSTC-80	Each	6

# REPLACEMENT COVERS

ITEM	UOM	CASE
SSTC-8	Each	6/12
SSTC-20	Each	6/12
SSTC-24	Each	6





# PREMIUM STAINLESS STEEL COOKWARE


- ◆ Commercial-quality 18/8 stainless steel offers excellent corrosion resistance and a bright finish
- Tri-ply heavy-duty bottom for even heat distribution
- Extra-sturdy riveted handles
- Induction ready



Riveted handles

PREMIUM STAINLESS

STEEL COOKWARE





# STOCK POTS WITH COVER INCLUDED

ITEM	DESCRIPTION	SIZE (DIA X HEIGHT)	UOM	CASE
SST-8	8 Qt	9-1/2" x 6-3/4"	Set	1/4
SST-12	12 Qt	11" x 7-1/8"	Set	1/4
SST-16	16 Qt	11" x 9-3/4"	Set	1/4
SST-20	20 Qt	11-3/4" x 10-1/4"	Set	1/4
SST-24	24 Qt	13-3/8" x 10-1/4"	Set	1/2
SST-32	32 Qt	14-1/4" x 11-3/4"	Set	1/2
SST-40	40 Qt	15-3/4" x 11-3/4"	Set	1/2
SST-60	60 Qt	17-3/4" x 14-1/4"	Set	1
SST-80	80 Qt	19-3/4" x 15-3/4"	Set	1

# SAUCE PANS WITH COVER INCLUDED

ITEM	DESCRIPTION	SIZE (DIA X HEIGHT)	UOM	CASE
SSSP-2	2 Qt	6-3/8" x 3-3/4"	Set	1/6
SSSP-3	3 -1/2 Qt	8" x 4-1/4"	Set	1/6
SSSP-4	4 -1/2 Qt	8" x 5-1/2"	Set	1/6
SSSP-6	6 Qt	9-1/2" x 5"	Set	1/6
SSSP-7	7 -1/2 Qt w/Hdl	9-1/2" x 6-1/8"	Set	1/2
SSSP-10	10 Qt w/Hdl	11" x 6-1/8"	Set	1/2

# BRAZIERS WITH COVER INCLUDED

ITEM	DESCRIPTION	SIZE (DIA X HEIGHT)	UOM	CASE
SSLB-8	8 Qt	11" x 5-1/8"	Set	1/4
SSLB-10	10 Qt	11-11/16" x 5-1/2"	Set	1/4
SSLB-15	15 Qt	14-1/4" x 5-1/2"	Set	1/4
SSLB-20	20 Qt	15-3/4" x 6"	Set	1/4
SSLB-25	25 Qt	17-3/4" x 6"	Set	1/2
SSLB-30	30 Qt	19-3/4" x 6"	Set	1/2

# **SAUTÉ PANS WITH COVER INCLUDED**

ITEM	DESCRIPTION	SIZE (DIA X HEIGHT)	UOM	CASE
SSET-3	3 Qt	10" x 2-3/4"	Set	1/6
SSET-5	5 Qt	12-3/8" x 3-1/8"	Set	1/4
SSET-7	7 Qt	14" x 3-1/2"	Set	1/4

# REPLACEMENT COVERS

ITEM	UOM	CASE
SSTC-2	Each	6
SSTC-8F	Each	6/12
SSTC-8F	Each	6/12
SSTC-8	Each	6/12
SSTC-8	Each	6/12
SSTC-12	Each	6/12

# REPLACEMENT COVERS

ITEM	UOM	CASE
SSTC-12	Each	6/12
SSTC-20	Each	6/12
SSTC-32	Each	6
SSTC-40	Each	6
SSTC-60	Each	6
SSTC-80	Each	6

# REPLACEMENT COVERS

ITEM	UOM	CASE
SSTC-8	Each	6/12
SSTC-20	Each	6/12
SSTC-24	Fach	6











BSON, BSPN, BSSN-SERIES

BHON, BHPN, BHSN-SERIES

### ONE-PIECE HEAVY-DUTY BASTING SPOONS

- ◆ 1.2mm thick stainless steel
- ♦ 18" and 21" spoons are 2.0mm stainless steel

ITEM	DESCRIPTION	HANDLE	UOM	CASE
BSON-11	11" Solid	11"	Each	12/72
BSON-13	13" Solid	13"	Each	12/72
BSON-15	15" Solid	15"	Each	12/72
BSON-18	18" Solid	18"	Each	12/72
BSON-21	21" Solid	21"	Each	12/72
BSPN-11	11" Perf'd	11"	Each	12/72
BSPN-13	13" Perf'd	13"	Each	12/72
BSPN-15	15" Perf'd	15"	Each	12/72
BSPN-18	18" Perf'd	18"	Each	12/72
BSSN-11	11" Slotted	11"	Each	12/72
BSSN-13	13" Slotted	13"	Each	12/72
BSSN-15	15" Slotted	15"	Each	12/72
BSSN-18	18" Slotted	18"	Each	12/72

### BASTING SPOONS WITH STOP-HOOK **ABS HANDLE**

### ◆ 1.2mm thick stainless steel

ITEM	DESCRIPTION	HANDLE	UOM	CASE
BHON-11	11" Solid	11"	Each	12/72
BHON-13	13" Solid	13"	Each	12/72
BHON-15	15" Solid	15"	Each	12/72
BHPN-11	11" Perf'd	11"	Each	12/72
BHPN-13	13" Perf'd	13"	Each	12/72
BHPN-15	15" Perf'd	15"	Each	12/72
BHSN-11	11" Slotted	11"	Each	12/72
BHSN-13	13" Slotted	13"	Each	12/72
BHSN-15	15" Slotted	15"	Each	12/72



**UTPH-SERIES** 

**Heat-resistant** 

UT-9HT

# UTILITY TONGS

### **HEAT RESISTANT HEAVY-DUTY UTILITY TONGS**

- Stainless steel with texturized non-slip PP handle for comfort and ease of use, heat resistant up to 220°F (104°C)
- Color-coded to help prevent cross-contamination in kitchen or buffet areas

ITEM	DESCRIPTION	COLOR	UOM	CASE
UTPH-9B	9"	Blue	Each	6/72
UTPH-9G	9"	Green	Each	6/72
UTPH-9K	9"	Black	Each	6/72
UTPH-9R	9"	Red	Each	6/72
UTPH-9Y	9"	Yellow	Each	6/72
UTPH-12B	12"	Blue	Each	6/72
UTPH-12G	12"	Green	Each	6/72
UTPH-12K	12"	Black	Each	6/72
UTPH-12R	12"	Red	Each	6/72
UTPH-12Y	12"	Yellow	Each	6/72
UTPH-16B	16"	Blue	Each	6/72
UTPH-16G	16"	Green	Each	6/72
UTPH-16K	16"	Black	Each	6/72
UTPH-16R	16"	Red	Each	6/72
UTPH-16Y	16"	Yellow	Each	6/72



## HEAVY-DUTY STAINLESS STEEL UTILITY TONGS WITH PLASTIC HANDLE

◆ For cold food service only

ITEM	DESCRIPTION	COLOR	UOM	CASE
UT-9HP-B	9"	Blue	Each	12/72
UT-9HP-G	9"	Green	Each	12/72
UT-9HP-K	9"	Black	Each	12/72
UT-9HP-R	9"	Red	Each	12/72
UT-9HP-Y	9"	Yellow	Each	12/72
UT-12HP-B	12"	Blue	Each	12/72
UT-12HP-G	12"	Green	Each	12/72
UT-12HP-K	12"	Black	Each	12/72
UT-12HP-R	12"	Red	Each	12/72
UT-12HP-Y	12"	Yellow	Each	12/72
UT-16HP-B	16"	Blue	Each	12/72
UT-16HP-G	16"	Green	Each	12/72
UT-16HP-K	16"	Black	Each	12/72
UT-16HP-R	16"	Red	Each	12/72
UT-16HP-Y	16"	Yellow	Each	12/72



◆ 1.2mm thick stainless steel

ITEM	DESCRIPTION	UOM	CASE
UT-9HT	9"	Each	12/72
UT-12HT	12"	Each	12/72
UT-16HT	16"	Each	12/72

### HEAVYWEIGHT UTILITY TONGS

- Coiled spring
- 0.9mm thick stainless steel

ITEM	DESCRIPTION	UOM	CASE
UT-7	7" (Specially designed for table service)	Each	12/72
UT-9	9"	Each	12/72
UT-12	12"	Each	12/72
UT-16	16"	Each	12/72



### **MEDIUM-WEIGHT UTILITY TONGS**

- Coiled spring
- 0.6mm thick stainless steel

ITEM	DESCRIPTION	UOM	CASE
UT-9LT	9"	Each	12/72
UT-12LT	12"	Each	12/72
UT-16LT	16"	Each	12/72



### STÄL KNIFE KIT

Carry and store knives in style with the convenient and travel-friendly knife roll-up storage bag. Includes 6 razor sharp, German steel stamped knives, a sharpening steel and bonus nylon spoon.

Knives are NSF listed

ITEM	DESCRIPTION	UOM	CASE	
KWP-	KIT1 7-Pc Knife Kit	Set	1/6	

### <u>Includes:</u>

- ◆ 3.25" Paring Knife (KWP-30)
- ◆ 5.5" Utility Knife (KWP-50)
- ♦ 6" Boning Knife, Flexible (KWP-60)
- ◆ 9.5" Offset Bread/Utility Knife (KWP-91)
- ♦ 10" Hollow Ground Chef Knife (KWP-101)
- ◆ 12" Wavy Edge Slicer (KWP-121)
- ◆ 12" Sharpening Steel (K-12S)
- ◆ 11-slot Knife Bag (KBG-11)
- ◆ Bonus Red Nylon Spoon (NS-12R)



















### WINCO® SPREADER BULK PACK

Practical for many uses around the kitchen, the spreader is now available in bulk. Packed in a convenient display bucket for impulse purchase positioning.

- ♦ Assortment of seven (7) colors included in convenient display bucket
- ◆ 3-5/8" spreader with stainless steel, satin finish blade
- Slip-free comfort grip

ITEM	DESCRIPTION	UOM	CASE
TWP-3135	35-Pc/Pk	Pack	1/4

# WINCO® SPREADER BULK PACK



Includes 7 handle colors



TWP-3135







**NSF**<sub>®</sub>

### **CUTTING BOARDS**



### WHITE RECTANGULAR CUTTING BOARDS

ITEM	DESCRIPTION	UOM	CASE
CBWT-610	6" x 10" x 1/2"	Each	20
CBWT-1218	12" x 18" x 1/2"	Each	6
CBWT-1520	15" x 20" x 1/2"	Each	6
CBWT-1824	18" x 24" x 1/2"	Each	6
CBWT-1830	18" x 30" x 1/2"	Each	6
CBH-1218	12" x 18" x 3/4"	Each	6
CBH-1520	15" x 20" x 3/4"	Each	6
CBH-1824	18" x 24" x 3/4"	Each	6
CBXH-1218	12" x 18" x 1"	Each	4
CBXH-1520	15" x 20" x 1"	Each	4
CBXH-1824	18" x 24" x 1"	Each	4



### WHITE GROOVED CUTTING BOARDS

 Higher efficiency in food prep without worrying about juice spillage

ITEM	DESCRIPTION	UOM	CASE
CBI-1218	12" x 18" x 1/2"	Each	6
CBI-1520	15" x 20" x 1/2"	Each	6
CBI-1824	18" x 24" x 1/2"	Each	6
CBI-1824H	18" x 24" x 3/4"	Each	6

### **CUTTING BOARD RACKS**



### **CUTTING BOARD RACKS**

♦ Fits cutting boards up to 1" thick

ITEM	DESCRIPTION	UOM	CASE
CB-6L	6 Slots, Chrome Plated	Each	6/12
CB-6K	6 Slots, Vinyl Coated	Each	10

### CLEANING BRUSHES

CB-6L

**BPA** FREE



CB-6K



- Rigid polyester bristles effectively remove dirt and impurities from vegetable skins
- Circular opening surrounds cucumbers, carrots or zucchini for thorough, all-around cleaning
- Comfortable, easy-grip ergonomic handle
- Includes built-in hole for convenient hanging storage

ITEM	DESCRIPTION	COLOR	UOM	CASE
BRV-10	9-1/4"L x 4-3/4"W, Plastic Handle	White	Each	12/48



### **BOTTLE CLEANING BRUSH**

- Ergonomic handle helps to reduce strain when washing bottles, glasses, pitchers or carafes
- Soft, durable ployester bristles effectively remove residue without scratching
- Easily reaches into narrow bottle necks and inner corners
- Includes built-in hole for convenient hanging storage

ITEM	DESCRIPTION	COLOR	UOM	CASE
BRB-12	12"L x 2-3/4" Dia, Plastic Handle	White	Each	12/48



### HEAVY-DUTY STAINLESS STEEL COLANDERS WITH HANDLES AND BASE

- ♦ Ideal for rinsing large fruits/vegetables, straining potatoes, or draining pastas or meats
- ◆ Tapered, high-wall cone shape
- Holes sized to keep food in but allow water to flow freely
- Durable, sturdy, easy to transport between prep stations

ITEM	DESCRIPTION	SIZE (DIA X DEPTH)	UOM	CASE
SLO-11	11 Qt	15" x 7-1/2"	Each	1
SLO-16	16 Qt	16-1/2" x 7-1/2"	Each	1

### **COLANDERS**



SLO-16

### STAINLESS STEEL ALL-PURPOSE COLANDERS WITH HANDLES AND BASE

◆ Tapered sides, sturdy rounded handles, footed base

ITEM	DESCRIPTION	SIZE (DIA X DEPTH)	UOM	CASE
COD-3	3 Qt	10" x 4"	Each	12/48
COD-5	5 Qt	11-5/8" x 4"	Each	24
COD-8	8 Qt	13-1/4" x 5-1/8"	Each	12
COD-14	14 Qt	16-1/4" x 5-7/8"	Each	12



### STAINLESS STEEL CHINESE-STYLE COLANDERS

- Wide, smooth-edge rim for safe and secure grip
- ◆ Coarse = 5mm diameter drain holes
- ◆ Fine = 2-1/2mm diameter drain holes

ITEM	DESCRIPTION	SIZE (DIA X DEPTH)	UOM	CASE
CCOD-11L	5-1/4 Qt, Coarse	11-3/4" x 4"	Each	24
CCOD-13L	9 Qt, Coarse	14-1/8" x 4-3/4"	Each	24
CCOD-15L	13-3/4 Qt, Coarse	16-3/8" x 5-1/8"	Each	12
CCOD-118	5-1/4 Qt, Fine	12" x 4"	Each	24
CCOD-13S	9 Qt, Fine	15" x 4-1/2"	Each	24
CCOD-15S	13-3/4 Qt, Fine	16-3/8" x 5-1/2"	Each	12



### ALUMINUM COLANDERS WITH HANDLES AND BASE

- Riveted handles for added strength and easy transport
- Flat and sturdy footed base for raised draining

ITEM	DESCRIPTION	SIZE (DIA X DEPTH)	UOM	CASE
ALO-8BH	8 Qt	12" x 5"	Each	6
ALO-11BH	11 Qt	15" x 5-3/4"	Each	6
ALO-16BH	16 Qt	16-1/2" x 7-1/8"	Each	4



ALO-16BH

### **ALUMINUM COLANDERS WITHOUT BASE**

Traditional tapered sides

ITEM	DESCRIPTION	SIZE (DIA X DEPTH)	UOM	CASE
ALO-12	12 Qt	13-1/2" x 5-1/2"	Each	12
ALO-16	16 Qt	16" x 8"	Each	12
ALO-16H	16 Qt	16-1/8" x 8"	Each	6



ALO-12





NSF.

**BPA** FREE

**BPA** FREE

### **SCRAPERS**

**PSH-SERIES** 







### ALLERGEN-FREE COLOR CODED SCRAPER

Whether it's gluten, nuts or more, use this stand-out purple color to designate these scrapers as allergen-free.

- Features raised ridges to rest on, preventing messy counters
- Heat-resistant up to 600°F (315°C)

ITEM	DESCRIPTION	UOM	CASE
PSH-10P	10-1/2"	Each	24/144
PSH-14P	14"	Each	24/144
PSH-16P	16-1/4"	Each	24/144



### SILICONE SCRAPERS

- Features raised ridges to rest on, preventing messy counters
- Heat-resistant up to 600°F (315°C)

ITEM	DESCRIPTION	UOM	CASE
PSH-10	10-1/2"	Each	24/144
PSH-14	14"	Each	24/144
PSH-16	16-1/4"	Each	24/144



PSH-series features silicone ridges to elevate the blade from surfaces



### **BOWL-SHAPED SILICONE SCRAPERS**

Heat-resistant up to 500°F (260°C)

ITEM	DESCRIPTION	UOM	CASE
PSG-10	10"	Each	12/120
PSG-14	14"	Each	12/120
PSG-16	16"	Each	12/120



### **ECONOMY SILICONE SCRAPERS**

Heat-resistant up to 500°F (260°C)

ITEM	DESCRIPTION	UOM	CASE
PSD-10	10"	Each	12/120
PSD-14	14"	Each	12/120
PSD-16	16"	Each	12/120



### **BOWL-SHAPED PLASTIC SCRAPERS**

ITEM	DESCRIPTION	UOM	CASE
PSGE-10	10"	Each	12/120
PSGE-14	14"	Each	12/72
PSGF-16	16"	Fach	12/36





### **PLASTIC SCRAPERS**

ITEM	DESCRIPTION	UOM	CASE
PSC-10	10"	Each	24/360
PSC-14	14"	Each	12/288
PSC-16	16"	Each	12/288


- Stainless steel, satin finish blade
- Ergonomic handle with slip-free comfort grip reduces hand fatigue
- Dishwasher safe








					BLACK E	RGO HANDLE		WHITE ERGO HANDLE
DESCRIPTION	BLADE SIZE (LXW)		UOM	ITEM	CASE		ITEM	CASE
Mini Turner	2" x 2-1/4"	*	Each	TKP-30	12/120		TWP-30	12/120
Sandwich Spreader	3-5/8" x 1-1/4"		Each	TKP-31	12/144		TWP-31	12/144
Small Scraper	4-1/2" x 3-1/8"		Each	TKP-32	12/72		TWP-32	12/72
Large Scraper	4-7/8" x 4"		Each	TKP-40	12/72		TWP-40	12/72
Steak/Burger Turner	4-1/8" x 3-3/4"	*	Each	TKP-41	12/72		TWP-41	12/72
Turner	8" x 4"		Each	TKP-42	12/48		TWP-42	12/48
Grill Spatula	4-1/4" x 2-3/16"	*	Each	TKP-50	12/72		TWP-50	12/72
Pie Server	4-5/8" x 2-3/8"	*	Each	TKP-51	12/72		TWP-51	12/72
Fish Spatula	6-3/4" x 3-1/4"		Each	TKP-60	12/144		TWP-60	12/144
Hamburger Turner	5-1/8" x 2-7/8"	*	Each	TKP-61	12/72		TWP-61	12/72
Extra Heavy Turner, Cutting Edge Blade	5" x 6"	*	Each	TKP-63	12/48			
Flexible Turner	8-1/4" x 2-7/8"	*	Each	TKP-90	12/48		TWP-90	12/48
Flexible Turner (Perforated Blade)	8-1/4" x 2-7/8"	*	Each	TKP-91	12/48		TWP-91	12/48
Offset Spatula	3-1/2" x 3/4"	*	Each	TKPO-4	24/288		TWPO-4	24/288
Offset Spatula	6-1/2" x 1-5/16"	*	Each	TKPO-7	12/144		TWPO-7	12/144
Offset Spatula	8-1/2" x 1-1/2"	*	Each	TKPO-9	12/144		TWPO-9	12/72
Bakery Spatula	4" x 3/4"		Each	TKPS-4	24/288		TWPS-4	24/288
Bakery Spatula	7-15/16" x 1-1/4"		Each	TKPS-7	12/144		TWPS-7	12/144
Bakery Spatula	10" x 1-3/8"		Each	TKPS-9	12/144		TWPS-9	12/72
*A A a a a ura ma a m t rafla a	to blade size not	:	du din a	affaat				









TKPS-9









### WINCO® SPREADER BULK PACK

Packed in a convenient display bucket for impulse purchase positioning.

- An assortment of 7 colors included in the convenient display bucket
- ◆ 3-5/8" spreader with stainless steel, satin finish blade
- Slip-free comfort grip

ITEM	DESCRIPTION	UOM	CASE	
TWP-3135	35-Pcs/Pk	Pack	1/4	

WINCO® SPREADER BULK PACK





Includes 7 handle colors










- Stainless steel, satin finish blade
- Ergonomic handle with slip-free comfort grip reduces hand fatigue
- Dishwasher safe








					BLACK ERGO HA	ANDLE	1	WHITE ERGO HANDLE
DESCRIPTION	BLADE SIZE (LXW)		UOM	ITEM	CASE		ITEM	CASE
Mini Turner	2" x 2-1/4"	*	Each	TKP-30	12/120		TWP-30	12/120
Sandwich Spreader	3-5/8" x 1-1/4"		Each	TKP-31	12/144		TWP-31	12/144
Small Scraper	4-1/2" x 3-1/8"		Each	TKP-32	12/72		TWP-32	12/72
Large Scraper	4-7/8" x 4"		Each	TKP-40	12/72		TWP-40	12/72
Steak/Burger Turner	4-1/8" x 3-3/4"	*	Each	TKP-41	12/72		TWP-41	12/72
Turner	8" x 4"		Each	TKP-42	12/48		TWP-42	12/48
Grill Spatula	4-1/4" x 2-3/16"	*	Each	TKP-50	12/72		TWP-50	12/72
Pie Server	4-5/8" x 2-3/8"	*	Each	TKP-51	12/72		TWP-51	12/72
Fish Spatula	6-3/4" x 3-1/4"		Each	TKP-60	12/144		TWP-60	12/144
Hamburger Turner	5-1/8" x 2-7/8"	*	Each	TKP-61	12/72		TWP-61	12/72
Extra Heavy Turner, Cutting Edge Blade	5" x 6"	*	Each	TKP-63	12/48			
Flexible Turner	8-1/4" x 2-7/8"	*	Each	TKP-90	12/48		TWP-90	12/48
Flexible Turner (Perforated Blade)	8-1/4" x 2-7/8"	*	Each	TKP-91	12/48		TWP-91	12/48
Offset Spatula	3-1/2" x 3/4"	*	Each	TKPO-4	24/288		TWPO-4	24/288
Offset Spatula	6-1/2" x 1-5/16"	*	Each	TKPO-7	12/144		TWPO-7	12/144
Offset Spatula	8-1/2" x 1-1/2"	*	Each	TKPO-9	12/144		TWPO-9	12/72
Bakery Spatula	4" x 3/4"		Each	TKPS-4	24/288		TWPS-4	24/288
Bakery Spatula	7-15/16" x 1-1/4"		Each	TKPS-7	12/144		TWPS-7	12/144
Bakery Spatula	10" x 1-3/8"		Each	TKPS-9	12/144		TWPS-9	12/72









TKPS-9



GRILL







### WINCO® SPREADER BULK PACK

Packed in a convenient display bucket for impulse purchase positioning.

- An assortment of 7 colors included in the convenient display bucket
- ◆ 3-5/8" spreader with stainless steel, satin finish blade
- Slip-free comfort grip

IIEM	DESCRIPTION	UOM	CASE
TWP-3135	35-Pcs/Pk	Pack	1/4

WINCO® SPREADER BULK PACK





Includes 7 handle colors














**BPA** FREE

PTSC-SERIES





**PESC-SERIES** 

- Clear polycarbonate is extremely durable, stackable, withstands temperatures from -40°F to 210°F, and is ideal for the storage and transport of raw or prepared food
- Polypropylene is stain resistant, withstands temperatures from -40°F to 160°F, and is ideal for the storage and transport of prepared food only
- Clear-view minimizes opening and handling contents
- Built-in handles; gradation marks in liters and quarts
- Dishwasher safe

### **CLEAR SQUARE POLYCARBONATE**

ITEM	DESCRIPTION	UON	// CASE
PCSC-2C	2 Qt	Eac	h 12/60
PCSC-4C	4 Qt	Eac	h 12/48
PCSC-6C	6 Qt	Eac	h 12/24
PCSC-8C	8 Qt	Eac	h 12/24
PCSC-12C	12 Qt	Eac	h 12
PCSC-18C	18 Qt	Eac	h 12
PCSC-22C	22 Qt	Eac	h 6

### TRANSLUCENT SQUARE POLYPROPYLENE

ITEM	DESCRIPTION	UOM	CASE
PTSC-2	2 Qt	Each	12/60
PTSC-4	4 Qt	Each	12/48
PTSC-6	6 Qt	Each	12/24
PTSC-8	8 Qt	Each	12/24
PTSC-12	12 Qt	Each	12
PTSC-18	18 Qt	Each	12
PTSC-22	22 Qt	Each	6

### WHITE SQUARE POLYPROPYLENE

ITEM	DESCRIPTION	UOM	CASE
PESC-2	2 Qt	Each	12/60
PESC-4	4 Qt	Each	12/48
PESC-6	6 Qt	Each	12/24
PESC-8	8 Qt	Each	12/24
PESC-12	12 Qt	Each	12
PESC-18	18 Qt	Each	12
PESC-22	22 Qt	Each	6



Refer to page 285 for the full Allergen-Free range



PECC-128P, PECC-68P, PECC-24P

# POLYETHYLENE SQUARE ALLERGEN-FREE COVERS

ITEM	DESCRIPTION	COLOR	UOM	CASE
PECC-24P	Fits 2 Qt & 4 Qt	Purple	Each	12
PECC-68P	Fits 6 Qt & 8 Qt	Purple	Each	12
PECC-128P	Fits 12 Qt, 18 Qt, 22 Qt	Purple	Each	6

### POLYETHYLENE SQUARE COVERS

ITEM	DESCRIPTION	COLOR	UOM	CASE
PECC-24	Fits 2 Qt & 4 Qt	Green	Each	12
PECC-68	Fits 6 Qt & 8 Qt	Red	Each	12
PECC-128	Fits 12 Qt, 18 Qt, 22 Qt	Blue	Each	6
PECC-S	Fits 2 Qt & 4 Qt	White	Each	12
PECC-M	Fits 6 Qt & 8 Qt	White	Each	12
PECC-L	Fits 12 Qt, 18 Qt, 22 Qt	White	Each	6



PECC-24, PECC-68, PECC-128



LIDS



PECC-S, PECC-M, PECC-L







**BPA** FREE

PTSC-SERIES





**PESC-SERIES** 

- Clear polycarbonate is extremely durable, stackable, withstands temperatures from -40°F to 210°F, and is ideal for the storage and transport of raw or prepared food
- Polypropylene is stain resistant, withstands temperatures from -40°F to 160°F, and is ideal for the storage and transport of prepared food only
- Clear-view minimizes opening and handling contents
- Built-in handles; gradation marks in liters and quarts
- Dishwasher safe

### **CLEAR SQUARE POLYCARBONATE**

ITEM	DESCRIPTION	UOM	CASE
PCSC-2C	2 Qt	Each	12/60
PCSC-4C	4 Qt	Each	12/48
PCSC-6C	6 Qt	Each	12/24
PCSC-8C	8 Qt	Each	12/24
PCSC-12C	12 Qt	Each	12
PCSC-18C	18 Qt	Each	12
PCSC-22C	22 Qt	Each	6

### TRANSLUCENT SQUARE POLYPROPYLENE

ITEM	DESCRIPTION	UOM	CASE
PTSC-2	2 Qt	Each	12/60
PTSC-4	4 Qt	Each	12/48
PTSC-6	6 Qt	Each	12/24
PTSC-8	8 Qt	Each	12/24
PTSC-12	12 Qt	Each	12
PTSC-18	18 Qt	Each	12
PTSC-22	22 Qt	Each	6

### WHITE SQUARE POLYPROPYLENE

ITEM	DESCRIPTION	UOM	CASE
PESC-2	2 Qt	Each	12/60
PESC-4	4 Qt	Each	12/48
PESC-6	6 Qt	Each	12/24
PESC-8	8 Qt	Each	12/24
PESC-12	12 Qt	Each	12
PESC-18	18 Qt	Each	12
PESC-22	22 Qt	Each	6



PECC-128P, PECC-68P, PECC-24P

Refer to page 285 for the full Allergen-Free range



### POLYETHYLENE SQUARE ALLERGEN-FREE COVERS

ITEM	DESCRIPTION	COLOR	UOM	CASE
PECC-24P	Fits 2 Qt & 4 Qt	Purple	Each	12
PECC-68P	Fits 6 Qt & 8 Qt	Purple	Each	12
PECC-128P	Fits 12 Qt, 18 Qt, 22 Qt	Purple	Each	6



PECC-24, PECC-68, PECC-128



PECC-S, PECC-M, PECC-L

### POLYETHYLENE SQUARE COVERS

ITEM	DESCRIPTION	COLOR	UOM	CASE
PECC-24	Fits 2 Qt & 4 Qt	Green	Each	12
PECC-68	Fits 6 Qt & 8 Qt	Red	Each	12
PECC-128	Fits 12 Qt, 18 Qt, 22 Qt	Blue	Each	6
PECC-S	Fits 2 Qt & 4 Qt	White	Each	12
PECC-M	Fits 6 Qt & 8 Qt	White	Each	12
PECC-L	Fits 12 Qt, 18 Qt, 22 Qt	White	Each	6







**BPA** FREE

PTSC-SERIES





**PESC-SERIES** 

- Clear polycarbonate is extremely durable, stackable, withstands temperatures from -40°F to 210°F, and is ideal for the storage and transport of raw or prepared food
- Polypropylene is stain resistant, withstands temperatures from -40°F to 160°F, and is ideal for the storage and transport of prepared food only
- Clear-view minimizes opening and handling contents
- Built-in handles; gradation marks in liters and quarts
- Dishwasher safe

### **CLEAR SQUARE POLYCARBONATE**

ITEM	DESCRIPTION	UON	1 CASE
PCSC-2C	2 Qt	Eac	h 12/60
PCSC-4C	4 Qt	Eac	h 12/48
PCSC-6C	6 Qt	Eac	h 12/24
PCSC-8C	8 Qt	Eac	h 12/24
PCSC-12C	12 Qt	Eac	h 12
PCSC-18C	18 Qt	Eac	h 12
PCSC-22C	22 Qt	Eac	h 6

### TRANSLUCENT SQUARE POLYPROPYLENE

ITEM	DESCRIPTION	UOM	CASE
PTSC-2	2 Qt	Each	12/60
PTSC-4	4 Qt	Each	12/48
PTSC-6	6 Qt	Each	12/24
PTSC-8	8 Qt	Each	12/24
PTSC-12	12 Qt	Each	12
PTSC-18	18 Qt	Each	12
PTSC-22	22 Qt	Each	6

### WHITE SQUARE POLYPROPYLENE

ITEM	DESCRIPTION	UOM	CASE
PESC-2	2 Qt	Each	12/60
PESC-4	4 Qt	Each	12/48
PESC-6	6 Qt	Each	12/24
PESC-8	8 Qt	Each	12/24
PESC-12	12 Qt	Each	12
PESC-18	18 Qt	Each	12
PESC-22	22 Qt	Each	6



PECC-128P, PECC-68P, PECC-24P

Refer to page 285 for the full Allergen-Free range



### POLYETHYLENE SQUARE ALLERGEN-FREE COVERS

IIEM	DESCRIPTION	COLOR	UOM	CASE
PECC-24P	Fits 2 Qt & 4 Qt	Purple	Each	12
PECC-68P	Fits 6 Qt & 8 Qt	Purple	Each	12
PECC-128P	Fits 12 Qt, 18 Qt, 22 Qt	Purple	Each	6

PECC-24, PECC-68, PECC-128



PECC-S, PECC-M, PECC-L


### POLYETHYLENE SQUARE COVERS

ITEM	DESCRIPTION	COLOR	UOM	CASE
PECC-24	Fits 2 Qt & 4 Qt	Green	Each	12
PECC-68	Fits 6 Qt & 8 Qt	Red	Each	12
PECC-128	Fits 12 Qt, 18 Qt, 22 Qt	Blue	Each	6
PECC-S	Fits 2 Qt & 4 Qt	White	Each	12
PECC-M	Fits 6 Qt & 8 Qt	White	Each	12
PECC-L	Fits 12 Qt, 18 Qt, 22 Qt	White	Each	6









**BPA** FREE

PTSC-SERIES





**PESC-SERIES** 

- Clear polycarbonate is extremely durable, stackable, withstands temperatures from -40°F to 210°F, and is ideal for the storage and transport of raw or prepared food
- Polypropylene is stain resistant, withstands temperatures from -40°F to 160°F, and is ideal for the storage and transport of prepared food only
- Clear-view minimizes opening and handling contents
- Built-in handles; gradation marks in liters and quarts
- Dishwasher safe

### **CLEAR SQUARE POLYCARBONATE**

ITEM	DESCRIPTION	UOM	CASE
PCSC-2C	2 Qt	Each	12/60
PCSC-4C	4 Qt	Each	12/48
PCSC-6C	6 Qt	Each	12/24
PCSC-8C	8 Qt	Each	12/24
PCSC-12C	12 Qt	Each	12
PCSC-18C	18 Qt	Each	12
PCSC-22C	22 Qt	Each	6

### TRANSLUCENT SQUARE POLYPROPYLENE

ITEM	DESCRIPTION	UOM	CASE
PTSC-2	2 Qt	Each	12/60
PTSC-4	4 Qt	Each	12/48
PTSC-6	6 Qt	Each	12/24
PTSC-8	8 Qt	Each	12/24
PTSC-12	12 Qt	Each	12
PTSC-18	18 Qt	Each	12
PTSC-22	22 Qt	Each	6

### WHITE SQUARE POLYPROPYLENE

ITEM	DESCRIPTION	UO	M CASE	CASE
PESC-2	2 Qt	Eac	ch 12/60	12/60
PESC-4	4 Qt	Eac	ch 12/48	12/48
PESC-6	6 Qt	Eac	ch 12/24	12/24
PESC-8	8 Qt	Eac	ch 12/24	12/24
PESC-12	12 Qt	Eac	ch 12	12
PESC-18	18 Qt	Eac	ch 12	12
PESC-22	22 Q†	Eac	ch 6	6

POLYETHYLENE SQUARE ALLERGEN-FREE COVERS

COLOR UOM

Purple Each

Purple Each

Purple Each

CASE

12

12



Refer to page 285 for the full Allergen-

PECC-128P, PECC-68P, PECC-24P



ITEM

PECC-24P



POLYETHYLENE SQUARE COVERS

DESCRIPTION

PECC-68P Fits 6 Qt & 8 Qt

PECC-128P Fits 12 Qt, 18 Qt,

22 Qt

Fits 2 Qt & 4 Qt

ITEM	DESCRIPTION	COLOR	UOM	CASE
PECC-24	Fits 2 Qt & 4 Qt	Green	Each	12
PECC-68	Fits 6 Qt & 8 Qt	Red	Each	12
PECC-128	Fits 12 Qt, 18 Qt, 22 Qt	Blue	Each	6
PECC-S	Fits 2 Qt & 4 Qt	White	Each	12
PECC-M	Fits 6 Qt & 8 Qt	White	Each	12
PECC-L	Fits 12 Qt, 18 Qt, 22 Qt	White	Each	6



PECC-24, PECC-68, PECC-128



LIDS



PECC-S, PECC-M, PECC-L





**BPA** FREE

PTSC-SERIES





**PESC-SERIES** 

- Clear polycarbonate is extremely durable, stackable, withstands temperatures from -40°F to 210°F, and is ideal for the storage and transport of raw or prepared food
- Polypropylene is stain resistant, withstands temperatures from -40°F to 160°F, and is ideal for the storage and transport of prepared food only
- Clear-view minimizes opening and handling contents
- Built-in handles; gradation marks in liters and quarts
- Dishwasher safe

### **CLEAR SQUARE POLYCARBONATE**

ITEM	DESCRIPTION	UOM	CASE
PCSC-2C	2 Qt	Each	12/60
PCSC-4C	4 Qt	Each	12/48
PCSC-6C	6 Qt	Each	12/24
PCSC-8C	8 Qt	Each	12/24
PCSC-12C	12 Qt	Each	12
PCSC-18C	18 Qt	Each	12
PCSC-22C	22 Qt	Each	6

### TRANSLUCENT SQUARE POLYPROPYLENE

ITEM	DESCRIPTION	UOM	CASE
PTSC-2	2 Qt	Each	12/60
PTSC-4	4 Qt	Each	12/48
PTSC-6	6 Qt	Each	12/24
PTSC-8	8 Qt	Each	12/24
PTSC-12	12 Qt	Each	12
PTSC-18	18 Qt	Each	12
PTSC-22	22 Qt	Each	6

### WHITE SQUARE POLYPROPYLENE

ITEM	DESCRIPTION	UOM	CASE
PESC-2	2 Qt	Each	12/60
PESC-4	4 Qt	Each	12/48
PESC-6	6 Qt	Each	12/24
PESC-8	8 Qt	Each	12/24
PESC-12	12 Qt	Each	12
PESC-18	18 Qt	Each	12
PESC-22	22 Qt	Each	6

POLYETHYLENE SQUARE ALLERGEN-FREE COVERS

COLOR UOM

Purple Each

Purple Each

Purple Each

CASE

12

12



Refer to page 285 for the full Allergen-Free range



PECC-128P, PECC-68P, PECC-24P



ITEM

PECC-24P

POLYETHYLENE SQUARE COVERS

DESCRIPTION

22 Qt

Fits 2 Qt & 4 Qt

ITEM	DESCRIPTION	COLOR	UOM	CASE
PECC-24	Fits 2 Qt & 4 Qt	Green	Each	12
PECC-68	Fits 6 Qt & 8 Qt	Red	Each	12
PECC-128	Fits 12 Qt, 18 Qt, 22 Qt	Blue	Each	6
PECC-S	Fits 2 Qt & 4 Qt	White	Each	12
PECC-M	Fits 6 Qt & 8 Qt	White	Each	12
PECC-L	Fits 12 Qt, 18 Qt, 22 Qt	White	Each	6



PECC-24, PECC-68, PECC-128



LIDS



PECC-S, PECC-M, PECC-L

### POLYPROPYLENE DRY INGREDIENT MOBILE BINS

- Space-efficient under-counter height for bulk ingredients
- Advanced super-clasp, slanted lid design easily slides open to scoop ingredients; when closing, lid slides over the bin to reduce any debris on the lid from falling in
- Quickly view contents through the clear cover to identify ingredients and manage inventory
- Four 3" casters (2 fixed & 2 swivel w/brakes)
- Built-in storage holds the included scoop, effectively keeping the handle out of ingredients

22	ITEM	DESCRIPTION	SIZE	UOM	CASE
	IB-21	21 Gallon	13" x 29-1/4" x 28"	Set	1
	IB-27	27 Gallon	15-1/2" x 29-1/2" x 28"	Set	1
	IB-C3	Fixed Caster	3" Dia, Fits IB-21 & -27	Each	1
	IB-C3B	Swivel Caster w/Brake	3" Dia, Fits IB-21 & -27	Each	1
	IB-21-LE	Lid	Fits IB-21	Each	6
	IB-27-LE	Lid	Fits IB-27	Each	6



IB-C3 Fixed caster



IB-C3B Swivel caster with brake

ITEM #	WEIGHT SUGAR	WEIGHT Flour
IB-21	159 lbs	124 lbs
IB-27	197 lbs	154 lbs

IB-21 ()



Built-in storage

### DRY BULK INGREDIENT **MOBILE BINS**





NSF.

### POLYPROPYLENE DRY INGREDIENT SHELF BINS

- Stackable for more storage space
- One-handed lid lift design to increase efficiency
- Clear plastic front lid for quick ingredient identification
- Scoop has a dedicated holding clip to ensure sanitation compliance

ITEM	DESCRIPTION	SIZE	UOM	CASE
IB-2S	2 Gallon, 40 Cup	11-3/4" x 14-1/4" x 8-3/8"	Each	1
IB-5S	5 Gallon, 80 Cup	11-1/8" x 23-3/8" x 16-7/8"	Each	1
IB-10S	,	19-1/4" x 23-3/8" x 16-7/8"	Each	1

# DRY BULK INGREDIENT SHELF BINS







**IB-SERIES** 














### TOTALE POLYCARBONATE MEASURING CUPS

- Molded one-piece break-resistant polycarbonate; heatresistant up to 210°F (98°C)
- Raised markings in both quarts (red letters) and liters (blue letters)
- Tapered open handle for a secure grip; stackable
- Dishwasher safe

ITEM	DESCRIPTION	UOM	CASE
PMCP-25	1 Cup	Each	6/72
PMCP-50	1 Pint	Each	6/72
PMCP-100	1 Qt	Each	6/36
PMCP-200	2 Qt	Each	6/36
PMCP-400	4 Qt	Each	6/24
PMCP-5SET	Complete 5-Pc Set	Set	1/6

### POLYCARBONATE MEASURING CUPS

Raised graduation markings

ITEM	DESCRIPTION	UOM	CASE
PMU-25	1 Cup	Each	36
PMU-50	1 Pint	Each	36
PMU-100	1 Qt	Each	36
PMU-200	2 Qt	Each	36
PMU-400	4 Qt	Each	12





### 18/8 STAINLESS STEEL MINI MEASURING LADLES

- Ideal for either measuring or serving small quantities
- Capacity stamped on each handle

ITEM	DESCRIPTION	UOM	CASE
MSL-5S	5-Pc Set: 1/8 Tsp, 1/4 Tsp, 1/2 Tsp, 1 Tsp, 1 Tbsp	Set	12/72
MSL-11	3/4 Tbsp	Each	60/300



### STAINLESS STEEL MEASURING SPOON SETS

◆ Sets includes: 1/4 Tsp, 1/2 Tsp, 1 Tsp, 1 Tbsp

ITEM	DESCRIPTION	UOM	CASE
MSP-4P	4-Pc Set	Set	12/288
MSPD-4X	Deluxe 4-Pc Set	Set	24/240





### PLASTIC MEASURING SPOONS & CUPS SETS

- \* Spoons set includes: 1/4 Tsp, 1/2 Tsp, 1 Tsp, 1 Tbsp
- Cups set includes: 1/4 Cup, 1/3 Cup, 1/2 Cup, 1 Cup

ITEM	DESCRIPTION	UOM	CASE
MSPP-4	4-Pc Spoons Set	Set	12/216
MCPP-4	4-Pc Cups Set	Set	12/72



AM-2

### STAINLESS STEEL MEASURING CUP SET

\* Set includes: 1/4 Cup, 1/3 Cup, 1/2 Cup, 1 Cup

ITEM	DESCRIPTION	UC	OM CASE	
MCP-4P	4-Pc Set	Se	et 12/48	3

### **ALUMINUM MEASURING CUPS - QUARTS**

ITEM	DESCRIPTION	UOM	CASE
AM-05	1/2 Qt	Each	1/48
AM-1	1 Qt	Each	1/36
AM-2	2 Qt	Each	1/36
AM-4	4 Qt	Each	1/24











### **DELUXE POLYCARBONATE MEASURING CUPS**

- Molded one-piece break-resistant polycarbonate; heatresistant up to 210°F (98°C)
- Raised markings in both quarts (red letters) and liters (blue
- Tapered open handle for a secure grip; stackable
- Dishwasher safe

ITEM DESCRIPTION U	OM CASE
PMCP-25 1 Cup Ed	ach 6/72
PMCP-50 1 Pint Ed	ach 6/72
PMCP-100 1 Qt Ed	ach 6/36
PMCP-200 2 Qt Ed	ach 6/36
PMCP-400 4 Qt Ed	ach 6/24
PMCP-5SET Complete 5-Pc Set	et 1/6

### POLYCARBONATE MEASURING CUPS

Raised graduation markings

ITEM	DESCRIPTION	UOM	CASE
PMU-25	1 Cup	Each	36
PMU-50	1 Pint	Each	36
PMU-100	1 Qt	Each	36
PMU-200	2 Qt	Each	36
PMU-400	4 Qt	Each	12





### 18/8 STAINLESS STEEL MINI MEASURING LADLES

- Ideal for either measuring or serving small quantities
- Capacity stamped on each handle

ITEM	DESCRIPTION	UOM	CASE
MSL-5S	5-Pc Set: 1/8 Tsp, 1/4 Tsp, 1/2 Tsp, 1 Tsp, 1 Tbsp	Set	12/72
MSL-11	3/4 Tbsp	Each	60/300



### STAINLESS STEEL MEASURING SPOON SETS

◆ Sets includes: 1/4 Tsp, 1/2 Tsp, 1 Tsp, 1 Tbsp

ITEM	DESCRIPTION	UOM	CASE
MSP-4P	4-Pc Set	Set	12/288
MSPD-4X	Deluxe 4-Pc Set	Set	24/240





### PLASTIC MEASURING SPOONS & CUPS SETS

- Spoons set includes: 1/4 Tsp, 1/2 Tsp, 1 Tsp, 1 Tbsp
- Cups set includes: 1/4 Cup, 1/3 Cup, 1/2 Cup, 1 Cup

DESCRIPTION	UOM	CASE
4-Pc Spoons Set	Set	12/216
4-Pc Cups Set	Set	12/72
	4-Pc Spoons Set	4-Pc Spoons Set Set



### STAINLESS STEEL MEASURING CUP SET

◆ Set includes: 1/4 Cup, 1/3 Cup, 1/2 Cup, 1 Cup

ITEM	DESCRIPTION	UOM	CASE
MCP-4P	4-Pc Set	Set	12/48

### **ALUMINUM MEASURING CUPS - QUARTS**

ITEM	DESCRIPTION	UOM	CASE
AM-05	1/2 Qt	Each	1/48
AM-1	1 Qt	Each	1/36
AM-2	2 Qt	Each	1/36
AM-4	4 Qt	Each	1/24











### **DELUXE POLYCARBONATE MEASURING CUPS**

- Molded one-piece break-resistant polycarbonate; heatresistant up to 210°F (98°C)
- Raised markings in both quarts (red letters) and liters (blue
- Tapered open handle for a secure grip; stackable
- Dishwasher safe

ITEM DESCRIPTION U	OM CASE
PMCP-25 1 Cup Ed	ach 6/72
PMCP-50 1 Pint Ed	ach 6/72
PMCP-100 1 Qt Ed	ach 6/36
PMCP-200 2 Qt Ed	ach 6/36
PMCP-400 4 Qt Ed	ach 6/24
PMCP-5SET Complete 5-Pc Set	et 1/6

### POLYCARBONATE MEASURING CUPS

Raised graduation markings

ITEM	DESCRIPTION	UOM	CASE
PMU-25	1 Cup	Each	36
PMU-50	1 Pint	Each	36
PMU-100	1 Qt	Each	36
PMU-200	2 Qt	Each	36
PMU-400	4 Qt	Each	12



### 18/8 STAINLESS STEEL MINI MEASURING LADLES

- Ideal for either measuring or serving small quantities
- Capacity stamped on each handle

ITEM	DESCRIPTION	UOM	CASE
MSL-5S	5-Pc Set: 1/8 Tsp, 1/4 Tsp, 1/2 Tsp, 1 Tsp, 1 Tbsp	Set	12/72
MSL-11	3/4 Tbsp	Each	60/300



### STAINLESS STEEL MEASURING SPOON SETS

◆ Sets includes: 1/4 Tsp, 1/2 Tsp, 1 Tsp, 1 Tbsp

ITEM	DESCRIPTION	UOM	CASE
MSP-4P	4-Pc Set	Set	12/288
MSPD-4X	Deluxe 4-Pc Set	Set	24/240





### PLASTIC MEASURING SPOONS & CUPS SETS

- Spoons set includes: 1/4 Tsp, 1/2 Tsp, 1 Tsp, 1 Tbsp
- Cups set includes: 1/4 Cup, 1/3 Cup, 1/2 Cup, 1 Cup

ITEM	DESCRIPTION	UOM	CASE
MSPP-4	4-Pc Spoons Set	Set	12/216
MCPP-4	4-Pc Cups Set	Set	12/72



AM-2

### STAINLESS STEEL MEASURING CUP SET

◆ Set includes: 1/4 Cup, 1/3 Cup, 1/2 Cup, 1 Cup

ITEM	DESCRIPTION	UC	OM CASE	
MCP-4P	4-Pc Set	Se	et 12/48	3

### **ALUMINUM MEASURING CUPS - QUARTS**

ITEM	DESCRIPTION	UOM	CASE
AM-05	1/2 Qt	Each	1/48
AM-1	1 Qt	Each	1/36
AM-2	2 Qt	Each	1/36
AM-4	4 Qt	Each	1/24







ITEM	DESCRIPTION	TIME	UOM	CASE
TIM-78	Mechanical Timer	60 min	Each	12/36
TIM-85D	LCD Digital Timer w/20 min Stopper	20 hrs	Each	12/144

### **TIMERS**





TIM-85D

### STAINLESS STEEL MIXING PADDLES

ITEM	DESCRIPTION	UOM	CASE
MPD-24	24"	Each	12
MPD-36	36"	Each	12
MPD-48	48"	Each	12
MPD-60	60"	Fach	12

### PADDLES & SPOONS





### **WOODEN STIRRING PADDLES**

ITEM	DESCRIPTION	UOM	CASE
WSP-18	18"	Each	12/36
WSP-24	24"	Each	12/36
WSP-36	36"	Each	12/36
WSP-48	48"	Each	12/36





### HIGH-HEAT NYLON MIXING PADDLES

Mix, fold or spread with this stain-resistant, sturdy onepiece paddle.

• High temperature nylon is heat-resistant up to 400°F (204°C)

ITEM	DESCRIPTION	UOM	CASE
NSP-10W	10"	Each	12/120
NSP-14W	14"	Each	12/120
NSP-20W	20"	Fach	12/120









### HIGH HEAT NYLON SPOONS

- One-piece construction, ideal for non-stick cookware
- Stain resistant; heat-resistant up to 400°F (204°C)

ITEM	DESCRIPTION	UOM	CASE
NS-12B	12", Blue	Each	24/144
NS-12R	12", Red	Each	24/144
NS-12T	12", Tan	Each	24/144
NS-12W	12", Off-white	Each	24/144
NS-15B	15", Blue	Each	24/72
NS-15R	15", Red	Each	24/72
NS-15T	15", Tan	Each	24/72
NS-15W	15", Off-white	Each	24/72



**NS-SERIES** 





### **WOODEN SPOONS**

ITEM	DESCRIPTION	UOM	CASE
WWP-12	12"	Doz	1/8
WWP-14	14"	Doz	1/8
WWP-16	16"	Doz	1/8
WWP-18	18"	Doz	1/8





### DIGITAL

- Easy-read LCD display and excellent, quick response times for fast temperature readings
- Step-down probe models ideal for delicate foods to avoid breaking skin

ITEM	NSF	TEMPERATURE RANGE	LCD	PROBE	GUIDELINE ON DIAL	MOUNTING / OTHER FEATURES	UOM	CASE
TMT-DG1	NSE	-40° - 302°F; -40° - 150°C	1"	4-3/4"L	Meat Cooking Temperature Guide	<ul><li>Tapered Tip Probe</li><li>Protective Sleeve</li></ul>	Each	12/144
TMT-DG2	N/A	-49° - 392°F; -45° - 200°C	1-3/16"	4-3/4"L	Meat Cooking Temperature Guide	Step-Down Probe     Easy-Read LCD Swivels 180°	Each	12/72
TMT-DG4	NSE	-40° - 450°F; -40° - 230°C	1-1/4"	3-1/8"L	HACCP	<ul><li>Tapered Tip Probe</li><li>Hold Function</li></ul>	Each	3/144
TMT-DG5	N/A	-49° - 392°F; -45° - 200°C	1-3/8" Back-Lit	2-7/8"L	Meat Cooking Temperature Guide	Min. & Max. Feature     Hold Function • Lanyard	Each	12/72
TMT-DG6	N/A	-58 - 572°F; -50 - 300°C	1-7/8"	6"L		<ul><li>Step-Down Probe</li><li>Flip-Down Stand</li><li>Magnet Included</li></ul>	Set	24/96
TMT-DG7	NSE	-40° - 572°F; -40° - 300°C	1-1/2"	4"L		<ul><li>Thermocouple</li><li>1.5mm Step-Down Folding Probe</li><li>Hold &amp; Auto-Off Functions</li><li>Calibratable</li></ul>	Each	12/72
TMT-WD2	NSE	-40° - 450°F; -40° - 232°C	1-3/8"W	2-3/4"L		<ul><li>1.5mm Step-Down Folding Probe</li><li>Auto-Off Function</li><li>Lanyard Included</li></ul>	Each	12/96

### **WATERPROOF DIGITAL THERMOMETERS**

- Compact thermometers provide fast temperature readings for liquids or solids
- Protective sleeve included
- Step-down probe models ideal for delicate skinned foods

ITEM	NSF	TEMPERATURE RANGE	LCD	PROBE	MOUNTING / OTHER FEATURES	UOM	CASE
TMT-WD1	NSE	-58° - 392°F; -50° - 200°C	7/8"	2-3/4"L	<ul><li>Tapered Tip Probe</li><li>Hold Function</li></ul>	Each	24/96
# TMT-WD3	NSE	-40° - 500°F; -40° - 260°C	1"W	5"L	<ul> <li>1.5mm Step-Down Probe</li> <li>Min./Max. and Hold Functions</li> <li>Antimocrobial Sleeve</li> <li>Calibratable</li> </ul>	Each	24/72

### INFRARED THERMOMETER

- ◆ Point at surface to get an accurate temperature reading, with no risk of cross-contamination.
- ◆ Distance to spot ratio 12:1

ITEN	Л	NSF	TEMPERATURE RANGE	LCD	PROBE	MOUNTING / OTHER FEATURES	UOM	CASE
TM	IT-IF1	N/A	-26° - 608°F; -32° - 320°C	1" Back-Lit	N/A	<ul> <li>Auto Temp. Hold</li> <li>Auto Off When Idle 20 Seconds</li> <li>Laser ON/OFF</li> </ul>	Each	12/48





Winco digital thermometers are compliant with FDA standards



TMT-DG4 ()

### DIGITAL

- Easy-read LCD display and excellent, quick response times for fast temperature readings
- Step-down probe models ideal for delicate foods to avoid breaking skin

0.00	о. о <sub>р</sub> о							
ITEM	NSF	TEMPERATURE RANGE	LCD	PROBE	GUIDELINE ON DIAL	MOUNTING / OTHER FEATURES	UOM	CASE
TMT-DG1	NSE	-40° - 302°F; -40° - 150°C	1"	4-3/4"L	Meat Cooking Temperature Guide	<ul><li>Tapered Tip Probe</li><li>Protective Sleeve</li></ul>	Each	12/144
TMT-DG2	N/A	-49° - 392°F; -45° - 200°C	1-3/16"	4-3/4"L	Meat Cooking Temperature Guide	Step-Down Probe     Easy-Read LCD Swivels 180°	Each	12/72
TMT-DG4	NSE	-40° - 450°F; -40° - 230°C	1-1/4"	3-1/8"L	HACCP	<ul><li>Tapered Tip Probe</li><li>Hold Function</li></ul>	Each	3/144
TMT-DG5	N/A	-49° - 392°F; -45° - 200°C	1-3/8" Back-Lit	2-7/8"L	Meat Cooking Temperature Guide	Min. & Max. Feature     Hold Function • Lanyard	Each	12/72
TMT-DG6	N/A	-58 - 572°F; -50 - 300°C	1-7/8"	6"L		<ul><li>Step-Down Probe</li><li>Flip-Down Stand</li><li>Magnet Included</li></ul>	Set	24/96
TMT-DG7	NSE	-40° - 572°F; -40° - 300°C	1-1/2"	4"L		<ul><li>Thermocouple</li><li>1.5mm Step-Down Folding Probe</li><li>Hold &amp; Auto-Off Functions</li><li>Calibratable</li></ul>	Each	12/72
TMT-WD2	NSE	-40° - 450°F; -40° - 232°C	1-3/8"W	2-3/4"L		1.5mm Step-Down Folding Probe     Auto-Off Function     Lanyard Included	Each	12/96

### **WATERPROOF DIGITAL THERMOMETERS**

- Compact thermometers provide fast temperature readings for liquids or solids
- Protective sleeve included
- Step-down probe models ideal for delicate skinned foods

* OICP '	ac wii p	1000 IIIOGOI3	iacai i	or acrica	10 3Kii ii 100 100 03		
ITEM	NSF	TEMPERATURE RANGE	LCD	PROBE	MOUNTING / OTHER FEATURES	UOM	CASE
TMT-WD1	NSE.	-58° - 392°F; -50° - 200°C	7/8"	2-3/4"L	<ul><li>Tapered Tip Probe</li><li>Hold Function</li></ul>	Each	24/96
TMT-WD3	NSE	-40° - 500°F; -40° - 260°C	1"W	5"L	<ul> <li>1.5mm Step-Down Probe</li> <li>Min./Max. and Hold Functions</li> <li>Antimocrobial Sleeve</li> <li>Calibratable</li> </ul>	Each	24/72

### INFRARED THERMOMETER

- ◆ Point at surface to get an accurate temperature reading, with no risk of cross-contamination.
- ◆ Distance to spot ratio 12:1

ITEM	NSF	TEMPERATURE RANGE	LCD	PROBE	MOUNTING / OTHER FEATURES	UOM	CASE
TMT-IF1	N/A	-26° - 608°F; -32° - 320°C	1" Back-Lit	N/A	Auto Temp. Hold     Auto Off When Idle 20 Seconds     Laser ON/OFF	Each	12/48





**SAFE** 

TMT-WD2

OOD TEMPERATURE MANAGEMENT

### DIGITAL

Easy-read LCD display and excellent, quick response times for fast temperature readings

TMT-DG6 ()

DIGITAL THERMOMETERS

TMT-DG1

TMT-DG2

TMT-WD1

Step-down probe models ideal for delicate foods to avoid breaking skin

TMT-SERIES

as indicated

TMT-DG4

TMT-DG5

TMT-IF1

7322 10 0 KB

NSF.

ITEM		NSF	TEMPERATURE RANGE	LCD	PROBE	<b>GUIDELINE ON DIAL</b>	MOUNTING / OTHER FEATURES	UOM	CASE
TMT	-DG1	NSE	-40° - 302°F; -40° - 150°C	1"	4-3/4"L	Meat Cooking Temperature Guide	<ul><li>Tapered Tip Probe</li><li>Protective Sleeve</li></ul>	Each	12/144
TMT	-DG2	N/A	-49° - 392°F; -45° - 200°C	1-3/16"	4-3/4"L	Meat Cooking Temperature Guide	• Step-Down Probe • Easy-Read LCD Swivels 180°	Each	12/72
TMT	-DG4	NSE	-40° - 450°F; -40° - 230°C	1-1/4"	3-1/8"L	HACCP	<ul><li>Tapered Tip Probe</li><li>Hold Function</li></ul>	Each	3/144
TMT	-DG5	N/A	-49° - 392°F; -45° - 200°C	1-3/8" Back-Lit	2-7/8"L	Meat Cooking Temperature Guide	Min. & Max. Feature     Hold Function • Lanyard	Each	12/72
TMT	-DG6	N/A	-58 - 572°F; -50 - 300°C	1-7/8"	6"L		<ul><li>Step-Down Probe</li><li>Flip-Down Stand</li><li>Magnet Included</li></ul>	Set	24/96
<b>₩</b> TMT	-DG7	NSE	-40° - 572°F; -40° - 300°C	1-1/2"	4"L		<ul><li>Thermocouple</li><li>1.5mm Step-Down Folding Probe</li><li>Hold &amp; Auto-Off Functions</li><li>Calibratable</li></ul>	Each	12/72
<b>₽</b> TMT	-WD2	NSE,	-40° - 450°F; -40° - 232°C	1-3/8"W	2-3/4"L		<ul><li>1.5mm Step-Down Folding Probe</li><li>Auto-Off Function</li><li>Lanyard Included</li></ul>	Each	12/96

### **WATERPROOF DIGITAL THERMOMETERS**

TMT-DG6

- Compact thermometers provide fast temperature readings for liquids or solids
- Protective sleeve included
- Step-down probe models ideal for delicate skinned foods

* 0.00	G C VV I I P		10001	or aonoar	o diamino di rocati		
ITEM	NSF	TEMPERATURE RANGE	LCD	PROBE	MOUNTING / OTHER FEATURES	UOM	CASE
TMT-WD1	NSE	-58° - 392°F; -50° - 200°C	7/8"	2-3/4"L	<ul><li>Tapered Tip Probe</li><li>Hold Function</li></ul>	Each	24/96
TMT-WD3	NSF	-40° - 500°F; -40° - 260°C	1"W	5"L	<ul> <li>1.5mm Step-Down Probe</li> <li>Min./Max. and Hold Functions</li> <li>Antimocrobial Sleeve</li> <li>Calibratable</li> </ul>	Each	24/72

### INFRARED THERMOMETER


- ◆ Point at surface to get an accurate temperature reading, with no risk of cross-contamination.
- ◆ Distance to spot ratio 12:1

ITEN	Л	NSF	TEMPERATURE RANGE	LCD	PROBE	MOUNTING / OTHER FEATURES	UOM	CASE
TM	IT-IF1	N/A	-26° - 608°F; -32° - 320°C	1" Back-Lit	N/A	<ul> <li>Auto Temp. Hold</li> <li>Auto Off When Idle 20 Seconds</li> <li>Laser ON/OFF</li> </ul>	Each	12/48



### STAINLESS STEEL WHIPS





PN-14

### Tainless Steel French whips

- Sturdy wires & solid handle
- Ideal for whipping mashed potatoes, heavy batter or sauces


ITEM	DESCRIPTION	UOM	CASE
FN-10	10"	Each	12/72
FN-12	12"	Each	12/72
FN-14	14"	Each	12/72
FN-16	16"	Each	12/60
FN-18	18"	Each	12/60
FN-20	20"	Each	12/60
FN-22	22"	Each	12/60
FN-24	24"	Each	12/60



### STAINLESS STEEL PIANO WHIPS

- Mix and aerate custards and sauces
- Sturdy wires & solid handle

ITEM	DESCRIPTION	UOM	CASE
PN-10	10"	Each	12/72
PN-12	12"	Each	12/72
PN-14	14"	Each	12/72
PN-16	16"	Each	12/72
PN-18	18"	Each	12/72



### STAINLESS STEEL MAYONNAISE & KETTLE WHIPS

ITEM	DESCRIPTION	UOM	CASE	
MWP-40	Mayonnaise Whip, 40"	Each	8	
KWP-48	Kettle Whip, 48"	Each	8	



### STEEL POTATO MASHERS - PLASTIC SLEEVE GRIP

### Nickel-plated heavy duty wire

ITEM	DESCRIPTION	SIZE	UOM	CASE
PTMP-18R	4" Round	18" Handle	Each	6/12
PTMP-18S	4-1/2" Square	17-3/4" Handle	Each	6/12
PTMP-24R	5" Round	24-1/2" Handle	Each	6/12
PTMP-24S	5-1/4" Sauare	24" Handle	Each	6/12

### STEEL POTATO MASHERS - WOODEN HANDLE

### Nickel-plated heavy duty wire

ITE	M	DESCRIPTION	SIZE	UOM	CASE
PΊ	M-18R	4" Round	18" Handle	Each	6/12
РΊ	M-18S	4-1/2" Square	17-3/4" Handle	Each	6/12
PΊ	M-24R	5" Round	24-1/2" Handle	Each	6/12
РΊ	M-24S	5-1/4" Square	24" Handle	Each	6/12



PTM-18S

PTM-24R

### STAINLESS STEEL POTATO RICERS

ITEM	DESCRIPTION	UOM	CASE
PR-9	Economy, Round	Each	6
PR-16	Square	Each	1/6





### **ONE-PIECE STAINLESS STEEL LADLES**

ITEM	DESCRIPTION	HANDLE	UOM	CASE
LDI-0	0.5 Oz	10-1/4"	Each	12/240
LDI-1	1 Oz	10-1/4"	Each	12/240
LDI-1.5	1.5 Oz	10-3/8"	Each	12/120
LDI-2	2 Oz	10-1/4"	Each	12/240
LDI-3	3 Oz	12"	Each	12/120
LDI-4	4 Oz	12-1/4"	Each	12/120
LDI-5	5 Oz	12-1/2"	Each	12/120
LDI-6	6 Oz	12-1/2"	Each	12/120
LDI-8	8 Oz	12-1/2"	Each	12/120
LDI-10	10 Oz	12-1/2"	Each	12/120
LDI-12	12 Oz	12-3/4"	Each	12/120
LDI-16	16 Oz	12-1/2"	Each	12/120
LDI-24	24 Oz	13"	Each	12/60

### **LADLES & PORTIONERS**



### TWO-PIECE STAINLESS STEEL LADLES

ITEM	DESCRIPTION	HANDLE	UOM	CASE
LDT-1	1 Oz	12"	Each	12/120
LDT-32	32 Oz	16"	Each	12/60

### **ONE-PIECE STAINLESS STEEL SHORT-HANDLE LADLES**

ITEM	DESCRIPTION	HANDLE	UOM	CASE
LDI-05SH	0.5 Oz	6"	Each	12/120
LDI-10SH	1 Oz	6"	Each	12/120
LDI-15SH	1.5 Oz	6"	Each	12/120
LDI-20SH	2 Oz	6"	Each	12/120
LDI-30SH	3 Oz	6"	Each	12/120
LDI-40SH	4 Oz	6"	Each	12/120
LDI-60SH	6 Oz	6"	Each	12/120



### ONE-PIECE STAINLESS STEEL COLOR-CODED LADLES

ITEM	DESCRIPTION	ON COLOR	HANDLE	UOM	CASE
LDC-05	0.5 Oz	Aqua	12"	Each	12/120
LDC-1	1 Oz	yellow	12"	Each	12/120
LDC-2	2 Oz	Red	12-1/2"	Each	12/120
LDC-3	3 Oz	Ivory	13"	Each	12/120
LDC-4	4 Oz	Green	15-1/2"	Each	12/120
LDC-6	6 Oz	Black	15-1/2"	Each	12/120
LDC-8	8 Oz	Blue	16-1/2"	Each	12/60
LDC-12	12 Oz	Gray	16-1/2"	Each	12/60



ITEM	DESCRIPTION	STYLE	COLOR	UOM	CASE
FPS-1	1 Oz	Solid	Yellow	Each	12/72
FPS-2	2 Oz	Solid	Red	Each	12/72
FPS-3	3 Oz	Solid	Ivory	Each	12/72
FPS-4	4 Oz	Solid	Green	Each	12/72
FPS-6	6 Oz	Solid	Black	Each	12/72
FPS-8	8 Oz	Solid	Blue	Each	12/72
FPP-1	1 Oz	Perforated	Yellow	Each	12/72
FPP-2	2 Oz	Perforated	Red	Each	12/72
FPP-3	3 Oz	Perforated	lvory	Each	12/72
FPP-4	4 Oz	Perforated	Green	Each	12/72
FPP-6	6 Oz	Perforated	Black	Each	12/72
FPP-8	8 Oz	Perforated	Blue	Each	12/72



SHHD-1



### STAINLESS STEEL HOOKED-HANDLE DIPPER

Graduation marks visible on inside and outside of bowl

ITEM	DESCRIPTION	HANDLE	UOM	CASE	
SHHD-1	1 Qt	12"	Each	12/48	





### **ONE-PIECE STAINLESS STEEL LADLES**

ITEM	DESCRIPTION	HANDLE UOM CASE
LDI-0	0.5 Oz	10-1/4" Each 12/240
LDI-1	1 Oz	10-1/4" Each 12/240
LDI-1.5	1.5 Oz	10-3/8" Each 12/120
LDI-2	2 Oz	10-1/4" Each 12/240
LDI-3	3 Oz	12" Each 12/120
LDI-4	4 Oz	12-1/4" Each 12/120
LDI-5	5 Oz	12-1/2" Each 12/120
LDI-6	6 Oz	12-1/2" Each 12/120
LDI-8	8 Oz	12-1/2" Each 12/120
LDI-10	10 Oz	12-1/2" Each 12/120
LDI-12	12 Oz	12-3/4" Each 12/120
LDI-16	16 Oz	12-1/2" Each 12/120
LDI-24	24 Oz	13" Each 12/60

# **LADLES & PORTIONERS** LDI-4 LDI-24

### TWO-PIECE STAINLESS STEEL LADLES

ITEM	DESCRIPTION	HANDLE	UOM	CASE
LDT-1	1 Oz	12"	Each	12/120
LDT-32	32 Oz	16"	Each	12/60

### **ONE-PIECE STAINLESS STEEL SHORT-HANDLE LADLES**

ITEM	DESCRIPTION	HANDLE	UOM	CASE
LDI-05SH	0.5 Oz	6"	Each	12/120
LDI-10SH	1 Oz	6"	Each	12/120
LDI-15SH	1.5 Oz	6"	Each	12/120
LDI-20SH	2 Oz	6"	Each	12/120
LDI-30SH	3 Oz	6"	Each	12/120
LDI-40SH	4 Oz	6"	Each	12/120
LDI-60SH	6 Oz	6"	Each	12/120



### ONE-PIECE STAINLESS STEEL COLOR-CODED LADLES

ITEM	DESCRIPTIO	ON COLOR	HANDLE	UOM	CASE
LDC-05	0.5 Oz	Aqua	12"	Each	12/120
LDC-1	1 Oz	yellow	12"	Each	12/120
LDC-2	2 Oz	Red	12-1/2"	Each	12/120
LDC-3	3 Oz	Ivory	13"	Each	12/120
LDC-4	4 Oz	Green	15-1/2"	Each	12/120
LDC-6	6 Oz	Black	15-1/2"	Each	12/120
LDC-8	8 Oz	Blue	16-1/2"	Each	12/60
LDC-12	12 Oz	Gray	16-1/2"	Each	12/60



ONE-P	IECE 31	AINLES	SIEE	L POI	RIION
ITEM	DESCRIPTION	STYLE	COLOR	UOM	CASE
FPS-1	1 Oz	Solid	Yellow	Each	12/72
FPS-2	2 Oz	Solid	Red	Each	12/72
FPS-3	3 Oz	Solid	Ivory	Each	12/72
FPS-4	4 Oz	Solid	Green	Each	12/72
FPS-6	6 Oz	Solid	Black	Each	12/72
FPS-8	8 Oz	Solid	Blue	Each	12/72
FPP-1	1 Oz	Perforated	Yellow	Each	12/72
FPP-2	2 Oz	Perforated	Red	Each	12/72
FPP-3	3 Oz	Perforated	Ivory	Each	12/72
FPP-4	4 Oz	Perforated	Green	Each	12/72
FPP-6	6 Oz	Perforated	Black	Each	12/72
FPP-8	8 Oz	Perforated	Blue	Each	12/72





### STAINLESS STEEL HOOKED-HANDLE DIPPER

Graduation marks visible on inside and outside of bowl

ITEM	DESCRIPTION	HANDLE	UOM	CASE
SHHD-1	1 Qt	12"	Each	12/48



SHHD-1

### **ONE-PIECE STAINLESS STEEL LADLES**

ITEM	DESCRIPTION	HANDLE	UOM	CASE
LDI-0	0.5 Oz	10-1/4"	Each	12/240
LDI-1	1 Oz	10-1/4"	Each	12/240
LDI-1.5	1.5 Oz	10-3/8"	Each	12/120
LDI-2	2 Oz	10-1/4"	Each	12/240
LDI-3	3 Oz	12"	Each	12/120
LDI-4	4 Oz	12-1/4"	Each	12/120
LDI-5	5 Oz	12-1/2"	Each	12/120
LDI-6	6 Oz	12-1/2"	Each	12/120
LDI-8	8 Oz	12-1/2"	Each	12/120
LDI-10	10 Oz	12-1/2"	Each	12/120
LDI-12	12 Oz	12-3/4"	Each	12/120
LDI-16	16 Oz	12-1/2"	Each	12/120
LDI-24	24 Oz	13"	Each	12/60

### **LADLES & PORTIONERS**



### TWO-PIECE STAINLESS STEEL LADLES

ITEM	DESCRIPTION	HANDLE	UOM	CASE
LDT-1	1 Oz	12"	Each	12/120
LDT-32	32 Oz	16"	Each	12/60

### **ONE-PIECE STAINLESS STEEL SHORT-HANDLE LADLES**

ITEM	DESCRIPTION	HANDLE	UOM	CASE
LDI-05SH	0.5 Oz	6"	Each	12/120
LDI-10SH	1 Oz	6"	Each	12/120
LDI-15SH	1.5 Oz	6"	Each	12/120
LDI-20SH	2 Oz	6"	Each	12/120
LDI-30SH	3 Oz	6"	Each	12/120
LDI-40SH	4 Oz	6"	Each	12/120
LDI-60SH	6 Oz	6"	Each	12/120



### ONE-PIECE STAINLESS STEEL COLOR-CODED LADLES

ITEM	DESCRIPTIO	ON COLOR	HANDLE	UOM	CASE
LDC-05	0.5 Oz	Aqua	12"	Each	12/120
LDC-1	1 Oz	yellow	12"	Each	12/120
LDC-2	2 Oz	Red	12-1/2"	Each	12/120
LDC-3	3 Oz	Ivory	13"	Each	12/120
LDC-4	4 Oz	Green	15-1/2"	Each	12/120
LDC-6	6 Oz	Black	15-1/2"	Each	12/120
LDC-8	8 Oz	Blue	16-1/2"	Each	12/60
LDC-12	12 Oz	Gray	16-1/2"	Each	12/60



0					
ITEM	DESCRIPTION	STYLE	COLOR	UOM	CASE
FPS-1	1 Oz	Solid	Yellow	Each	12/72
FPS-2	2 Oz	Solid	Red	Each	12/72
FPS-3	3 Oz	Solid	Ivory	Each	12/72
FPS-4	4 Oz	Solid	Green	Each	12/72
FPS-6	6 Oz	Solid	Black	Each	12/72
FPS-8	8 Oz	Solid	Blue	Each	12/72
FPP-1	1 Oz	Perforated	Yellow	Each	12/72
FPP-2	2 Oz	Perforated	Red	Each	12/72
FPP-3	3 Oz	Perforated	lvory	Each	12/72
FPP-4	4 Oz	Perforated	Green	Each	12/72
FPP-6	6 Oz	Perforated	Black	Each	12/72
FPP-8	8 Oz	Perforated	Blue	Each	12/72





### STAINLESS STEEL HOOKED-HANDLE DIPPER

Graduation marks visible on inside and outside of bowl

ITEM	DESCRIPTION	HANDLE	UOM	CASE
SHHD-1	1 Qt	12"	Each	12/48





SHHD-1

### COMMERCIAL MANUAL CAN OPENERS







Removable blade







Easy operation

Securely clamps to work surface

### PREMIUM MANUAL CAN OPENERS

Our premium European-made heavy-duty stainless steel can opener is fitted with a removable clamp, ideal for on-the-go operations that require flexibility. The rust-resistant stainless steel gear and blade effectively opens various can sizes up to #10.

- Includes base, blade, gear and installation kit for mounting on wooden or stainless steel work tables
- Easily disassembles for cleaning/sanitizing
- Heavy-duty stainless steel construction
- Rigid universal mounting base for screw-down or clampon installation with wooden or stainless steel work tables
- ◆ 19" (482mm) long bar accommodates various sizes of cans up to 16" (406mm) tall
- Quick change dual-sided tempered knife blade and stainless steel gear

	OVERALL DIMENSIONS L" X D" X H" (mm)	SHIP WEIGHT
CO-3N	8-7/16 x 4 x 25-1/2 (214 x 102 x 648)	5.6 lbs (2.5 kg)

0	ITEM	DESCRIPTION	UOM	CASE
	CO-3N	Stainless Steel Base, <b>NSF</b>	Each	1/12
	CO-3N-B	1-Pc S/S Replacement Blade for CO-3N	Each	1
	CO-3G	1-Pc S/S Replacement Gear Set for CO-3N	Each	1







CO-3N portable clamp





CO-3N

CO-1

### STANDARD #1 MANUAL CAN OPENER

The go-to industry standard, steel body can opener, made for heavy usage kitchen environments that require processing of up to 50 cans a day. Opens various can sizes up to #10.

- Includes base, blade, gear and installation kit
- Rigid universal mounting base for screw-down to a wooden or stainless steel work table
- ♦ 13" (330mm) long bar accommodates any size can up to 10" (254mm) tall
- Extra-durable dual-sided knife blade and gear are interchangeable with most other can opener brands

00-	ITEM	DESCRIPTION	UOM	CASE
	CO-1	Cast Iron Body	Set	1
	CO-1B	2-Pc Replacement Blade Set for CO-1	Set	24/288
	CO-1G	1-Pc Replacement Gear Set for CO-1	Each	12/144





### CHEESE GRATERS & SLICER

### Contract of the second

### 18/8 STAINLESS STEEL ROTARY CHEESE GRATER

- Rotary grater with one drum
- Ideal for fine cheeses

ITEM	DESCRIPTION	UOM	CASE
GRTS-1	8-1/4"L x 4-3/4"W x 3-3/8"H	Each	12/36



### PLASTIC CHEESE GRATER

- ◆ Ideal for grating hard cheese or chocolate
- ◆ 2 interchangeable drums for fine & coarse grating
- Dishwasher safe

ITEM	DESCRIPTION	UOM	CASE
PRTS-2	7"L x 3-1/2"W x 4-3/8"H	Each	6/24







GT-105









### A

### 18/8 STAINLESS STEEL GRATERS WITH COVER

- ◆ Etched 18/8 stainless steel blade, black soft-grip handle
- Anti-corrosive and durable
- ◆ GT-204 & GT-345: Anti-slip feet
- GT-345: two blade types in one product
- Dishwasher safe

ITEM	DESCRIPTION	UOM	CASE
GT-103	Medium Coarse Blade	Each	12/72
GT-104	Zester Blade	Each	12/72
GT-105	Fine Blade	Each	12/72
GT-106	Ribbon Blade	Each	12/72
GT-204	Zester Blade & Anti-Slip Feet	Each	12/72
GT-345	Half Zester / Half Fine Blade & Anti-Slip Feet	Each	12/72

Micro-e		GT-100 series with soft-grip handle and one (1) type of blade per item	GT-204 with additional anti-slip feet and all features of GT-100 series	GT-345 with anti-slip feet and two (2) types of blades on one item	GT-401 box grater with soft-grip handle & five (5) blade sides, including slicer side
MEDIUM COARSE	99	GT-103			✓
ZESTER	器	GT-104	✓	✓	✓
FINE		GT-105		✓	✓
RIBBON		GT-106			✓

### Micro-etched blades





### 5-SIDE ERGONOMIC HANDLE GRATER

◆ Etched 18/8 stainless steel blade, black soft-grip handles

ITEM	DESCRIPTION	UOM	CASE
GT-401	5-Sided Grater: Slicer, Medium Coarse, Zester, Fine Ribbon	Each	12/48

### **4-SIDE STAINLESS STEEL BOX GRATERS**

ITEM	DESCRIPTION	SIZE	UOM	CASE
SQG-1	Tapered Grater	4" x 3" x 9"	Each	12/72
SQG-4	Box Grater	4" x 4" x 9"	Each	12/24





Adjustable cutting thickness



### ADJUSTABLE CHEESE SLICER

- ◆ 4" wide aluminum roller adjusts for thick or thin slicing
- ◆ 18/8 stainless steel wire is removable

ITEM	DESCRIPTION	UOM	CASE
ACS-4	Zinc Alloy Cheese Slicer, S/S Wire, Adjustable Alu Roller	Each	12/36






VP-300 NSE

### **ERGONOMIC KITCHEN TOOLS**

- Stainless steel with a comfortable non-slip soft-grip handle
- Dishwasher safe

ITEM	DESCRIPTION	UOM	CASE
VP-300	Straight Edge "Y" Peeler	Each	12/72
VP-301	Serrated Edge "Y" Peeler	Each	12/72
VP-302	Julienne Peeler	Each	12/72
VP-303	Straight Peeler	Each	12/72
VP-304	Serrated Edge Peeler	Each	12/72
VP-305	Apple Corer	Each	12/72
VP-306	Zester/Lemon Peeler	Each	12/72
VP-307	Melon Baller	Each	12/72
VP-308	Tomato Stem Corer	Each	12/72
VP-309	Cheese Plane	Each	12/72
VP-310	Butter Curler	Each	12/72
VP-314	2-7/8" Oyster/Clam Knife	Each	12/72
VP-311	Grater w/1.5mm Dia Holes	Each	12/72
VP-312	Grater w/3mm Dia Holes	Each	12/72
VP-313	Grater w/6mm Dia Holes	Each	12/72
VP-315	Small Pizza Cutter 2-1/2" Wheel Blade	Each	12/72
VP-316	Large Pizza Cutter 4" Wheel Blade	Each	12/72

Extra strength wire frame resists bending



# ERGONOMIC KITCHEN TOOLS





### **UTILITY & BUS CARTS**



### **FOLDING 3-TIER UTILITY CARTS**

Add convenient mobility and compact storage in one. Transport stacked dishes, bus boxes, or meals to serve. Ideal for room service, off-site catering and table service.

- Fold/unfold in a single smooth motion; fit behind doors, between counters, in delivery van
- Handles on both ends and easy-clean shelves
- ♦ 18/8 stainless steel uprights with built-in locking latch
- 350Lb overall capacity
- ◆ Swivel casters w/4" wheels; 2 with step-lock brakes

ITEM	DESCRIPTION	UOM	CASE	
UCF-2916K	29"W x 16-1/2"D x 36"H	Set	1	
UCF-3820K	38-3/4"W x 20-3/4"D x 36"H	Set	1	











Easy-lift handle for transporting



UCF-2916K shown with one (1) PLW-7G



UCF-3820K shown with two (2) PLW-7G



### 3-TIER UTILITY CARTS WITH BRAKES

- Easy-clean polypropylene shelves
- ◆ UC-2415 series weighs 17.5 lbs
- ◆ UC-3019 series weighs 27 lbs
- Accessory bins sold separately
- Ships knocked down

ITE	M	DESCRIPTION	CAPACITY	COLOR	UOM	CASE
UC	C-2415G	32"L x 16-1/8"W x 36-3/4"H	330 Lbs	Gray	Set	1
UC	C-2415K	32"L x 16-1/8"W x 36-3/4"H	330 Lbs	Black	Set	1
UC	C-3019G	40-3/4"L x 19-1/2"W x 37-3/8"H	400 Lbs	Gray	Set	1
UC	C-3019K	40-3/4″L x 19-1/2″W x 37-3/8″H	400 Lbs	Black	Set	1
UC	C-RB	Refuse Bin			Each	3
UC	C-SB	Silverware Bin			Each	6
UC	C-WH	Caster			Each	1/30
UC	C-WHB	Caster w/ Brake			Each	1/30

4 swivel casters, 2 with brakes



### **3-TIER STAINLESS STEEL TROLLEYS**

- Caster bumpers protect walls, doors, and the cart from minor collisions
- Ships knocked down

ITEM	DESCRIPTION (L X W X H)	UOM	CASE
SUC-30	30" x 16" x 33" (w/Casters)	Set	1
SUC-40	33" x 17" x 35" (w/Casters)	Set	1
SUC-50	37" x 19" x 37" (w/Casters)	Set	1
SUC-CT	Caster for SUC-Series	Each	4/16
SUC-CTB	Caster w/Brake for SUC-Series	Each	4/16







360







EMP-10









EMP-30





Commercial countertop and floor planetary mixers feature gear-driven motors with three speeds, making it an ideal piece of equipment for bakeries, delis, cafés, and other commercial kitchen environments.

- ♦ Heavy-duty die cast iron construction
- Gear-driven, high torque transmission
- Large capacity 304 stainless steel bowl with safety guard and interlock bowl lift
- (3) three fixed mixing speeds
- Manual resettable thermal overload protection
- ◆ Industry standard #12 attachment hub (EMP-20 & EMP-30)
- Wire whip, aluminum flat beater, & spiral dough hook attachments included
- Non-slip rubber feet

ITEM	OVERALL DIMENSIONS L" X D" X H" (mm)	POWER	PLUG	SHIP WEIGHT
EMP-10	15- <sup>1</sup> / <sub>8</sub> x 18 x 24- <sup>1</sup> / <sub>8</sub> (383 x 456 x 612)	110V 50/60 Hz 750W 1HP 7A	NEMA 5-15P	99.2 lbs (45 kgs)
EMP-20	19- <sup>7</sup> / <sub>8</sub> x 21- <sup>11</sup> / <sub>16</sub> x 29- <sup>3</sup> / <sub>4</sub> (505 x 550 x 735)	110V 50/60 Hz 1100W 1.5HP 10A	NEMA 5-15P	188.5 lbs (85.5 kgs)
EMP-30	23- <sup>13</sup> / <sub>16</sub> x 24- <sup>1</sup> / <sub>2</sub> x 44- <sup>13</sup> / <sub>16</sub> (605 x 620 x 1138)	110V 50/60 Hz 1500W 2HP 14A	NEMA 5-15P	345.1 lbs (156.5 kgs)

	ITEM	DESCRIPTION	UOM	CASE
_	EMP-10	10.5 Qt (10L)	Set	1
	EMP-20	21.1 Qt (20L)	Set	1
	EMP-30	31.7 Qt (30L)	Set	1

See spec sheet for replacement bowls, wire whips, flat beaters, hooks, and ingredient chutes



**EMP-SERIES** 

# CONDIMENT









### 18/8 STAINLESS STEEL CONDIMENT DISPENSER

- Ideal for high-volume food service environments
- Two (2) 3-1/2 Qt plastic fountain jars included (7 Qt total) remove for easy cleaning & refilling
- Each pump dispenses between 1 oz and 1-1/4 oz portions
- Overall dimensions: 11"L x 8-3/4"W x 16"H (with pump)

00-	ITEM	DESCRIPTION	UOM	CASE
	PKTS-2D	Condiment Dispenser with 2 Standard Pumps	Set	1
	PKTS-PT01	Individual Pump with Lid	Each	20
	PKTS-PT02	Replacement Plastic Fountain Jar	Each	6
	PKTS-PT03	Stainless Steel Casina	Fach	1



PKT-1



### PUMP DISPENSER WITH 3 RESTRICTORS SET

- Perfect for condiments, hand sanitizer and hand soap
- ♦ 1-1/2" dia cap fits most 1 gallon jug
- Restricts 1 oz, 3/4 oz, 1/2 oz, 1/4 oz capacities

ITEM	DESCRIPTION	UOM	CASE
PKT-1	17" O.L.	Set	12/72

8" tube can be trimmed to custom length

### **SCALES**





### DIGITAL PORTION-CONTROL SCALE

- 6" x 6" stainless steel platform can be used as a tray
- Piece count, unit and tare functions
- Measures in five different units Ib:oz, Ib, oz, kg, g
- Includes three AAA batteries and AC adapter
- ♦ 2-1/2"L x 1"W backlight LCD screen

ITEM	DESCRIPTION	CAPACITY	UOM	CASE
SCAL-D22		22 Lb /	Set	1/36
	Digital Screen	10 kg		



SCAL-D22



### MECHANICAL STAINLESS STEEL RECEIVING SCALES

- Large, stable platform
- \* Shatter-proof lens protects dial
- Default calibration is pounds

ITEM	DESCRIPTION	CAPACITY	GRADATIONS	UOM	CASE
SCAL-62	6.5" Dial	2 Lb / 1 kg	1/4 Oz / 5 g	Each	8
SCAL-66	6.5" Dial	6 Lb / 3 kg	1/2 Oz / 10 g	Each	8
SCAL-810	8" Dial	10 Lb / 4.55 kg	1 Oz / 25 g	Each	6
SCAL-820	8" Dial	20 Lb / 9.09 kg	1 Oz / 50 g	Each	6
SCAL-840	8" Dial	40 Lb / 18.18 kg	2 Oz / 100 g	Each	6
SCAL-960	9" Dial	60 Lb / 27.27 kg	4 Oz / 100 g	Each	2
SCAL-9100	9" Dial	100 Lb / 45.45 kg	4 Oz / 100 g	Each	2
SCAL-9130	9" Dial	130 Lb / 59.09 kg	8 Oz / 200 g	Each	2





SCAL-840

### Large platform



SCLH-2



SCLH-50

### MECHANICAL STAINLESS STEEL KITCHEN SCALES

- Large 8" platform
- \* Shatter-proof lens protects dial

ITEM	DESCRIPTION	CAPACITY	GRADATIONS	UOM	CASE
SCLH-2	8" Dial	32 Oz	1/8 Oz / 10 g	Each	1/4
SCLH-50	8" Dial	50 Lb	1/8 Lb / 500 g	Each	1/4



### PRECISE-SLICE TOMATO SLICERS

Razor sharp stainless steel blades cradle delicate tomatoes, while smoothly and swiftly producing clean, uniform slices.

- Cast aluminum frame with stainless steel blades for even, clean cuts; blades are replaceable
- Ergonomic vertical handle provides smooth, effortless slicing
- ♦ Cuts 2 dozen tomatoes into 3/16" or 1/4" thick slices in only 1 minute!
- HDPE slicing surface for safe & durable food processing
- Rubber non-slip feet ensure maximum stability
- Slicers come standard with a stop/hold bracket

	ITEM	OVERALL DIMENSIONS L" X D" X H" (mm)	SHIP WEIGHT
-/	TTS-188		
	TTS-188S	14 1/ 20 1/ 20 1/ (420 2010 2040)	0.3 lbs (4.0 kgs)
	TTS-250	16-½ x 8-¼ x 9-½ (420 x 210 x 240)	9.3 lbs (4.2 kgs)
	TTS-250S		
71	7 7 7 7 7	I.	

/TEM / /	DESCRIPTION	UOM	CASE
TTS-188	3/16" Cut w/Straight Blade	Set	1/4
TTS-188S	3/16" Cut w/Serrated Blade	Set	1/4
TTS-250	1/4" Cut w/Straight Blade	Set	1/4
TTS-250S	1/4" Cut w/Serrated Blade	Set	1/4

### TOMATO SLICER ACCESSORIES

ITEM	DESCRIPTION	UOM	CASE
TTS-188-B	3/16" Straight Blade Assembly for TTS-188	Set	1/12
TTS-188S-B	3/16" Serrated Blade Assembly for TTS-188	Set	1/12
TTS-250-B	1/4" Straight Blade Assembly for TTS-250	Set	1/12
TTS-250S-B	1/4" Serrated Blade Assembly for TTS-250	Set	1/12
KAT-FT	4-Pc Replacement Feet Set	Set	1
KAT-WR	Dual-End Wrench	Each	1/25



Includes blade replacement wrench





Stop/hold bracket included



TTS-188-B



TTS-188S-B

KAT-WR





### **QUICK-SLICE CHEESE SLICERS**

Make light work of slicing a variety of semi-soft cheeses, with uniform, consistent results. Ideal for portion control and faster food prep.

- Cast aluminum construction with stainless steel wires
- Cutting area accommodates 1/3 of a 5 lb cheese block
- ◆ Cut 3/8" or 3/4" cheese sticks, cubes or slices
- Cleaning brush included

ITEM	OVERALL DIMENSIONS L" X D" X H" (mm)	SHIP WEIGHT
TCT-375	13¼ x 6¾ x 4½ (335 x 170 x 115)	4.2 lbs (1.9 kgs)
TCT-750	1374 x 074 x 472 (333 x 170 x 113)	4.2 IDS (1.9 kgs)

ITEM	DESCRIPTION	UOM	CASE
TCT-375	3/8" Cut	Each	1/4
TCT-750	3/4" Cut	Each	1/4

### CHEESE SLICER ACCESSORIES

ITEM	DESCRIPTION	UOM	CASE
TCT-375B	Replacement Bow for TCT-375	Set	1/10
TCT-750B	Replacement Bow for TCT-750	Set	1/10







Uniformly slice cheese blocks





TCT-SERIES









### QUICK-SLICE ONION/FRUIT/VEGETABLE SLICERS

Quickly produce evenly sliced coins of fruits and vegetables in a single smooth stroke.

- Aluminum construction with stainless steel blades
- Unique lever-handle allows for quick and easy operation
- Sturdy base with non-skid feet
- Two blades included can be stacked to create a finer cut
- ♦ 4-1/2" x 3-3/4" cutting area

ITEM	OVERALL DIMENSIONS L" X D" X H" (mm)	SHIP WEIGHT
OS-188	10 10 10 (402) 05 4 402	17 0 lbs (0 1 lcss
OS-250	19 x 10 x 19 (483x 254 x 483)	17.8 lbs (8.1 kgs

ITEM	DESCRIPTION	UOM	CASE
OS-188	3/16" Cut	Each	1/2
OS-250	1/4" Cut	Each	1/2

### ONION/FRUIT/VEGETABLE SLICER ACCESSORIES

ITEM	DESCRIPTION	UOM	CASE
OS-188B	3/16" Blade Set Assembly for OS-series, 2-Ps/Set	Set	1/10
OS-250B	1/4" Blade Set Assembly for OS-series, 2-Pcs/Set	Set	1/10
KAT-FT	4-Pc Replacement Feet Set	Set	1
KAT-BS-OT	4-Pc Replacement Bushings	Set	1
KAT-WR	Dual-End Wrench	Each	1/25

### **KATTEX** LETTUCE CUTTER

**OS-SERIES** 



### QUICK-SLICE LETTUCE CUTTER

Cut multiple heads of crisp, fresh lettuce in seconds. The interlocking scalloped, pretensioned blades are sized to cut 1 inch squares of cored lettuce, without bruising or browning.

- Aluminum frame with easy-grip handle
- Stainless steel blade with 49 square cuts
- ◆ Cuts lettuce into 1" x 1" slices in less than 1 minute
- Rubber feet prevent slipping/scratching on work surface
- 7" x 7" cutting area

ITEM	OVERALL DIMENSIONS L" X D" X H" (mm)	SHIP WEIGHT
TLC-1	13 x 18 x 20 (330 x 457 x 508)	17.8lbs (8.1 kgs)

ITEM	DESCRIPTION	UOM	CASE
TLC-1	1" x 1" Cut	Each	1/2

### LETTUCE CUTTER ACCESSORIES

ITEM	DESCRIPTION	UOM	CASE
TLC-1-B	Replacement Blade for TLC-1	Each	1/10
KAT-FT	4-Pc Replacement Feet Set	Set	1
KAT-BS-OT	4-Pc Replacement Bushings	Set	1
KAT-WR	Dual-End Wrench	Each	1/25





OS-250B

Blade set assembly

TLC-1-B



Restaurant Equippers Inc.



### QUICK-SLICE ONION/FRUIT/VEGETABLE SLICERS

Quickly produce evenly sliced coins of fruits and vegetables in a single smooth stroke.

- Aluminum construction with stainless steel blades
- Unique lever-handle allows for quick and easy operation
- Sturdy base with non-skid feet
- Two blades included can be stacked to create a finer cut
- ♦ 4-1/2" x 3-3/4" cutting area

	ITEM	OVERALL DIMENSIONS L" X D" X H" (mm)	SHIP WEIGHT
	OS-188	10 v 10 v 10 (402 v 05 4 v 402)	17.0 lbs /0.1 l/gs
Ì	OS-250	19 x 10 x 19 (483x 254 x 483)	17.8 lbs (8.1 kgs

ITEM	DESCRIPTION	UOM	CASE
OS-188	3/16" Cut	Each	1/2
OS-250	1/4" Cut	Each	1/2

### ONION/FRUIT/VEGETABLE SLICER ACCESSORIES

ITEM	DESCRIPTION	UOM	CASE
OS-188B	3/16" Blade Set Assembly for OS-series, 2-Ps/Set	Set	1/10
OS-250B	1/4" Blade Set Assembly for OS-series, 2-Pcs/Set	Set	1/10
KAT-FT	4-Pc Replacement Feet Set	Set	1
KAT-BS-OT	4-Pc Replacement Bushings	Set	1
KAT-WR	Dual-End Wrench	Each	1/25

# **OS-SERIES**





OS-250B

Blade set assembly

### QUICK-SLICE LETTUCE CUTTER

Cut multiple heads of crisp, fresh lettuce in seconds. The interlocking scalloped, pretensioned blades are sized to cut 1 inch squares of cored lettuce, without bruising or browning.

- Aluminum frame with easy-grip handle
- Stainless steel blade with 49 square cuts
- ◆ Cuts lettuce into 1" x 1" slices in less than 1 minute
- Rubber feet prevent slipping/scratching on work surface
- ◆ 7" x 7" cutting area

ITEM	OVERALL DIMENSIONS L" X D" X H" (mm)	SHIP WEIGHT
TLC-1	13 x 18 x 20 (330 x 457 x 508)	17.8lbs (8.1 kgs)

### LETTUCE CUTTER ACCESSORIES

ITEM	DESCRIPTION	UOM	CASE
TLC-1-B	Replacement Blade for TLC-1	Each	1/10
KAT-FT	4-Pc Replacement Feet Set	Set	1
KAT-BS-OT	4-Pc Replacement Bushings	Set	1
KAT-WR	Dual-End Wrench	Each	1/25



mounting wrench

**Avanty Legacy Smallwares** 



TLC-1-B



Restaurant Equippers Inc.

### ALUMINUM NESTING SHEET PAN RACKS



### 20-TIER NESTING RACK, WITH BRAKES

Designed with space-saving in mind, the Z-rack fits snugly with nesting racks to conserve floor space while in storage. The Z-rack accommodates standard full-size sheet pans, or double up with half-size pans.

- 20-tier sturdy aluminum construction
- Z-frame nesting design for compact storage
- ◆ Capacity: up to 650 lbs & 20 full-size (18" x 26") sheet pans
- Full-swivel casters; two (2) with brake
- 3" spacing between each tier
- Fully assembled: 22" L x 27-1/2"W x 70"H

	IIEW	DESCRIPTION	UOM	CASE	
		20-Tier, Welded	Each	1	
9	ALZK-20BK	20-Tier, Knocked Down	Each	1	
•	ALRC-5ST	Caster for ALZK & AWZK-series	Each	12	
	ALRC-5STK	Caster w/Brake for ALZK & AWZK-series	Each	12	

### **ALUMINUM SIDE-LOAD** SHEET PAN RACKS

ALZK-20BK

AWZK-20





Empty racks

nested together

### 📫 20-TIER SIDE-LOAD RACK, WITH BRAKES

Designed with side-load access for alternative convenience in tight kitchen and bakery spaces.

- 20-tier sturdy aluminum construction
- Designed to hold and transport (20) full-size (18" x 26") sheet pans
- 5" dia, full-swivel casters; two (2) with brake
- Capacity: up to 650 Lbs
- 3" spacing between each tier
- Ships welded or knocked down
- Fully assembled dimensions: 29-1/2"L x 19-1/2"W x 70-3/8"H

	ITEM	DESCRIPTION	UOM	CASE
(6	AWRS-20BK	20-Tier, Welded	Each	1
	ALRS-20BK	20-Tier, Knocked Down	Each	1
-	ALRC-5ST	Caster for ALZK & AWZK- series	Each	12
	ALRC-5STK	Caster w/Brake for ALZK & AWZK-series	Each	12

